AD

Reports Control Symbol OSD-1366

AD A 055028

1

RESEARCH AND DEVELOPMENT TECHNICAL REPORT
ASL-DR-0001



ATMOSPHERIC CONDITIONS AT THE HIGH ENERGY LASER SYSTEMS TEST FACILITY (HELSTF), WHITE SANDS MISSILE RANGE (WSMR), NEW MEXICO

24 MARCH TO 8 APRIL 1977

DATA REPORT By

- C. Norton
- D. Walters
- G. Hoidale
 - J. Hines
- W. Hatch
- D. Favier
- M. Hamiter
- R. Pinnick
- G. Fernandez
 - E. Huth
 - C. White





Atmospheric Sciences Laboratory

US Army Electronics R&D Command
White Sands Missile Range, New Mexico 88002

January 1978

Approved for public release; distribution unlimited,

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trace names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Pestroy this report when it is no longer needed. Do not return it to the originator.

IT ERADCEMASL-DR-BOGS SECURITY CLASSIFICATION OF THIS PAGE (Then De READ INSTRUCTIONS REPORT DOCUMENTATION PAGE BEFORE COMPLETING FORM 1. REPORT NUMBER 2. JOYT ACCESSION NO. 3. RESPE SYT'S CATALOG MUMBER ASL-DR-0001 A TITLE (ATMOSPHERIC CONDITIONS AT THE HIGH ENERGY LASER SYSTEMS IEST FACILITY (HELSTE), WHITE Data Repart. SANDS MISSILE RANGE (MSMR), NEW MEXICO TRG. REPORT NUMBER 24 MARCH TO 8 APRIL 1977. (Oc./Norton, D./Walters, G. Hoidale, J./Hines CONTRACT OR GRANT NUMLER(*) W. Hatch, Deravier, Hamber, R. Pinnick, G. Fernander, L. Huth, C.-White. 9. PERFORMING ORGANIZATION NAME AND ADDRESS 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Atmospheric Sciences Laboratory it White Sands Missile Range, New Mexico 88002 DA Task/111611/92853A 11. CONTROLLING OFFICE NAME AND ADDRESS Jan US Army Electronics Research and Development Comman Adelphi, MD 20783 466 14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office) 15. SECURITY CLASS. (M UNCLASSIFIED 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 17- DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different from Report) 18. SUPPLEMENTARY NOTES This work was funded by the Navy High Energy Laser Project, Naval Sea Systems Command (PMS-405). 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) White Sands Missile Range Lasers Meteorology Propagation 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A set of atmospheric surface, tower, rawinsonde, and aircraft measurements was made at the High Energy Laser Systems Test Facility area from 24 March through 8 April 1977 in support of adaptive optics design for the Navy High Energy Laser Project Manager. These measurements consisted of optical turbulence. wind, water vapor, particulate size distribution, inversion height, air and soil surface temperature, and net radiation. Presented in this data report are plots and selected tabular listings of the surface, tower, and rawinsonde data. The aircraft measurements of optical turbulence are included in an appendix


DD FORM 1473 EDITION OF THEY ST IS OBSOLETE

SECURITY CLASSIFICATION OF THIS PAGE (When Dece Entered

SECURITY CLASSIFICATION OF THIS PAGE(M	Ren Date Entered)	
		1
		1
		1
		}
		į
		1
		İ
į		İ
		1
1		İ
1	•	1
		1
		i
i		
1		
İ		
i		
		}
		1
i		İ
1		
		į
1		j
		i
1		
		1
1		
		1
1		
1		
į.		
1		
		İ
		į į
i		
i		
I		

PREFACE

The authors wish to thank Adela Soto for her assistance in assembling these data and Bobby D. Hinds for his helpful suggestions during the preparation of this report.



CONTENTS

	Page
PREFACE	1
IHTRODUCTION	3
GEOLOGY/SOILS/VEGETATION	5
SITES	5
INSTRUMENTATION	5
Turbulence	12
Inversion Height	12
Particulate Size Distribution/Extinction Coefficient	12
SAMPLING FREQUENCY	13
DATA AVAILABILITY	13
Ground Based	13
Airborne	13
DATA	13
REFERENCES	22
APPENDIX A	304
APPENDIX B	448
APPENDIX C	451
ADDERNATY A	&5A

INTRODUCTION

In a letter dated 7 February 1977 the Naval Sea Systems Command (Captain Skolnick, Project Manager, High Energy Lasers) requested and subsequently funded a meteorological measurement program at the White Sands Missile Range (MSMR) to support adaptive optics design. The program would focus primarily on optical turbulence and would initially encompass an intensive 2-week effort. In addition to turbulence, measurements would be made of wind, temperature, relative humidity, inversion heights, and particulate size distribution.

The initial 2-week period was scheduled for 24 March through 8 April 1977 and involved a combination of aircraft, tower, rawinsonde, acoustic sounder, and "surface" measurements/observations. The aircraft measurements were of the atmospheric structure parameter measure of optical turbulence; these measurements were performed by the Wave Propagation Laboratory, Environmental Research Laboratories, National Oceanic and Atmospheric Administration (NOAA) and are covered in Appendix A.

The remainder of the measurements/observations were conducted by the Atmospheric Sciences Laboratory and involved three sites: Laser Systems Test Center (LSTC), Apache Site, and Arky Site (Fig. 1).

At the LSTC, point measurements of optical turbulence, windspeed and direction, and temperature were made at approximately the 3 and 34 m tower levels; and inversion height was monitored with an acoustic sounder. In addition, measurements were made of water vapor, net radiation, and soil surface temperature and observations were made of cloud cover.

The second secon

At Apache Site (5.5 km west of the LSTC) point measurements of optical turbulence, windspeed and direction, and temperature were made at approximately the 9 and 33 m tower levels. In addition, radiosondes were released from Apache Site and were scheduled to coincide with the NGAA turbulence flights.

At Arky Site (2.6 km morthwest of the LSTC) point measurements were made of the particulate size distribution, relative humidity, and windspeed. Extinction coefficients were computed for spherical particles for wavelengths of 1.06, 3.8, and 10.6 micrometers from the measured size distribution and published values of the complex refractive index.

The purpose of this report is to present the basic data acquired during the 2 weeks. Following brief sections on geology/soils/vegetation, sites, instrumentation, sampling frequency, and data availability, the data are presented. The data are organized on a daily basis by site in graphical form, occasionally supplemented by tabular listings. Included in the daily summaries are synoptic and local weather summaries, data logs (temperature, moisture, clouds, remarks), plots of the atmospheric structure parameter (or optical turbulence, C_N^2), exponential coefficient of the vertical variation of C_N^2 , temperature, vertical temperature difference,




Figure 1. Ground plane projection of the HELSTF atmospheric wedge.

net radiation, windspeed and direction. inversion heights, rawinsonde data, and particulate extinction coefficient estimates for wavelengths of 1.06, 3.8, and 10.6 micrometers together with tabular listings of size distribution, extinction coefficient and mass loading.

Analyses of these data will be covered in a future report.

GEOLOGY/SOILS/VEGETATION

The HELSTF area is located near the southwestern corner of the White Sands National Monument on the White Sands Missile Range in south-central New Mexico. Geologically, the HELSTF area is situated along the western boundary of the Tularosa Basin, a graben capped by bolson deposits (valley fill). Tilted fault block mountains with the upraised fault scarps rising more than 1000 m above the semidesert basin floor dip away from the valley on the west and east sides (San Andres and Sacramento Mountains, respectively). During Pleistocene times a lake covered a large part of the basin. Vestiges of the lake are still evident in the Lake Lucero playa located in the northwestern sector of the HELSTF area. The mantle of bolson deposits is of Cenozoic origin and consists largely of gypsum and quartz sand.

The HELSTF area soils are indicated in Fig. 2. A description of the soil mapping units and the associated vegetative groups is contained in Tables 1 and 2. Lake Lucero is intermittently covered with water, a feature which is dependent upon precipitation over the surrounding area.

SITES

mentioned in the constitution of the second of the constitution of

Ground-based measurements were taken at the sites identified as LSTC, Apache, and Arky in Fig. 1. Apache Site is located approximately 5.5 km west of the LSTC and Arky Site about 2.6 km to the northwest. Latitude, longitude, and elevation for the three sites are specified in Table 3.

INSTRUMENTATION

The ground-based instrumentation used to measure optical turbuience, wind, water vapor, particulate size distribution, and ancillary elements are listed in Table 4.

The tower-mounted instrumentation for optical turbulence and wind were located on booms as indicated in Fig. 3. The positioning of the instrumentation at a given level was selected so as to minimize the effects of the towers themselves upon the measurements for the winds expected to occur during the 2-week period. Erroneous data and data influenced by the tower were eliminated from the final computer plots (see Appendix B).




Figure 2. HELSTF area soils (see Table 1 for soil description).

TABLE 1. HELSTF SOILS/VEGETATION*

Map Symbol	Mapping Unit	Description	Vegetative Group*
AC	Active dune land, gypsum	Dunes, 1-30 m high, continually shifted by wind action, gypsum crystals	-
SS	Gypsum land, hum- mocky	Dunes, gently undulating to rolling gypsum dunes, partly stabilized, little or no soil blowing	~
an	Gypsum land, level	Level to nearly level gypsum deposits in an old lakebed, water table within 2 m of surface	ო
Æ	Marcial-Ubar association	55% Marcial silty clay loam, 35% Ubar silt loam, light-brown Ubar occurs higher on landscape than reddish brown Marcial, moderate soil blowing potential	4
MG	Mimbres-Glendale ascociation	55% Mimbres light-brown silt loam, 25% Glendale pale- brown silt loam	ស
Z	Nickel-Tencee association	60% Nickel light-brown gravelly fine sandy loam, 25% Tencee brown very gravelly loam, gently to moderate sloping	ø
80	Onite-Bluepoint-Wink association	40% Onite brown loamy fine sand, 25% Bluepoint light- brown fine sand, 20% Wink light-brown loamy fine sand	7
ΧН	Yesum-Holloman association	35% Yesum very fine sandy loam, 30% Holloman very fine sandy loam, Yesum level to undulating on wind-deposited plains, Holloman level to gently sloping soil in slight depressions and old lake basins	N

Adaptad from: Noher, R. E. and O. F. Bailey, 1876, "Soil eurvey of White Sande Missile Range, New Mexivo, parts of Dona Ana, Lincoln, Otero, Sierra, and Socorro counties," US Department of Apriculture, US Department of the Army. White Sande Missile Range, and New Mexico Agricultural Experiment Station, 64 pages.

**Sog Table 3

TABLE 2. VEGETATIVE GROUP

Number	Description
	No vegetation on dunes, but sparse giant dropseed, spike dropseed, Indian rice grass, little bluestem, rubber rabbit brush, chamiza, seepweed, and iodine bush grows between dunes
~:	Sparse cover of rough coldenia, gyp grass, Torrey ephedra, alkalı sacaton, lichens, chamiza, gyp grama, rubber rabbit brush, Indian rice grass, little bluestem, and mesquite
ო	Scattered fodine bush
4	Alkali sacaton, chamiza, icdine bush, inland sait grass
ಸ	Vine mesquite, sacaton, tobosa, fluff gruss, burro graus, chamiza
ဖ	Creosote bush, mesquite, American tarbush, maricle panthenium, black grama
7	Mesquite, chamiza, giant dropseed, mesa dropseed, spike dropseed, sand sagebrush, tobosa, black grama, soap tree yucca, alkali sacaton

TABLE 3. DATA ACQUISITION SITES

Site	Latitude	Longitude	Elevation (m above Mean Sea Level)
LSTC	32°381	196°171	1210
Apache	32°38 '	106°241	1206
Arky	32°40°	106°20 '	1206

TABLE 4. TURBULENCE, WIND, EXTINCTION COEFFICIENT, AND RELATED ANCILLARY MEASUREMENTS

Wich production of the contract of the contrac

Element Measured	Instrument (Manufacturer & Model No.)	Approx. Height Above Ground (m)	Accuracy
Opticel turbulence	In house (see text, p.451)	9 33	within 15% (C _{8 m} -2/3)
Wind (u, v, w)	R. M. Young 27002	9, 33	O.1 m sec"
Extinction coefficient Gas Water vapor	Sling Psychrometer ML-24	ω.	*
Particulate Size distribution	Particle Measuring Systems CSASP-100	ស	Under in-house eval- uation
Ancillary Inversion height Soil surface tem-	Aeroviroment 300 Thermocouple, reference, Acromag 355	0.001	50 m 0.1°C
perature Net radiation	Teledyne Geotech temperature com-	-	0.1 Langleys min ⁻¹
Pressure	pensated net exchange radiometer Bell & Howell Digital Barometer 4-461-	~	J mb
Temperature	002 Thermocouple, reference, Acromag 355	6, 33	0.1°0
Rawinsonde Wind Temperature Pressure Relative humidity	AN/GMDX-1A, WBRT, 47 AN/GMD-1A, 2A, 4, WBRT, 47 AN/GMW-1A, 2A, 4 AN/GMD-1A, 2A, 4, WBRT, 57, µL, 476	00000 m 00000 m 00000 m 000000 m	12% (knots) or 0.2% mb 0.2%

LASER SYSTEMS TEST CENTER METEOROLOGICAL TOWER




Figure 3. Location of optical turbulence and wind probes on the LSTC and Apache Site meteorological towers.

Turbulence

Optical turbulence, which is characterized by the structure parameter C_N^2 , can be quantified by measuring either optical effects or by measuring thermal fluctuations in the atmosphere. Optical measurements are generally restricted to interpretation using a model. When several measurements are to be made at different altitudes, the thermal fluctuation approach is advantageous. Thermal fluctuation measurements, although indirect, are straightforward and are subject to reasonably direct calibration. The turbulence sensors and their calibration are discussed in Appendix C.

Inversion Height

The Aeroviroment 300 acoustic sounder data was recorded on a strip chart. The strip chart was manually examined for inversion heights. Up to three inversion heights were identified:

Top of the lowest inversion

Base of the second inversion

Base of the third inversion

the second territorist with Division is the desired as to a desired by the best desired by the second of the secon

These inversion heights were measured at 15-minute intervals and the resultant data computer processed to arrive at the inversion height plots.

Particulate Size Distribution/Extinction Coefficient

A Knollenberg single-particle light scattering counter was used to measure the size distribution of particulates at Arky Site. The advantage of using a light-scattering counter is that the measurement is done in situ in real-time with minimal disturbance to the particles during measurement. A serious shortcoming of the Knollenberg counter is that particle size can be inferred only from the actual measurement of the amount of light scattered into a certain (forward scattering) solid angle by single particles as they pass through a He-Ne laser beam. The amount of light scattered into this particular solid angle depends not only on the particle size, but also on the complex index of refraction and shape of the individual particles. To infer the size distribution used to estimate the extinction coefficients, it is assumed that the particles have a complex refractive index of 1.55-0.005 i [1] at the wavelength of the He-Ne laser (0.6328 micrometer). For a more detailed account of detector calibration, the reader is referred to Pinnick and Stenmark [2].

It is noteworthy that scaming electron microscope measurements of the size distributions of particles collected - simultaneous with the counter measurements - onto filters corroborate the size distribution inferred from the particle counter.

Extinction coefficients at 1.06, 3.8, and 10.6 micrometers were computed for each size distribution. The computation was based on Mie Theory, assumed spherical particles, and incorporated the complex indices of refraction listed in Table 5. Size distributions and extinction coefficients corresponding to mass loadings of less than $50\mu g m^{-3}$ are not statistically significant. The nonlinear size ranges and mean radius corresponding to the Knollenberg particle counter channel number are listed in Table 6.

In support of the particulate size distribution measurements and extinction coefficient estimates, simultaneous measurements of windspeed and relative humidity were made.

For the results presented here the particulates have been modeled with a polydispersion of homogeneous spheres of uniform composition. However, analysis of dust filter samples has revealed that the particulates are multicomponent and have irregular shapes. A model for these effects is under development. In addition, a source strength model is to be developed for the soil-derived component taking into account sedimentation and diffusion.

SAMPLING FREQUENCY

The sampling frequencies of the various elements are listed in Table 7.

DATA AVAILABILITY

Ground Based

Commendate the state of the proposed and the state of the

Table 8 contains a summary of the measurements/observations scheduled for each of the three sites.

The actual availability of the data is summarized in Tables 9, 10, and 11. Hazardous atmospheric conditions (generally high windspeeds and the attendant blowing dust and sand) and instrumentation difficulties account for most of the missing data, in particular on 28 and 29 March.

Airborne

The availability of data from the NOAA turbulence flights is summarized in Table 12. The actual data, as previously indicated, are reported in Appendix A.

DATA

The data are summarized, either graphically or in tabular form, on a daily basis. Included in the summaries are:

TABLE 5. COMPLEX INDICES OF REFRACTION USED TO CALCULATE EXTINCTION COEFFICIENT

Index of Refraction	Wavelength (µm)	Reference
1.65-0.0050i	1.06	3
1.47-0.0045i	3.8	4
1.70-0.3000i	10.6	5

TABLE 6. SIZE RANGES AND MEAN RADIUS CORRESPONDING
TO KNOLLENBERG PARTICLE COUNTER CHANNEL NUMBER

Radius Range (µm)	Mean Padius (四)
0.32 - 0.89	0.61
0.89 - 1.48	i jā
1.48 - 2.11	1.80
2.11 - 4.4	3.26
4.4 - 5.5	4.95
5.5 - 9.6	7.55
9.6 - 10.6	10.1
10.6 - 24.7	17.7
	(µm) 0.32 - 0.89 0.89 - 1.48 1.48 - 2.11 2.11 - 4.4 4.4 - 5.5 5.5 - 9.6 9.6 - 10.6

TABLE 7. SAMPLING FREQUENCIES FOR THE ASL ATMOSPHERIC DATA

24 March - 8 April 1977

Element	Sampling Frequency
Turbulence	Analog RMS 10 seconds average and arith- meticallly averaged over 15 minutes
Wind	
LSTC and Apache	Once every 10 seconds and arithmetically averaged over 15 minutes
Arky	Two second arithmetic average every 10- 15 minutes
Moisture	
LSTC and Apache	Once every hour
Arky	Once every 15 minutes
Temperature	Once every io seconds and arithmetically averaged over 15 minutes
Net radiation	Once every 10 seconds and arithmetically averaged over 15 minutes
Cloud observations	Once every hour
Size distribution	Cumpulative over 10-15 minutes
Inversion height	Every 18 seconds
Rawinsonde	0000, G600, 1200, 1800 hours MST
Rawinsonde	0006, 6606, 1200, 1800 hours MST

TABLE 8. SCHEDULED SITE MEASUREMENTS/OBSERVATIONS

LSTC	APACHE	ARKY
Optical turbulence ¹	Optical turbulence ¹	
8 m	9 m	
34 m	33 m	
Wind ¹	Wind ¹	Wind ¹
8 m	9 m	
34 ш	33 m	
Temperature ¹	Temperature ¹	
9 m	9 m	
34 m	33 m	
		Particulate size distribution4
	Rawinsonde ³	
Water vapor pressure ²		Relative humidity ¹
Net radiation ²		
Cloud cover ²		
Inversion height ¹		

¹Continuous

²Hourly

³0000, 0500, 1200, and 1800 MST

⁴Generally 10-15 minutes

TABLE 9

DATA AVAILABILITY
TEMPERATHER VAPOR PRESSHER NET RADIATION CINTU WORD WITH

Dato	Turb 9m	Turbulanco 9m 33m	Wind Speed & Direction (9m and 33m)	Temporature (9m and 33m)	Vapor Prossuro	Not Rudiation	Cloud	Inversion Heights
	LA	LA	L A	L A		ا ب	١.	
March 24	ł	مـ	υ υ	ပ ပ	ပ	ပ	ပ	ပ
25	۵.				ပ	ပ	ပ	ပ
26		Z	. Z	. Z	۵.	۵_	ပ	ပ
.27	<u>a</u>		. a.	. a.	۵.	۵	<u>a</u>	a
28		z	Z . Z	: Z	Z	Z	Z	Z
29		z	Z	z	z	Z	Z	Z
30		۵	: 0.	: a.	۵.	a	<u>a</u>	<u>a</u>
31		م	ပ	. ပ	ပ	ပ	ပ	ပ
April 1	<u>م</u>	<u>а</u> .			ပ	ပ	ပ	ပ
7		م		ပ	ပ	ပ	ပ	ပ
က		٩			ပ	ပ	ပ	ပ
7		۵.			ပ	ပ	ပ	ပ
ະນ		م			ပ	ပ	ပ	ပ
9		م			ပ	ပ	ပ	ပ
7		٥			ပ	ပ	ပ	ပ
60		م	. ပ ာ ရ.	. ധ ം പ	٥	۵.	ပ	ပ
	ביים דים דים		Table State Comp.	N I N				

P - Partial Data Sot

A - Apache

TABLE 10. APACHE RADIOSONDE DATA AVAILABILITY (Release Numbers)

		Release Ti	mes (MST)	······································
Date	0000	0500	1200	1800
March 24		1	2	3
25	4	5	6*	7
26	8	9	10]]**
27	**	**	12	13
ŽŠ	**	**	**	**
29	**]4 ***	15	16
30	17	18	19	20
31	21	22	23	24
April 1	25	26	27	28
2	29	30	31	32
3	33	34	35	36
4	37	38	39	40
5	41	42	43	44
6	45	46	47	48
7	49	50	51	52
8	53	54	55	56
9	57			

^{*}Released at 1000 MST

^{**}Canceled due to inclement weather

^{***}Missing

TABLE 11. ARKY PARTICULATE SIZE DISTRIBUTION DATA AVAILABILITY

Date	Hours (MST)							
March 24	C							
25	0000-1515							
26	1800-2400							
27	С							
28	С							
29	C .							
30	C							
3i	С							
April 1	С							
2	С							
3	0000-2342							
4	N							
5	N							
6	1525-2400							
7	0000-1755							
8	NN							

C = Complete data set

N = No data

Weather Summary

0500 MST surface weather map and station weather

0500 MST 500-mb height contours

Hollowan AFB cloud, wind, visibility, temperature, and vapor pressure summary

LSTC

 C_N^2 at 9 and 34 m

Exponential coefficient reflecting altitude change of C^2_N between 9 and 34 m

Temperature and vapor pressure

Differential temperature (soil and 9 m, soil and 34 m) and net radiation

Windspeed and direction at 8 and 34 m

Apache

A broken was the second of the

 C_N^2 at 9 and 33 m

Exponential coefficient reflecting altitude change of C_N^2 between 9 and 33 m

Temperature (air at 9 and 33 m) and vapor pressure

Windspeed and direction at 9 and 33 m

Rawinsonde

Temperature, vapor pressure, and wind with corresponding tabular listing for significant and mandatory levels up to 3600 m above ground level (AGL)

Particulate

Size distribution (tabular)

Extinction coefficient estimates (graphical and tabular)

Windspeed and relative humidity (graphical)

(Additional size distribution data, extinction coefficient estimates, and windspeed and relative humidity data are available for 16, 17, 18, 19 and 23 March. The respective plots and tabular listings are included in Appendix D)

Mass loading (tabular)

REFERENCES

- 1. Grams, G. W., I. H. Blifford, Jr., D. A. Gillette and P. B. Russell, 1974, "Complex Index of Refraction of Airburne Soil Particles," J. Appl. Meteorol., 13:459-471.
- 2. Pinnick, R. G., and E. B. Stenmark, 1976, "Response Calculations for a Commercial Light-Scattering Aerosol Counter," R&D Report ECOM-5597, Atmospheric Sciences Laboratory, US Army Electronics Command, White Sands Missile Range, NM, 31pp. (AD A940841)
- 3. Ivley, L. S., and S. I. Popova, 1973, "The Complex Refractive Indices of Substances in the Atmospheric-Aerosol Dispersed Phase," <u>Atmospheric Ocean. Phys.</u>, 9:587-591. (English edition)
- 4. Volz, F. E., 1973, "Infrared Optical Constants of Ammonium Sulfate, Sahara Dust, Volcanic Pumice, and Flyash," Appl. Opt., 12:564-568.
- 5. Patterson, E., 1977, "Atmospheric Extinction Between 0.55μm and 10.6μm Due to Soil-Derived Aerosols," Appl. Opt., 16:2414-2418.

are the description of the second of the sec

Weather Summary

Date: 24 March 1977

Synoptic

Surface: Deep surface low-pressure area over eastern Montana with secondary low over Utah. Cold front extending from the low over eastern Montana into southern California.

500 Millibar: Upper air trough off the west coast with short wave over western Texas and resultant northwesterly flow over New Mexico.

Holloman AFB

Clouds: Mostly clear with scattered afternoon high clouds (cirrus).

Wind: Light and variable in the morning with 5-9 m sec⁻¹ southerly winds during the afternoon.

Visibility: Generally greater than 60 km.

Maximum temperature: 23.9°C Corresponding vapor pressure: 2.5 Torr

Minimum temperature: 7.2°C Corresponding vapor pressure: 2.2 Torr



Figure 4a. Surface weather map for 24 March 1977.



Figure 4b. 500-millibar height contours for 24 March 1977.

TABLE 13. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

Dato. 2/ March 1077	Remarks	NCIIIGI NO										Acoustic sounder placed in	at 0945							Checked acoustic sounder						
	High %/Tvne	2411/2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	10 Ci	10 Ci	10 Ci	10 Ci		10 Ci	10 Ci	10 Ci
Clouds	Mid %/Tvne	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Low %/Tvne	77.7	0	0	0	0	ဂ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Dew Point (°C)		-1.8	9.0-	-4.1	-6.1	-7.2	-8.2	-6.7	-4.4	-1.2	1.7	2.9	9.0	3.1	2.5	0.9	-0-3	3.9	2.6	-3.5	-1.6	-2.2	-3.6	-5.5	-3.5
Vapor	Pressure (Torr)		œ ۳	4.2	3.3	2.8	2.5	2.3	2.7	3.2	4.0	5.0	5.5	4.5	5.5	5.2	6.8	4.2	5.8	5.3	3.3	3.9	3.8	3.4	2.9	3.4
Ory Bulb	Temp (°C)		3.8	12.9	7.3	4.3	3.0	2.8	4.0	0°6	15,3	17.6	17.7	21.2	21.3	21.8	23.0	22.4	22.3	20.2	16.0	12.3	12.1	8.6	8.1	10.7
	Hour	00.0	0010	0200	0300	0400	0200	0090	0200	0800	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 5. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 24 March 1977.




Figure 6. Diurna: variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC, 24 March 1977.




Figure 7. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 24 March 1977.




Figure 8. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 24 March 1977.





Figure 9. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 24 March 1977.






Figure 11. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 24 March 1977.








Figure 12. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels. Apache Site, 24 March 1977.












Figure 13. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 24 March 1977.




Figure 14. Diurnal variation of windspeed and relative humisity, Arky Site, 24 March 1977.

FARTICULAIR SIZE DISTRIBUTION: CALCULATED EXTINCTION: AND MASS LOADING

	•				7770	د				UP I X I		*	5 LOAD 1 46
04 FE TESE (#87)	SAMPLE		: : : : : : : : :	: : : : :			-	_	 c 	Ī		5.6	
		: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : : :	:::::::::::::::::::::::::::::::::::::::		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!		
01000	•	7 4 • 6	37.6	A 1 - 0	9	90.	•	00.	00.	ç	2	0-6	139.
311913	2	63.	3:5	11:5	ċ	:	_	•	00	2	1	=	•
6:36:0	•	79.0	33+0	1000	0-0	9-2	0	00	00.	2	10-0	6	Œ
3:11:3	C.	11:1	14.0	19.0	:	~	6	O	00.	0-25	11-0	-	0
1:04:0	•	13.0	15.0	4 3 + C	3-0	J	~	·	9	9	22-0	į	r
1:15:3	C	13:3	20+0	41.5	12:	:	4-2	0	.00	0 • 6 1	6-44	î	•
1:36:0	•	1 y · c	1140	47.0	-0	.64-01	U O	C	çə.	?	9	i S	₽.
1:11:	î	13:3	47:3	31:0	:	2	•	0	000	97-0	21-0	0-0	~
2:00:0	0	12.0	33.0	3:50	5	5-0	0	00.	0.	0	0-4	-	200
2:15:2	C	::	C+ + E	21:0	÷	÷.	a	0	000	0 - ~ F	17-0	î	•
2:36:6	•	310	90+C	200	ĭ	0	ر و	u	9	9	ļ	5	₹
2:11:3	3	3:0	13:1	19.0	:	:	-	n	00.	0-12	-44	3.5	:
3:06:6	•	4200	36+0	14.0	5	. 32-01	00.	0).	00.	2	0-40	0-69	
3:11:3	•	12:0	?::	31.0	•	-	G	0	000	9-92	î	Ē	97.
3: 16:6	9	70.0	32.6	14.0	3-0	J	0	0	00.	Ç	-	2	•
0	0	7.5	7	21:0	:	3	•	0	c -			20-0	ヘ.
2:06:0	•	J • • •	22.0	0.5	بر ح) - * '	٥ د د د	Ç,	c ·	57-0	Ç	23-0	•
	23	2			?;	٥ * :	, ,	n G	0.	2	֡֜֝֜֜֜֜֜֜֜֜֜֜֜֓֓֓֜֜֜֜֜֓֓֓֓֜֜֜֜֜֜֜֜֜֓֓֓֜֜֜֜֜		•
	• •) • C •) • C = .		-		- (٥ د	26		0-25		D #
							Э (> •	•				
7.5	0.5 0.5						_		200				
	•						. 4	•					٠.
	?:)						3 0	25		,		
A: 00: 6	6	0	10+0	3006	3-16	9-6	5	O		-	9	ż	
A:113	2	33	::	13.5		13:3	42-3	0	00.	5	0-15	52	-
6:36:6	3	200	16+0	3 - 1 +	3	94-0	<u>.</u>	0.	00.	0	5	L	
91111	•					_	2	0	0	0:0	20-0	0-21	
7:06:0	.		0 + 4 5	34+0	٠. د	0-6	26-6	0	60.	9	֡׆	0-10	•
7:19:7	23	1	?			16.14.	•	0	6.	~ 1	22.5	┇.	0
7:36:0	•				- ·	0-25	3 - 6		00.	0-66	22.0	0= 01	•
						7.50	200	5 (01.0		9-6-	•
	-				·			> <	26	0 / 1			~ 4
				4	,) }	1	> <					
	-		2767	200									
0:20:0		110		100		9	•	3 13		. ~	2		
9:11:2	:	13.5	24+3	11.5	(-0)		6	CO	00	1 2-0	72-0	6-45	e.
9:36:0	3	1200	34.0	9.0	20-6	٠.	0	0	9	42-0	52-0	100	2
11111	•	11:3		23.3	:		•	00.	00	-	1	0-4	
4.46.6	•												

FARISCULATE SIZE DISYRIBUTION: CALCULATED EXTINCTION: AND MASS LOADING ARKY SITE: USER

The control of the Co

9

	•				3	; ; ; ;	1	1	1 1 1	CXYING		4	
A1E 11HE (MST)	1186	; ; ; ; «	: : : : : : : : : :	_			•	,	=		E . N	10.0	
	: :								Ę			•	42.
				•			, i	9		10-01	-	5	19.70
	20		3	-	-		- 1 - 1 - 1	000	60.	۰-		•	
1:06:0	. •	10+0	17.0	35-6	ĭ	0	7	0	00	Ξ	9	10	•
11111		=	20+3	16:3	3	16-14.	?	0	00.	-		1	•
1:36:6	-		0000	31:0	ĭ	۵	Ĭ	0	00.	•	2	00	ě,
1:11:7	_	?=	39:5	-14	$\hat{:}$	_	_	.00	00.	•		2	•
2:00:0		9		200	į	.64-01	13-61	CO.	0	•	2	10-0 10-0	•
2:11:	•	-	000	12.5	$\hat{\mathbf{I}}$	-	• •	60.				C-2	27.
2:30:0	•		ن . • • •	0 + E .	֡֝֝֟֝֓֓֓֓֓֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֡֓֡֓֓֓֡֓֡֓֡֓֡		13-61	0.	9 (ъ.			• •
2:41:3	~ 1		3	C : 5	• :	2	96	n (96	20: 14:			
)	<u>:</u>						
	•			96							-		100
	•			14.5	:			000	0	: :	2.0	5-0	=
4:01:0	. 0	390	1	11:0	ĭ	32-01	13-61	0	00	•	9	1	•
1:15:3	-	=	31.5	::	-	_	_	.00	00.	•	1	17-0	~
34:30:0	·	9	16+0	12.0	1	. 44-03	.13-61	00.	9.	æ	ĭ	į	•
1:00:0	-	25.	:	2.5	_	e.	_	. 53	00.	~0 - ~ C ·	7	?	•
9:00:6	·	710	2100	97-0	ĭ	00.	. 1 3-61	0	0			57.	2
5:11:3	_	3	26.3	13:3	=		?	.00	0	-		96-3	-
9:36:6	w.	2 .	37+0		-	0	0	0	9		֭֝֞֞֜֞֝֞֜֓֓֓֓֞֜֜֓֓֓֓֞֜֜֜֓֓֓֓֡֓֜֜֜֜֓֓֓֓֡֓֜֡֓֜֡֓֡֡֡֡֡֓֜֝֡֓֡֡֡֡		ř.
	•	7:5	200	?	?	- i	_ 1	66.	9	_		<u>.</u>	
9:55:6	، ب	=) + 0 ·	3 / 6 / 6 /		10-26.	# 3 - K # •	9.0	9	_			
,				00000	12-02	10101		36		70-67	00.75	20170	
	•	() ()	27.5	1 > 6 3	:			60.	0]	. 62
7:00:0		2.0	200	ž	-	1	-	00	0		0	1	
7:15:7	•	::	21:3	61-3	20:	:	•	00.	6.	•	ī	-0	23.
7: 36:0	•	73.0	23.0	0-0:	ĭ	0	0	0,0	8	•	Ľ,		=
714517	~ 1			~		7		n (56	_			127.
	s e				ر ا ا				3	-			•
/ :	•				25	:	•	30	96				•
フィノヘッモ)						
	••			9.7	-	10	3 4 - 0	0	0		Ī	1	258.
9:15:3	•	73:5	31+3	1200	3	:	119-21	.00	00.	-	-	0106	6
9:36:0	. •	3	27.0	12+0	_	32-0	00.	00.	00.	•	į	28-0	:
4:45:3	•	3	16.7	13.5	. 33	0	6.	.00	60.	•	ï	ĩ	•
0:00:0	•	99	24.6	2.0	.30-0.	00.	×	00.	00.	-	. 70-02	֭֭֭֭֡֝֞֝֟֝֝֟֝֝֓֓֟֝֓֓֓֓֟	•
3:15:3	•	2:	27:5	2:		0	. 21 - 11	.00	00.	10-11-	ï		123.

						CHANAL	ب				EXTENCTION	TION IPER	¥	HASS LOADING
DA 16	_	SAMPLE TIME (SEC)		:			en.	•	^	c	1.06	E .	15.6	
20.87	MAR 77			: : : : :	: : : : :				! ! !	- 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		8 1 1 1 1 1 1 1 1		: : : : :
2	23:33:33	600		. 27.33	16-14.	12.01	ĉ.	•	.00	00.	. 1 5 - 02	. 25 - 02	119-32	13.
~	20:44:00	000	. 42 + 60	.20+00	. 91-01	.20-01	٥.	00.	00.	00.	. 4 t-02	%C-*K.	.25	÷
7	133130		. 53+33	. 30+33	.13.33	cc.	12.21	C,	. 33	000	.17-02	×0-55.	. 28-32	16.
~	1:37:00		03.64.	20 • 62 •	. 12+06	00.	. 32-01	00	0	00.	. 54 -02	. 35-02	-28-02	
7	:33:33		. (-2+))	23433	. 26.23	. 23-31		e.	.00	00.	.6 - 02		. 27-52	22.
~	21:44:00		. 91.00	.27.05	30+8.	12-15	. 32-01	00.	00.	60.	10-01.	. 8 3-02	.67-02	
22	1133130		. 93.2.7	. 40433	. 33.23	10-01	 (c.	e.	00.	•0•	10-11-	.65-02	. 52-02	.2.
~	7:11:00			. 53+00	33068.	00.	. 32-01	20.	00.	00.	. • 1 -02	. 5 3-02	. 36-02	23.
22	1133133			. 330.13	. 24.33	17-01	÷:	16-51.	.00	00.	10-21.	20-66.	. 76-02	
7,7	1:45:00		. 74.00	30.60	39+62.	. 91-01	. 32-01	٥.	٠ د د	8.	13-01	. 12-01	. 2-02	67.
2	13:33:30	:			. 22.33	. 33-31	c.	6.	.03	60.	~0 - ~ ·	.57-02	.0-0.	33.
~	1:19:00		00.44.	. 31 + 00	.22+00	. 30-61	20.	. 1 3-C 1	00.	9.	11-03	. • 3-02	.73-02	:
2	5:33:30		. 811.03	. 33+33	. 16+33	16-00.		6.	.00	•0•	~0 - 6 · ·	. 7 2 - 0 2		
~	23:49:00		. 11.61	30+06.	2000	10-01	00	10 - F 4 - C	00	00		10-11	. AA - 02	• •

Weather Summary

Date: 25 March 1977

Synoptic

Surface: Deep surface low-pressure area over eastern North Dakota with cold front extending southwest to low over Colorado and thence

southward to southwestern New Mexico.

500 Millibar: Upper air cutoff low developed over west central California

with southwesterly flow over New Mexico.

Holloman AFB

Clouds: Increasing cloudiness with scattered middle (altostratus) and high (cirrus) clouds during the morning and scattered low (cumulus) and middle clouds and overcast high clouds during the afternoon with cloud bases at 2000 m, 5500 m, and 7600 m AGL, respectively.

Wind: Generally southerly at 5-8 m sec⁻¹ with gust to 13 m sec⁻¹ during midafternoon.

Visibility: Generally greater than 60 km.

The second of th

Maximum temperature: 23.3°C Corresponding vapor pressure: 2.2 Torr

Minimum temperature: 9.4°C Corresponding vapor pressure: 1.7 Torr




Figure 15a. Surface weather map for 25 March 1977.




Figure 15b. 500-millibar height contours for 25 March 1977.

TABLE 19. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

Date: 24 March 1977 Remarks	0300 Mag tape quit. 0317 mag	tape restarted Propeller driven plane over	Mar Site continued N	0945 - checked balance on AT:	reconditioned lines; ok 1020			Acoustic sounder off at 1545.	back on line at 1/00			+: = +:-+-= CC	JZ meter DI Out "V" at 32 meters seems to be	sluggtsn
High %/Type	555	58 22	50 57 52 52			s 30 06 06	90 00 00 00 00				80 00 00 00 00 00	= 1		1
Clouds Mid %/Type	000	oc	00	40 Ac	0	00	00	0	00	¬,	20 Ac 20 Ac			100 As
Low %/Type	000	00	00	00	0	00	00	C	00	00	00	00	00	0
Dew Point (°C)	000 000 111	-5.2	-4.2 -3.1	0.7	7.7	 00	9° 0°	- 3.8	8.4.	1 1 00		۵. د	200	2.0
Vapor Pressure (Torr)	იდდ 4ო√	0°°		• •	•	• •	დ. 4. თ. ს.	•	•		3.6 3.1	•	• •	5.1
Dry Bulb Temp (°C)	0.00 0.00 0.00	11.9	11.3	13.4 18.0	6.	<u>:</u> :	21.9 20.8	0	•	• •		•	• •	14.1
Hour	0100 0200 0300	0400 0500	0600	0080 0080	1000	1200	1300 1400	1500	1600	908 908 908	1900 2000	2100	2300	2400




Figure 16. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 25 March 1977.




Figure 17. Diurnal variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC, 25 March 1977.




Figure 18. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 25 March 1977.




Figure 19. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 25 March 1977.




Figure 20. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 25 March 1977.




Figure 21. Inversion heights, LSTC, 25 March 1977.




Figure 22. Diurnal variation of the atmospheric structure parameter, C_{N}^{2} , at the Apache Site for the 9 and 33 m tower levels, 25 March 1977.




Figure 23. Diurnal variation of the altitude change of C_N^2 between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, Apache Site, 25 March 1977.




Figure 24. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 25 March 1977.







Figure 25. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site_ 25 March 1977.






The second of th



The second was a large with a second to the second of the






Figure 26. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 25 March 1977.




Figure 27. Diurnal variation of windspeed and relative humidity, Arky Site, 25 March 1977.

PARTICU, ATE STRE DISTRIBUTION, CALCULATED EXTRACTION, AND MASK LOADING
ARKY STRE, WINS
CLANVEL
CLANVEL

the second second and the second seco

MASS LOADING

	1	31.	17.	3 00	29.	•	• *	12.	22.	•	::	23.	20.		21.	72.		69.	:		12.	13.	•		•	•		 	6		90	÷	ş	÷	71:	ř	ė	:	ċ		. 25.
•	: ::::::::::::::::::::::::::::::::::::	P	ŗ	9	ç	P	ņ	P	ç	٩	ç	26-0	23-3	51-0	ė	97-0	22-0	٩	0-0	26-0	19-0	25-0	0-05	D- 91	20-01		١,		12-0	ċ	42-0	ė	٩	67-0	P	31-0	٩	ņ	ç	e	Ģ
•	1 1 1 1 1 1 1 1	-	. 38 - 02	•	=	. 41-02	2	2	2	5	2	3	=	5		.69-02	. 11-02	.57-02	. 27-02	. 32-02	. 21 - 02	.29-02	. 1 3-02	2	20-99	,			10-05	. 0 2 - 0 3	5	.14-02	. 12-02	=	. 34-02	2	. 10-02	. 16 - 02	10-03·	. 2 3 - 0 3	. 21-02
f. 1	1 1 1 1 1 1 1 1	. 88 -02	. 9 9 - 02	10-01	20 - 4 h.	. 64 -02	10-01	. 34 -02	~0 - 1 · ·	. 45-02	- 51 - 02	.54-02	. 5 0 - 0%	. 73-02	.0-64.	. 73-02	. 5 - 02	. 58-02	- 36 - 02	2011.	. 37-02	· • 2 -02	20	20-1-03	10-22				. 23-02	~ ~ ~ · · ·	. 55-02	. 2 3 - 02	. 23-02	. 27-02	. 37-02	-1 5-02	.24-02	-22-02	.0-00	-1 5 - 02	. 28 -02
æ	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	00.	00.	9.	0.	8.	00.	80.	00.	00.	00.	80.	99.	9	6	0	00	00.	6	00.	÷	9	00	9	86			0	0	00.	8.	60.	0.	•	8.	8	3.	9	0	00.	9
~	1 1 1 1 1 1	00.	60.	0	0		0	0	00.	•	a	00.	0	0	0	0	0	00.	0	ə	0	0	00	•	50		4	6	000	.03	00.	.03	00.	00.	00.	.03	0	00.	0	00.	0
•		00.	ê.	. 3 3-03	_	. 1 3-01	6.	00.	ĉ.	00.	6.	00.	_	· 3 3-C1	~	. 3 3-63	6	. 3 3-01	6	00.	0	0	0					60.	00	.03	10-61.	ē	6	C.	0	e.	0	.5	0	.00	0
F	; ; ; ; ;	. 32-03	÷	. 32-01	•	0	. 52-51	00.		0	12-26.	00.	0	3	0	0	0	٠ •	•	. 32-01	6	. 32-01					0		000	.0	00.	6	0	~ ·	80.	6	0	6	9	P. 1	90
-	1 1 1 1 1 1	9-0	-	.30-C1	6	0	ċ	50	-	ò		50	5	6,) -	, D	10-01	•	, 6	10-61	9	2				, 0		10-01	. 33	9		Ç,	.	. 30 - 61	, C	0	ė	9:	. מח	13-0z.
	1 1 1 1 1 1	16.0	11:3	42-0	-19	6	11:0	200	91-7	į	į	į	ċ	=		<u>.</u>		~	_		-	ġ,					:	2	-	ċ	=	=		= 1	_	-		=	-	2	_
	: : : : : : : : :	11:0	33.3	900		14.0	17:5	13+0	13:0	2002	20:0	2:0	23.0	3		0 • f.					200	0					30+0	30.5	9-92	3:3	9		***	2	3+0	7 - 7 ·	0 + 6	72-3		-) • N
-		750	7:0	300	7:5	47.0	73:5	32.0	27:3	200	47:2	2	2:0	2	~ .	3.0	720	0.00	700			5.0					23.0	?	0.02	35.		~	30.0	35.	3 6 6 6	2363	0	2 3 6 5		7	9 4 K
SAMPLE TIME (SEC)		000	600	000	•	000	433	000	•	9 •	422	000	0.0		664	000	200				222				99		000	400	00	433	00	433	00	620		122		123		700	9
(181)		00100		30:0		5000	1312	34:0	1111	3:50	17:0	30:0			1919	3010	6169160	0:30:00				0 1 3 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0			9	11:3	3610	4933	0 6 2 0	19:3	3670	4919	0:30	1 5 1 2	36:0		3:50:	19:3	, אני מ י		פני
	- 44																	n																							

FABLE 24 (cont)
PARTICULATE SIZE DISTRIBUTION: CALCULATED EXTINCTION: AND MARK LOADING
ARKY SIFE, WIRK

			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	11 11 11 11 11 11 11 11 11 11 11 11 11	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					7 11 12 12 12 12 12 12 12 12 12 12 12 12	-		1111111
					37740	ور				EXTENC	TON (PER	# 68 H	ASS LOADING
116 1146	5 25		~	5 0	•	e .	•	~	c	1.36 5.8	9 • 6	9.0	
25 MAR 77	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1	1 1 1 1 1	: ::::::::::::::::::::::::::::::::::::	: : : : : :	1 1 1 1 1		1 1 1 1 1					
		20.60	. 86-03	. 26-03	.10-61	90.	60.	00.	99.	. 20-02	. 1 4-02	.0-70	
13:53:50		. 29+33	.11.53	10-11.	. 23-11	16-19.	6.	00.	00.	.97-02	.47-02	. 52-02	
20:44:05		34.60	. 10+00	.01-63	00.	20.	0 0.	00.	00.	. 26-02	- 1 4-02	.64-03	
11:33:30		. 22+33	. 97-31	16-19.	.53	12.21	11-11	.0.	00.	.97-02	-11-02	. \$6-02	
11:11:00		.26+00	10-90.	.26-61	03.	00.	00.	.00	8.	.17-02	.64-03	. 30-03	
11:33:30		. 23+33	.11.33	16-16.	10-01	60.	÷.	co.	00.	20-9~·	. 22-02	. 13-02	
33:49:00		.34.00	. 10+00	.61-61	03.	00.	00.	00.	90.	. 25-02	. 12-02	.54-03	
12:33:30		. 31.33	. 43-31	16-62.	cc.	ĉ.	ĉ.	.00	00.	.17-02	. 5 2 - 0 3	. 26-03	
12:14:00		.17.00	.72-61	.41-01	10-01	. 32-01	٥٠.	99	00.	. 32-02	. 26-02	.27-02	
12:50:00		. 23.33	. 57-31	6.	10-01		ĉ.	00.	8	1. 7-02	.11-32	. 93-03	
12:45:00	000	.22.60	. 4 3-61		3.	00.	٠ •	00.	00.	.11-02	.24-03	. 13-03	~
13:33:30		. 37+33	16-98.	16-19.	17.01.	· ·	?	00.	00.	.33-02	.19-02	. 12-52	
13:14:00		.16.00	.43-01	.41-61	00.	20.	ن 0•	00.	80.	. 12-02	.67-03	. 30-03	
13:33:30		. 33:33	10-11.	. 23-31	cc.	.03	ć.	00.	00.	-1 4-22	.40-03	. 21-03	
1 1:45:00		. 18.00	. 20-02	10-11-	00.	90 •	00.	00.	00.	.12-02	.63-03	.29-03	
=		. 23.33	. 72-31	16-14.	ca.	.	ĉ.	00.	00.	-1 7-02	£6-19.	. 37-73	
00:61:01		.26.00	10-60	.20-C1	00.	90.	13-61	00.	00.		. 35-02	. 37-02	
11:33:33		. 17:33	((. 23-31	16.01.	12-21	6.	. 33	00.	. 35-02	. 25 - 02	.27-02	
14:45:00		.33066	. 16 • 00	.10.00	10-01	00.	00.	80.	8	. 36-02	.24-02	.15-02	
15:33:30		. 21+33	. 11 + 33	16-19.	17-01.	?	٠٥.	• 20	00.	-64-05	.20-02	. 12-52	
19:19:00		.22.00	.14.00	120-01	00.	9	00.	00.	80.	. 18-02	. 82-03	. 37-03	
1 1 1 1 1 1 1 1 1	1 1 1											•	

Weather Summary

Date: 26 March 1977

Synoptic

Surface: Weak surface low-pressure area over northern New Hexico, with cold front extending southwest into Mexico, passed WSMR about

1800 MST.

TANDER OF THE PROPERTY OF THE

500 Millibar: Upper air closed low over northern Baja moving slowly east

with instability showers ahead of the low. Strong southwesterly flow over New Mexico in advance of the closed low.

Holloman AFB

Clouds: Mostly overcast. Ceilings as low as 850 m AGL with layers above and occasional rain showers, blowing dust and blowing sand. A few thunderstorms were reported over the area during the late afternoon and early evening.

Wind: Southeasterly 10 m \sec^{-1} becoming southwesterly 5 m \sec^{-1} by 1800 MST. Peak gust 16 m \sec^{-1} out of the southeast shortly before 0800 MST.

Visibility: Generally greater than 32 km, lowering to 8 km in rain showers and fog by 1900 MST, then improving to greater than 16 km for remainder of day.

Maximum temperature: 18.9°C Corresponding vapor pressure: 6.3 Torr

Minimum temperature: 6.7°C Corresponding vapor pressure: 6.1 Torr




Figure 28a. Surface weather map for 26 March 1977.




Figure 28b. 500-millibur height contours for 26 March 1977.

TABLE 25. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

Date: 26 March 1977 Remarks							Miniverter not switching	0745 rain began/8m∆F out/	computer stopped 0819 restarted computer	0940 rain began								hail	1745, hail ended 1755, rain ended 1950	Rain began 2050, ended 2135		32m temperature pegs mini-	ted, has	face temperature at 2145
High %/Type	ı	1	ı	t	•	ı	1	ı	1	:	30 Ci	10 Ci	10 Ci	0	0	0	0	ı	ı	1	ı	0	0	0
Clouds Mid %/Type	100 As	100 As	100 As	100 As	100 As	20 As	10 Ac	•	1	•	20 Ac	20 Ac	20 Ac	0	0	0	10 Ac	•	1	t	•	0	0	0
Low %/Type	0	0	0	0	0	80 Sc	90 Sc	100 Sc	100 Sc	100 Sc	10 Cu	20 Cu	30 Cu	30 Cu	20 Cu	40 Cu	80 Sc	100 Cb	100 Sc	100 Sc	100 Sc	30 Sc		os 09
Dew Point (°C)	3.5	3.2	3,3	2.2	2.4	4.2	5,5	7.7	8.3	10.2	5.6	2.2	2.8	1.7	4.4	6.2	4.1	5.7	3.0	3.2	4,5	3.5	3.8	ຕິຕ
Vapor Pressure (Torr)	5.8	5.7	5.7	5.3	5.4	6.1	6.7	7.8	8.2	6.3	6.7	5.6	5.6	4.9	6.1	6.9	0.9	6.8	5.7	5.7	6.3	5.9	6.1	5.8
Dry Bulb Temp (°C)	14.0	13.6	13.3	12.0	11.2	11.1	11.0	10,3	10.4	10.8	15.6	18.3	18.3	18.3	16.9	17.0	15,3	6.8	5.0	6°9	6,2	5.9	5,5	5.0
Hour	00100	0200	0300	0400	0200	0090	0200	0800	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 29. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 26 March 1977.





Figure 30. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 26 March 1977.



Į

Figure 31. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 26 March 1977.






Figure 32. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 26 March 1977.

Figure 33. Inversion heights, LSTC, 26 March 1977.








Figure 34. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06 \, \mu m$, $\lambda=3.8 \, \mu m$ and $\lambda=10.6 \, \mu m$ for Arky Site, 26 March 1977.




Figure 35. Diurnal variation of windspeed and relative humitity, Arky Site, 26 March 1977.

FARTICULATE SIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING ARTICULATE SIZE.

the second and the Jersell and the state of the second second second second second second second second second

2						1 1 1 1 1 1 1 1 1 1							
1			24 24	3 ^	-	2° .			i ; ; ; ; ;	1.38	3.0	9.6	
5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		7	1 1 1 1 1	I : : : : : : : : : : : : : : : : : : :	***************************************					111111111111111111111111111111111111111		1
•	00	.14.62	.28.63	.19.61	73.66.	00.4 N.	.3 3 000	00.	00.	.21.00	.17.00	. 18+ 00	1895.
•	422	. 15+ 12	. 33.31	114.21	. 52.1)	-12.51		0.	00	00.92.	.22+00	. 23+00	2511.
	900	. 1 4 • 62	. 22 + 03	. 10 • 01	37.00	. •0•60	03466.	00.	00.	.22+00	. 19.00	00 •• 1	2250.
c	933		16.01.	14.01.	. 24.33	CC+ S+.		.00	00.	00 • 6 ~ .	00+81	0000	2270.
0	956	. 18.02	. 37 + 01	. 22.61	17466	. 14.01	.6 3.00	000	60.	. 34 • 00	00.00	. 31+00	3478.
	933	. 37.)!		. 23+33	11-16.	.16+00	. 25 - 21	co.	00.	10-62	. 21 - 51	. 22-31	201
	00+	. 19+61	.11.00	. 61-C1	. 30-61	. 12-01	.26-C1	c.	00.	19-01	10-11	12-01	2 4 3
	33		.13•33	14-14	14-66.	ĉ.	ć.	.00	60.	. 6 - 7 d .	. 37 - 02	. 29-02	25.
	000	. 2 4 . C 2	01.4.	.20-08.	10-01	. 32-01	٥.	00.	93.	. 01-02	. 33-02	. 31-02	23.
	432	. 13:31	.10+22	.13.33	10-02	÷:	6.	000	60.	. 77 - 02	. 35 - 02	20-62	
	000	. 25.63	.26+00	.91-01	o.	00.	.2 A-C1	00.	99.	. 13-01	.86-02	.82-02	122.
	433	. 13.	.11+33	. (1, 4, 2)	?	<u>.</u>	.0.	ec.	00.	.63-02	. 20-02	. 10-02	12.
	000	.18.03	. 20+00	.18.00	٠ د د د	٠ د	00.	ပ္ပ	90.	. 06-02	. 35-02	.17-02	:
	433	. 1 2 • 3 1	. 23+23	-		?	.00	. 53	00.	- 57 - 02	.22-02	.11-32	13.
% 7: 4 4: CO	9 9 •	.11.61	. 86-01	-1	03.	ပ	٥.	00.	3.	. 10-02	. 12-02	VO- 99.	•
	433	. 96.13	. 10+13	16-14.	cr.	.	6.	0	co.	-18-02	.1.00	. 72-53	•
	000		. 13+00	.61-11	10-01	00.	٠ •	့	9	. 69-02	. 24-02	.15-02	17.
	733	17:51.	. 23+00	10-14.	?	<u>.</u>	6.	60.	co.	. 76-02	.19-02	. 4 9-33	=
	000	.22.63	. 21•66	17.5	10-01	. 32-01	٠ •	00.	0.	10-81.	. 55-02	20-24.	73.
	422	. 31.)1	. 24+33	.5.	c:	<u>.</u>	6.	00.	00.	10-61.	. 21 - 52	. 13-32	24.
	၁ •	.24.61	30+46.	.43-64.	60.	. 32-01	, 0,	00.	99.	.14-01	. 30-02	. 32-02	40.
	100	. 21.)!	(:••1.	ĉ.	<u>.</u>	÷:	11-11	60.	60.	10-51			71.
	00	.20.61	. 16. CC	.20-08.	.20-(1	00.	٥٠	00.	00.	0-0-	. 32-02	.23:02	27.

Weather Summary

Date: 27 March 1977

Synoptic

Surface: Weak surface low-pressure area over northeast New Mexico and the panhandle of Texas with cold front extending southward from central Kansas thru Texas.

500 Millibar: Upper air closed low weakening and moving eastward. Closed upper low center moved over El Paso, Texas at 1000-1100 MST with consequent shifting of winds over MSMR from southerly to northerly.

Hollosian AFB

the second of the second secon

Clouds: Mostly cloudy (cumulus) with occasional light drizzle and ceilings i500 m AGL.

Wind: Southeasterly 5 m sec⁻¹ until 1000 MST, southwesterly 4 m sec⁻¹ until 1600 MST, and southeasterly 3 m sec⁻¹ for the remainder of the day. Peak gust west southwesterly 10 m sec⁻¹ shortly before 1300 MST.

Visibility: Generally 40 km lowering to 16 km in light rain showers at 1800 MST.

Remarks: On the west side of the Tularosa Basin, "A" Station reported sustained west northwesterly winds of 13-15 m sec⁻¹ with peak gusts in the 23-26 m sec⁻¹ range after 1700 MST.

Maximum temperature: 10.6°C Corresponding vagor pressure: 5.2 Torr

Minimum temperature: 3.9°C Corresponding vapor pressure: 4.8 Torr





Figure 36a. Surface weather map for 27 March 1977.



THE PROPERTY OF THE PROPERTY O

Figure 36b. 500-millibar height contrurs for 27 March 1977.

Apache on - 1233 except 8 m T V 32 on chart = + on mini-8 m and 32 m $\Delta T^{\, 1} s$ on 11ne at 0800 Put up T - 32 m looks bad Retrieved data tape from 0845 W 32 out 0915 w 32 operational Date: 27 March 197 verter = -Apache High %/Type Clouds Mid %/Type Low %/Type 06 Cu 10 Sc 20 Sc 20 Sc 100 Cu 100 Cu no 06 80 Sc 10 Sc S S S 10 Sc 50 Cu Dew Point (°C) 2.8 1.4 1.0 -0.7 -1.3 -1.7 1.2 0.7 2.2 0.7 0.1 0.3 Pressure (Torr) Vapor 4.9 4.6 4.2 4.9 3.6 4.0 4.7 Dry Bulb 8.9 9.4 10.2 10.1 7.7 2.0 7.0

Remarks

TABLE 29. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

0100 0200 0300 0400 0500 0090 0700

Shut down for weather

90 Ac 80 Ac

4.6

500 909 1700

4.7

10.7

0060

0800




Figure 37. Diurnal variation of the atmospheric structure parameter, C_{N}^{2} , at the LSTC for the 9 and 34 m tower levels, 27 March 1977.




Figure 38. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 27 March 1977.




Figure 39. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 27 Harch 1977.




Figure 40. Dirunal variation of windspeed and wind direction at the 8 and 34 \pm tower levels, LSTC, 27 March 1977.





Figure 41. Inversion heights, LSTC, 27 March 1977.






Figure 42. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 27 March 1977.




Figure 43. Diurnal variation of windspeed and relative humidity, Arky Site, 27 March 1977.

FAGLE 32 CHESTEL DISTRIBUTION: CALCULATED EXTINGTION: AND MARK LOADING

1 1 1 1					********									
		-	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		1	37.45	: : : : ر		1		CHILAG	TION (PER	KAI HAS	5 LOADING
2	145 1857	SAPLE	-	~	~	•	r .	İ	~		4	3 · B	9.0	
AT TAX	,	£ ! !	: : : : :	: : : :	:	I I I I I I I	: : : : :		: : : : : :	: : : : : : :		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1
	ະ	•	2.2	**) <u>.</u> [c	10-66.	٥.		9 0•	•	5	0-0	34 :
	1117	2		<u>``</u>	?	10.01	32.3	.0.	C	0	0-61	6-	-	*5•
	36.	•			د	0	ن 0	C.		9	•	Ş	21-0	•
- 0	6 9 1 2	~ :	-	36.	Q - 16	Ç.,	o.	n,	~	00.	0-62	Ē	1-3	53.
ͺ	5	•		394	بر خ	۰	U.	ာ		00.	S.	2	15-0	•
_ •	111	7	7:0	4 3 + 5	-	~	2	0	n.	.03		Ę	-	7
,	2	•	2.5	500	٠ =	ċ.	~	0		80.	•	ì	0-0	~
-		7	23.0	31.7	÷.	÷	-	o.	0	٥ •	_	-	37-3	~
٠.		٠ خ	2	· · · · ·	•	5	۰	-		00	9	50	\$ 10	•
	1	^	7 · ·	9343	4210	ċ	_	6.	2	e-	•	į	10-7	6
•) -	7	7.0	¥ 45	700	· 0	9	0		99.	•	į	100	-
•	~	2	~:-	11:0	3:00		-			°		9	6-0	107.
•	01.0	9	3 5 7	43+0	37.0	ဌ		9		90.	φ,	ទ្	-	~
-	^: ^:	~	~ : : ~		24:0	O	10.45.	e.	2	60.	•	î	-	•
~	2:5	•	2		200	ີ່	ç	٥٠.		00.	c	1	3-0	3
2	?	^	?	72:0	?	÷	ĉ.	5	0	٥٠.	•	1	0-12	
•	0:5	6	0 ÷ 7	C + + 5	200	ž	60.	: :		3.	~	į	9-0	0
á	7:7	Ç.	?	26+2	23-5			<u>.</u>		00.	-	3	6-4-	
● .		0	~ ~ ~	0.05) - C 4	0	30.	٠ د د د		99.	•	10	0-0	~
-	~	2	:	31:0	? T	÷	c.	11-21	C	00•	•	?	63-7	:
vn.	3	0	0.00	***	-	ċ	.	e 3.		00.	ç	ĩ	5	43.
•		•	22.1	1:1	1100	?	<u>.</u>	· .	C	٥٥.	~	Ę	3	•
•	20:0	•	3:	J + + V	A 1 - C	٥,	٠٥٠	00.		00.	5	?	-	16.
•		-	13:	11:3	?=		<u>.</u>	. 53		00.	9-1	î	3.3	*
ͺ		6			٦, -	S:	ပ ပ	00		0	. 11-01	Ç	2-0	20.
•				37.97		_ ·	?	.0.		00.	?	Ī	-	22.
C -	~	0 r		U			, 5 , 5 , 5 , 7	C ,	ء و د	000		- MB-02	.00-00	9.0
	0110		0+0				. 23				0.0			•
•	13:3	*	474)		201	. 23	12.31	(5)	•	00				•
7	2616	2	200	· ·	=	Ç	. a	.0		0	73-0	9	. C	
•	(11)	=	:	***	5	~	12-26	.00	3	00.	0-11	î	26-5	•
€.	2000	•	000	3 : 1	₹.	9	30.	0		00.	7	2	12-0	0
_		2	17:0	~ ~ ~	?		Ĉ.	11-11		•	6-9	?	5-0	
4	200	-		C + 4 .	<u>۽</u>	s	٥.	00.		00.	æ	2	16-0	*
- 3	~		22.5		~	~ (17-76	_ ;		00.	0-61	1	7-3	33.
•			3110	1400		0	30.	. 3-C		0	c	26-0	30-0	Œ
	~		?		~ :		e:	- i		0.0	_	23 -0	2	
•		* *	-) 	05.	10-61		9	┣.	ב ב	96-0	-
	~ ~ ~ ~	2 5		7411		66	ç	60.		000	•	C	2	
=	•	>				0	.	•		•	•	-	0 -	Ě

FARTSCULATE SIZE DESTREBUTION. CALCEL ATED EXTENDITION. AND MAKE LOADING ATED EXTENDITION. AND MAKE LOADING ATED EXTENDITION. AND MAKE LOADING

Harrist State of the State of t

OATE TEAT

HASS LOADING

CXTASCTION (PER X4)

1.36

		•	:	-	13.	ċ	•	÷	12.			-	•	.	÷	*	-2-	*	-	=	-	, N	۲.	<u>:</u>	:	=	Ē	117.	~	•	•	80	295.	•	ē	•	•	~	2	130.	0	•
		P	î	î	į	?	P	i	î	9	9	?	1	9	1	፤	?	ĭ	1	Ç	?	2	ç	į	ï	į	î	ī	2	1	î	1	î	Ī	į	ī	ĩ	€	1	. 0 - 02	1	1
		. 48-02	. 22-52	14-02	.21-02	. 2 3-03	.12-02	. 1 4-02	. 102	.0-00	.19-02	. 16-02		12-05	. 25 - 03	.0-84.	-24-02	. 5 3-03	10-12	. 1 1-02	. 22-02	* 45-02	4 3 3 - 0 2	.28-02	.11-07	17.0	. 5 0-02	. 1 3-01	. 29 - 01	.26-01	. 24 - 01	. 72-02	. 22-01	. 11-02	10-44.	. 22-01	10-11.	.24.00	10-15.	. 12-01	. 23-01	. 29-01
																																								4		
		93.	٠ 9	0,	. 00	80.	.00	8	80.	٥. د	60.	9.	00.	9	00.	9.	60.	93.	60.	00.	00.	30.	90,	00.	00.	20.	,0,	ço.	90.	00.	00.	00.	00.	60.	00.	80.	•	8.	00•	93.	00.	00.
1 1 1 1 1 1		5 0.	.03	00.	ee.	00.	.00	0 0 0	co.	00.	.00	00.		S.	.00	0.	0.	000	00.	00.	60.	00.	.00	0).	00.	60.	. 23	0	c o	9	.55	00.		00.	00.	00.	9	80.	6	00.	00,	00.
***************************************		13-61		30.	<u>.</u>	0	~~		e.	٥٥.	ĉ.		6.	00.	.0.	0.	÷.	0		ç o	ĉ.	00.	.00	50.	•	٥ •	O	•	. 52 - 31	0	10-46.	Ç	. 52 - 51	0	<u> </u>	ĭ	?	:	65 -3	. 1 3-61	:	Q I
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		70.	??·	٥٠.	14.76.		<u>.</u>	30.	C.	0	30.	20.	c	0	C	20.	<u>.</u>	U	 C:	.	c.	00.	14-51.	30.	· · ·	0	÷:	9	÷	2 00	3.5	Ç	0 -	9	Ş	. 1000	€ ÷	0	0	201	60,	.13•00
1 7 2 2 7 2 2 7		2.	. 23	10-01	1(-0)	 	10-01-	00.	?	00.	10-01.	00.		10-01	Cr.	0,	. 51.)	9.	٠,	63.	17.71		113-21			9	10.01.	.51-61	17-16.	.10.66	11-01.	÷.	•	Ŧ	~	17-04.	?	¥	.13+33	.20-61	14.51.	13-14
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		10-11.		20.		70.	:	3	£1:3	2-16	:	.41-05	23-3			.26-61												10+41.	. 25 3	30.6.	7.47	2007	23.5	÷	C+ 10	24 · C	33.5	39.0	6444	. 1 A + O C	13:5	3+6
******		0 + 91	6.0	37.0	3.3	500		13-0	::	24-0	15.3	0 * 1	500	13-0	3.5	0-11	?	2-1	3:3	0 · 96	: : :	200	5	200	÷.	200	35.5	0 : 1	14:3	0 • 6 8	5	300	300	300	***		C461	9:00	7:57	00.44.	77:3	72.0
1 1 1 1 1		:	:	:	:	÷	:	=	=	:	=	:	:	į	3	100	ź	į	=	ij	=	===	=	į	÷	፧	:	፥	ä	37	:	ė	=	3	=	=	=	į	=	. 79.61	:	1
		- 3	_	• •	_	-3	_	-	-		_		_	-	_	•	_	•	-	43	_	8	_	-	-	•	-	2.2	-	•	_	8	_	•	-	-	-	•		00	•	•
***************************************	HAM PT	3:41:0	1:30:3	3:60:3	13313	1:14:0	153:3	1:45:0	1:00:	2215		2:49:0	1:22:	3:11:0	119173	0:00:0	1111	47 36:0	11111	9:001c	11111	3:36:6	1:11:	6:55:4	5:15:3	9:36:0	S:45:3	7:00:0	7115:3	713616	11111	8:00:0	11111	A: 3¢:0	4:41:1	3:00:0	0:13:3	9:30:0	0:41:0	0:00:0	31151)	0:30:
•	2																	9	5																							

FARTICULATE SITE DISTRIBUIDON. CALCULATED EXTINCTION. AND MASS LOADING ARTICULATED EXTINCTION. AND MASS LOADING

######################################	;	# # # # # # # # # # # # # # # # # # #			# 4 5 5 F 4 5	# P- # # # 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-	2774T			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		LXTTAC	TON CPER	1	NASS LOADIN
21155100 900	6	1140	32	-	æ		-	₽			; ! c !			13.6	
1991100 900	5	. –		5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1	: : :	: : : : : : :	: : : : :		i ! !	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	# # # # # # # # # # # # # # # # # # #		1 1 1 1 1 1
## ## ## ## ## ## ## ## ## ## ## ## ##		20149:0		. 3 4 4 6 1	30+48.	30+66.	. 30-61	. 96-01	1 0 b K .	03.	03.	. 54 -01	. 26-01	. 23-01	272.
2115100 9CD		21:22:12		. 71.)	. 47.33	. 37 • 33	16-16.	10-25.	.12+20	C 0.	00•	10-64.	10-11	10-61	619.
2219210 000 11000		211151		.87.61			.81-61	13+00	.39-63	000	00.	10-89.		10-01	317.
22137130 973 18-62 18-62 18-62 18-62 18-60		21:133:3		- (+)	16.61.	. 74+33	. 24+33	CO+ ~ 2 ·	.11 • 3 3		00.	00+1,1•	10-67	10-94	673
22:29:10 000 .10-000 .10-00 .1		21:4916		. 5 1 1 62	. 20 + 61	33460.	11460	.26.00	. 2 2 + C 0	00.	00.	. 10+00	E0-64.	.65-01	723.
22:1970		2213713		*****	. 23.31	13.31	. 34.))	.51+03	.11.00	.00	co.	00.61.	.10+00	10000	487.
22:53:50 900 12:92 22:01 12:01		22:19:6		. 39 + 62	. 72+61	.36.06.	3)•64.	. 71 • 60	.21+00	000	50.	30+00	. 1 0 0 0	.17.00	1692.
22:45:CO 960 .13:62 .22-01 .77-64 .16:00 .79-61 .00 .00 .82-01 .12-01 .12-01 .12-01 .13-02 .23-01 .13-02 .23-01 .1		2213313		. 12: 32	. 21+71	. 12+31	. 31.))	.17+33	.11.00	. 33	00.	CO • ~ -	10-98-	16-26.	443.
23137130 933 .27*72 .51*21 .44*31 .61*33 .10*3 .00 .82*00 .48*00 .48*00 .48*00 .48*00 .48*00 .48*00 .48*00 .48*00 .48*00 .48*00 .73*00		22:45:0		.11162	. 22+03	17.66	.14.66	.19.00	10-06.	00.	00•	. 93-01	. 5A-01	. 52-01	363
23107155 429		2313313		. 27 + 32	. 11. 1	. 22.)	~~	66+19.		. 00	00.	00 • ~ ~ •	.13.00	.12+00	1085.
23:11:29 258 .20.0 .110.2 .21.31 .17.31 .00 .00 .19.00 .47		1:07	_	.14.63		.73061		17.01	. 4 2 4 6 0	00.	00•	. • 7 • 0 0	. 48.00	.41+00	4234.
23:17:42 379		23:11:3			. 12+32	.11.24	. 23.11	16 + 11 .	. 53 • 3 5	.03	00.	10+61	00.67.	. \$7 + 00	6254
23126124 232 243 .21*31 .43*32 .10*31 .13*31 .41*31 .41*33 .00 .00 .13*01 .52*00 .49*00 .45*00 .40*00 .13*01 .52*00 .00 .17*01 .41*01 .25*01 .76*00 .00 .00 .17*01 .41*00 .47*00		21:17:4		.16.63	.26+02			.18.01	.72+60	د .	00.	11401	.57+00	. 4 4+ 00	5501.
23/26/24 232 .26.C3 .466.67 .19.C2 .20.C1 .25.C1 .76.CC .CO .CO .1017.C1 .83.CO .46.C0 .CO .2017.C1 .72.CO .46.C0 .00 .19.C1 .72.CO .49.CO .23.23/17 26.3 .29.71 .72.CO .49.C0 .49.C0 .CO .CO .CO .20.CO		23:26:3		. 21.) 1	. 13+32	.12.22	16+91.	12.61.	.41+)	60.	00.	10 • 6 1 •	00.44.		5149.
23:33:17 263 .29:21 .19:22 .13:32 .17:31 .21:31 .67:30 .00 .19:01 .72:00 .99:00 6 23:48:50	•	231261		.26.63	40+04.	.15.62	.20.04.	. 25+01	22.00	00:	20.	17.01	. 8 3+00	1.68 • 00	7321.
3144160 A53 .44660 .40661 .41661 .16401 .17460 .60 .60 .86600 .24600 .36401 .17460 .00 .00 .84600 .2	7	23:32:4		. 29+11	. 37.52	. 1 3 • 3 2	. 1 7 .) 1	16 12.	.67.00	. 55	00.	10+61.	00+27	. 40.00	6341.
\$194124 544 64612 18612 18612 18613 18610 18610 18610 18610 18610 18610 18610 18610 18610 18610 18610 18610 18		2 11 4 5 . C			40+04.		13+06.	10.01.	.17.00	90.	S	38+00	. 2 3+00	. 20• 00	18 30.
		23:55:5		. 85. 22	.15.12		. 11.)	. 41.03	.31+33	.03	00.	.63+00	.34.00	. 27.00	2943.

Weather Summary

Date: 28 March 1977

Synoptic

Surface: Low-pressure area over eastern Colorado and Kansas with cold front extending southwestward from eastern Colorado thru northwest New Mexico.

500 Millibar: Closed low over Oklahoma and near cutoff low over western Montana. General northwest winds over New Mexico.

Holloman AFB

Clouds: Scattered low (cumulus) and middle (altocumulus) clouds at 1800 m and 3000 m AGL, respectively.

Wind: Generally westerly and southwesterly 10 \pm sec $^{-1}$ with peak gust of 16 \pm sec $^{-1}$ around noon.

Visibility: Generally 50 km in the morning, 30 km in the afternoon.

Maximum temperature: 18.3°C Corresponding vapor pressure: 3.9 Torr

Minimum temperature: 3.9°C Corresponding vapor pressure: 4.4 Torr



Figure 44a. Surface weather map for 28 March 1977.




Figure 44b. 500-millibar height comtours for 28 March 1977.

west/Alberg JE Station prosperior behands shifted when the control of the




Figure 45. Dimmal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 28 March 1977.




Figure 46. Diurnal variation of windspeed and relative humitdity, Arky Site, 28 March 1977.

PARTICU, ATE SIZE DISTRIBUTION, CALCILATED EXITACTION, AND MARS LOADING SARTEU.

										STILX X	TION CPEN	ATT TANK	COMOTA
		1				•		1 1 1 1 1 1 1	111111	1		,	
ATE TIME (#51)			~	r.	•	.		_			e • v	10.0	
28 MAR 77		• • • •	! ! !	•	•		: !	7 1 2 2 2 3 3	- - - - - - - - - - - - - - - - - - -	i I	i 1 2	!	!
<	0°	. 664) 2	. 12+22	10000	. 51.0		. 20 + 20	e e	e .	00 + 2 + 00	. 22 + 00	00-11	1975.
	` ;	֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֡֓֡֓		3 6				> <	2 6				
	, ,		7			2 4 4 5	000						- 6
					7 4 6 4	0	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	> <	2 5		200		
						46		٥,					
	-	\$	31.5	7	1	C+~	?;		000		0		۰,0
1:14:0	9	1200	19.0	916	91	100	3 9-0	·	00.	0-	43-0	36-0	· •
1:21:3	6	12.3	17+3	49.5	12.		32 3	0	00.	86-0	45 - 0	0-65	
3:44:6	9	3800	93+0	-	4	7110	:	00	000	7+0	0	5	5
1:41:3	.	21.3	3867	13.5	36.3		17 • 5	•	00.	0 • C 2	12+0	1200	-
2:14:0	9	9716	16+0	3 + 5	91-C	<u>ئ</u> 4	7.	J	00.	9-0	5.0	Č	23
2:41:5	•	75:3	11:5	37.5	:	61.0	21+)	O	00•	0+1	25 + 11	21.0	28
2: 3 1: 9	£	7000	11.0	3+34	3+0	50	1 A+C	ر	00.	0.4	22+0	9	
2:44:3		23.1	33+3	92.3	14.3	21.5	55-3	•	00.	1 3 + 0	C-15	52-3	
7:11:0	9	2002	23.0	1100	1+0	35+0	2000	O	00.	16.0	1100	11.0	2
04:24:3	93	35.)	50+0	211.	65.0	0+0	35+3	0	• 00	5 • 0	0 + 3	21.0	-
3101:0	9	2300	29.0	15+0	3+6	A 3+0	7 9-6	0	00.	19+0	1100	1100	6
3:44:3	2	11:	93+3		31.)	5+0	.:	00.	00.	63-0	25-0	25-0	*
	9	76.0	96+0	20+0	1 -C	9-9	1 3-C	00.	00•	9-9	50	į	-
1:25:3	5	73:3	97.3	26+3	:	_	33-3	Ó	00.	0-4	0-0	17-3	30
4:41:0	9	78.0	72 • C	36.08	7-	. 96-01	2 6−€	0	00.	9	3.0	-	æ
1:32:0	43	72.0	93+3	29.5	20-1	_	-	co •	60.	39-0	-	17-0	•
5:11:0	•	65.0	9.40	22.0	<u>ي</u> 0-0	. 96-01	52-0	Ü	00.	9	0-1	24-0	•
3:24:3	6		6343	32.0	•	_	0	O	000	8 - 0	12-0	100	•
9:4:0	•	300	0 × × ×) + E	0.0	. 32-01	0	00.	92.	9	20	32-0	•
	6		6.64	-	(- C S	.5	-	0	0	9-9-	0-01	Ę	119.
3:11:0	> 6	0.00				، د د	3-65	00.	0	37-0	0-97	15-0	N
7.67.6	, e			7 4	7-06	16.00	600	000	0.5	9			N .
6:36:3	~	494.	120		· =		2(-)	0					•
7:11:0	9	960	15+5	200	-	-	7	000	9	61-0			
7:25:3	6	::	13+3	13+3	71.)	.15.33	25 3	0	00.	9	30-0	27-0	272.
7:41:0	*	92.0	94+0	1 B • C	2-0	ပ	0	9	00•	9	9	10	•
7:55:3	-	45.7	72+3	5:3	-	?	•	•	00.	2	0-08	35-5	95.
9:11:0	•	7516	97.5	28.5	50	9-	0	00.	9	•	2	10	•
1:22:3	+	45.7	67.0	21.5		5:	c	. 53	00.	*	-	C-14	55.
1:16:0	9	31.0	10.0	32 + O	ĭ	. 48-01	ĭ	00.	00.	.47-01	36-0	-	3
1:27:7	3	15:7	24.5	11:5	3	-		.00	00.	•	-	-	323.
1:36:0	Ų.	0.00	25+0		<u>ي</u>	0	Ĭ	00.	9	J	ĩ	Ĭ	•
C:C+:1	5	-	2900	_	?	۲. د			00.	.65-01	-	î	С

TABLE 33 (CONT.)
PARTICULATE SIZE DISTRIBUTION. CALCULATED EXTENCTION. AND MASS LOADING ARMY SITE. ESSM

and the construction of th

		; ; ; ; ; ; ;		1 1 1 1 1		CHANG					EXTERC	410% +PER	A S	
-	718E (#513	wi -	-	~			in -	•	_	c	•		. –	
29.2	AR 77		:	1 1 1 1 1 1 1	: : : : : :		•		: : : : : :	t 1 1 1 1 1 1	• 3 3 2 5 8 8 8 1 4 4 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : :	; 1 1 1 1 1 1 1 1 1 1
-	1:53:3	3	3	46+5	3.5	~	16-64-	•	0	00.	10-91	0	. 1 3-32	67.
~ 4	2:00:0	9	:	200	٠ <u>.</u>	ŗ	00.	0	0	00.	9	ė		÷
	2:13:3	3	?	600	250	•	_	9	0	00.	1	ė.		. 29.
	2:20:0	9	25.0	26.0) - K +	9	-	ا ن 0	0	80.	?	75-0		•
~	2:33:3	3	?;	36+3	21.0	3.	10-64.	2	0	00.	0-61	ė.	•	12%
~	2:00:0	0	200	U+0+	27+0	ر ا ا	0-4-	20-0	0	0	32-0	21-0	-	276.
•••	2:42:3	3	29:0	77:5	3	•	5.	- 25	600	000	-	ٺ		323.
~ .	3:00:0	.	2		0 0 0 0	2-6	٠	، د د	ο.	90	P	Þ٠	9:	ė
•	3:13:3	•	2367	4247	C 4 6 2	Ξ,	- ·	m (36	0.	-	è٠	•	
	3:36:0	•	21.6	73.00	000) - CO		0	Э 1	20.	2	Ģ,	<u>.</u>	• 6 ·
-	3:33:3	2	27.5	10+2	4747	7 - 0 ·		6	0	000	-	ç		. 20
 -			TO • • • • •				0 r		D 6	96		1011		
• •		•									}	•		9 8 6
-		33	0 0 0 0					2) c		9	? ?		
• •		•				٠,		1	S C	•	9	? 9		989
4		32						27.6) C			?	2 -	174
	0:70:0	•	0 0 0	7000	7.00	10-01		200	·		1	Ģ		172
97	(11)	3		11.5	1103			42.7	•	200		•		24.5
	9:00:0	9		13+0	9		000	. 0	0	0	- 04	ė		•
	4:11:2	3	39.)	13:3	53:3	::	23.0	53.3	C	00,	9-0	43-0	-	.00
-	5:26:0	Ş	386	12.0	73.6	3	0	7.5	0	03.	1	o	12-	465.
	9:30:0	3	3:1	13:0	32+5	•	6:3	3.3	0	00.	-	ė		274.
~	3:40:0	3	31:0	15+0	33.6	3	9	20-C	0	00.	9	Ģ.		190.
-	5:55:5	3	200	7		?		~ 5	n i	99	-	2:		
-		9 4						~ (> •	3	9		N	287
-	4:41:8	2 4		(10)		37.7		6		9	0-54			
•	6:33:3	3		C+11	3.5	<u> </u>		16-65	20		•	90		277.
-	3:34:9	9	23.6	700	37.6	۲	0-0-	20-0	•	00	23-0	13.0		3 32
-	6:43:3	3	23:	77:3	33:3	16-3	6-3	ĉ	0	00.	-	ç	•	•
-	7:00:0	¥	2000	73.0	12.0	۶- C	9-9-	ن 0	0	90.	70	13-0		76.
~	7:13:3	3	7	67.5	13.0	•	_	. 57 - 31	•	C:	2-0	ç		280.
-	7:26:0	•) + E	28+0	200	2	•	0	0	00.	9	0-1		=
~	7:33:3			6247	2107	•	0 - 6 -	6	0	0	0-5-	0-		
~ •	0:04:1	2:		2100		•	٥ •	2,	٠,	8	2	٩·		338
-	11111	2		7.00		2 .	~	2.00	7					121
-						13-67		200	0	9	2	Þ٠		
-	7:71:1	2 4	֚֡֝֝֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֡֓֓			•	٠ •		50	5		9		
~	7 · · · · · · · ·	3										? ?		
•								•	•	3		•		•

TABLE 33 (cont)
ARTICU. "E SIZE DISTRIBUTION, CALCILAFED KATINGTION, AND MAN : LOADING SIZE STREET STRE

1	1	1	1				E E	K LC B					•	
						CEARE				• 1	CXTAC			SC LOADING
<u> </u>	35	SAMPLE TIRE SECO	-	~	5		en -	•		: : c	40.1	e •	٠ .	
200	: 2;	: 3							1 2 4	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
	:	•	: :	,					2	3		5		
Ė	;;	•	2			12-67	6 4	Э,	9	9	10-05	5	10-61	
: :	::	3	: 8		3 6		n c		36	5		5	16-21	
	;;		3				2 6	, د) c	2	0-40	5		
	. :	`		424				٠.	35	9			10171	
: ::	; ;	3	: =	1000	?	13.31						36	VO 1 4 4	
:	ີ:	ž	: :		Ÿ	.68-62	00		2		-		201	
:	:	3	=	71:3	Ç	. 53	•	.00	60.	00.	10-64	6	. 72-02	
ä	ະ	4	÷	9000	3	13-61.	. 96.01	ì	00.	00.	40-04	ö	. 20-01	
ä	:	3	<u> </u>	30.0	:	10-41.	-	. 23 - 21	.00	60.	10-61.	ē	16-51	
ະ	ະ	9	÷	77.0	÷	00.	00.	o	00.	00.	. 43-09	ç	-44-02	
:	:	0.6	•	7:5	;	16-68.	_	÷:	00.	00.	10-16-	5	10-21.	
: :	ij.	9	÷	82+0	6 1-0	5.	į	13-02.	00.	80.	10-66.	ē	. 15-01	
-: :	::	£ ;	=	97.5	2:5	=		.	60.	.03	.6 J- 01	ē	5-32	
•	ë	9	ŝ	16+0	ر د ا		0	٥٠.	60.	00.	. 72-01	Ģ	12-01	
= :	::	3	: :	15.5	35.5	16-19	Ç,	c:	٠ •	00	. 23-01	5	15-01	
	5	٠,	•) + B	3 · · ·	10-07	0.	U,	0	00	. 73-01	Ş	10-11	
	77.74		27.67.				000	16-66	25	0 0	10 - 06 -	10:02:	1012	262
:::	: ::	3	. =	17:5	7:5	16-51		6.	60			5		
:	ä	¥	÷	17.0	18.0	15-14.	. B B - 0 1	0	0	S	•	Ģ	13-01	
:	ä	5	<u>-</u>	1300	211)	~	c.	.00	.00	•00	. 55-01	50	. 55-02	
::	;	4	:	3 • B E) + (;	О.	00	0	00.	00.	•	20-	. 4 4-02	
	-	3	•		33.5	-	ĉ.	. 2) - 11	.00	00	•	Ę	16-61.	
::	÷:	3	÷.	0 • • •	•	. 19-62	ن •	00.	00.	00.	. 50-03	ë	.67-02	
::	::	3	=:	711.	C + 5 1	,	Ģ.	_	00	000	•	~ :	. 44-02	
: :	:::	٥.	•	77.0	0-10		3	-20-07	0	00.		Ş	. 11-01	
:	::	3	: :	0		ׅ֚֚֚֚֡֝֞֝֝֝֟֝֓֡֟֝֓֓֓֓֡֟֝֓֓֡֡֝֡֡֡֝֡֡֝֡֡֝֡֡֡֝֡֡֡֝֡֡֡֝֡֡֡֡֡֝֡֡֡	66.	6	0.	0	•	-03	. 54-32	
Ë:	:::	3	:	12+0	3 + 0	10-19		50.	00	8	10.14	-0-9 -0-9	10-01	
: :			• :				16 - 6 9 .	G.	60.	0	10-65	5	. 81-02	
	3		2	3 4 4 4	> •		2	•	450	00.		5	.61-02	

Weather Surrary

Date: 29 March 1977

Synoptic

Surface: Low-pressure area over eastern south Dakota and weak low over

central New Mexico.

500 Millibar: Closed low extending from southern Minnesota to northwestern

Utah with strong southwesterly flow over New Mexico.

Holloman AFB

Clouds: Clear to few cumulus with bases at 1200 m AGL.

Wind: Generally westerly to southwesterly 10-15 m sec-1 with late

morning gust to 19 m sec⁻¹.

Visibility: Generally 16-40 km in the morning decreasing to 3 km in blow-

ing dust and blowing sand by midafternoon.

Maximum temperature: 16.7°C Corresponding vapor pressure: 3.7 Torr

Minimum temperature: 5.6°C Corresponding vapor pressure: 2.7 Torr






Figure 47a. Surface weather map for 29 March 1977.




Figure 47b. 500-millibar helpht contons for 29 March 1977.



THE PARTY OF THE PROPERTY OF THE PARTY OF TH



the sundered the second of the second of the second of the second of the second of the second of the second of



THE RESIDENCE OF THE PROPERTY




Figure 48. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 29 March 1977.




Figure 49. Diurnal variation of windspeed and relative humidity, Arky Site, 29 March 1977.

FARTICULATE SIZE DISTRIBUTION: CALCULATED EXTINCTION: AND MASS LOADING ARTICULATE BINS

	# # # # # # # # # # # # # # # # # # #	: : : : :	2 3 6 1 8 8 8	! ! ! !	‡ ‡ ‡ ‡	10	! ! ! ! !		: : : !	: : : : : : : : : : : : : : : : : : :	XTING	ÌΨ	3 HAS	LOADENG
	15 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 1 1 1 C C C C C C C C C C C C C C C C			: : : : : : : :				-	: : c : 1		•	-	
	MAR 77		i 1 (1 (1 1 1				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		9 4			200			9	3	9	P .	0-01	P٠	1 00.
		3			7	1 2 1				50				
Colored Colo		::			3			, , , ,		3				
Colored Colo		•		7000				s C	36					
		33				, ,								
Color Colo	1:000	\ \ \			2200	70-0	, c					3 6		- 5
	1:12:2	3	910)	77.5	33+3		0	9	0	Co				
	1:26:0	9	A 7 · C	82+0	3000	15.6	0-90	0	J	0	53-0	0156	21-0	
Color	1:33:3	S	(::1	16.3	33.0	76-3	19.0	31-5	0	000	9-9-0	20-05	C-EE	2
Color	1:46:0	Ú	39.0	16.0	33.6	14.5	9-6	79-0	C	80.	9	0-64	42-0	9
Control Cont	1:33:3	3	3	13:5	519	::	21.5	23-3	0	00.	0-10	0-0+	36-5	2
Colored Colo	2:00:0	3	12.0	15+0	24.5	1-94	0-64	Ç	0	9.	61-0	19-0	12-0	=
Control Cont	2:13:3	3	==	43.5	3:0	76-)	C	23-3	9	.00	0-14	23-0	17-0	2
10	2:26:0	30	10.0	3 * 6 *	3+3+	46-0	5-6	0	O	00.	5	17-0	12-0	~
Control Cont	02:33:3	3	1917	11:5	33.2	76-3	6-54	a	C	00.	9-16	23-0	16-5	=
03101110 670 670 670 670 670 670 670 670 670 67	05:46:0	2	78.0	7000	33+6	* 9. C	<u>ې</u>	Ü	Ü	00•	924	16-0	13-0	2
10	02:40:0	3	33:0	11:3	21.7	:	29:0	33-3	0	00.	-	23-0	20-0	3
10	3:00:0	٠	79.0	73+0	22:0	15-0	. د	3 4 0	J	99.	5. 5.	10-0	16-0	*
10	5:13:3	3		7913	27.5		?:	6	~	60.	9	12:0	0-46	2
10	7:26:6	=:		10 to 10 to	200		3	2000	٠,	9	2	0-45		\$
							:	2 (0-61	0-15	2
10		3.5)		100		> <	ه د	2		0-/-	0-11	
### ### ### ### ### ### ### ### ### ##		. 4	7 3 5 6	, ,				, c	3 6					5
#194100 660	1:13:3	33	3.5	71:5	12.5	3:5	ò	•	a	20	-		20-01	
1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,	1:26:0	9	7110	10+0	21.0	3-94	0	•	0	•	37-0	22-0	77-0	:
10 10 10 10 10 10 10 10	1:33:3	3	75.3	C+++	333	61-)	1115	•	00	•	9-11	19-0	17-5	2
1919 1919	3:30:0	3	2:0	1000	24.0	4.6	00	0	00.	00.	36-0	12-0	77-0	:
	1:52:3	3	350	C • 3	1900	33.	C-:	₽,	0	00	33-0	0-0-	ç	:
312 10		•			5-05	, د	0 1	0	، د	00.	212	20-0	26-0	6
119119 539 - 49-11 - 19-11 - 19 - 19 - 19 - 19 -		2 :	-	200	22.5	, ,	0	9	0	60.	-	CI ON	ė	
		33		0 4 6 4 6 4 6 4 6 4 6 4 6 4 6 4 6 4 6 4		15	9 6	94	0	9	9	96-0	2	n T
115110 500 -010 -01010			47.4				•	6	э.	co.	- 6 -	D- 1	ė.	5
6:00:00 000 000 0000 0000 0000 000 000 0				0 • • 0	0 + 6 2	30-0		20-0	0	00	2	2-0	22-0	7
\$210120 606 .83.61 .11401 .44400 .61-11 .49-01 .34-61 .00 .00 .94-61 .27-01 .28-01 28-61 .27-01 .28-01 28-61 .27-01 .28-01 .28-6	7.7.7.7	2 :	~	C • D I		2		27.7	CO.	0	•	-	ė	~
\$10,770 \$50 \$50 \$30 \$30 \$11,51 \$11,51 \$50 \$50 \$50 \$50 \$50 \$50 \$50 \$50 \$50 \$50	9:55:6	0.	9.7.6	0 + 1	04) - I 0	9	3-10	S	00.	ž	10	25-0	2
6287290 650 .73763 .40.400 .35.65 .46.63 .46.03 .20.63 .00 .00 .49.03 .20.03 18.03 1		3	424	1110	24.0	-	0	2 - 2	60.	00.	:	î	ė	=
8133130 833 .43431 .112431 .64433 .61-31 .03 .03 .03 .93401 .124431 .124401 .2046 .03 .94401 .124401 .124401 .2046 .04401 .144401 .304401 .20461 .20461 .04401 .20461 .20461 .04401 .20461 .04401 .20461 .04401 .044	9:26:0	3:	72.0		3	:	0-9-	20-0	00	0		2	9-92	9
NICTED GCG . 18.62 . 18.66 . 30-61 . 40-61 . 40-61 . 40-61 . 40-61 . 40-61 204	5 3 3 5 3		7	12.1		<u> </u>	2	6	co.	0.	~	6-0	ė	2
	0:5:5	9	7.7.		43.0	0	Ç	200	00.	e .	0	~	100	Ě

rable 37 (cont)
Particulate Size Distribution. Calculated extinction. And mass Loading
ARKY SITE. Win?

	1 1 1 1 1 1 1	11 11 11 11 11 11 11 11 11 11 11 11 11	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	***************************************		111111111111111111111111111111111111111		
	•	1	1	1	34440	إد				PIXI	* *01	SVU II	SLOADING
11E 114E 1451)	SAMPLE 77ME (SEC)	-	~			Sr	•	~	- -	_	3.8		
						!							
7:55	609	11000	16+11	. 63+22	((++1.	70.00	. 23 - 51	20		101	20-02	10-66	241.
7:10:0	Ş	12.0	1 + 0	3+3+	7-1	C	3 0			80-0	0-91	37-0	
7:23:3	3	13:7	::3	Ç	61.)	_	S			67-0	0-0	2-5	
7:36:0	9	17.0	13.0	3+5	7-1	14.0	5-6				45-0	0-0	9
7:43:3	3		5	5.00	=		. 57 - 31			0	91-	6-0	2
		3 2 2	366	6		0+40	֖֖֖֖֖֖֡֝֓֓֓֓֓֓֓֓֓֓֓֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֜֝֓֓֡֓֡֓֡֓֡			0	P.	35-0	=
	•						7.7.			1 3 + 0	25-0	5-0	= 1
1:25:3	33	25.5	27:2	200			֓֞֝֝֞֜֜֜֝֝֓֜֜֜֝֓֜֜֜֜֜֓֓֓֓֜֜֜֜֓֓֡֓֜֜֜֜֓֓֡֓֜֜֡֓֡֓֜֜֡֓֡֓֡֓֡֡֡֡֡						c,
A: 3C:0	9	42+0	4 3 + 0	17+0	33+6	29+0	1200			ه د			<u>ר</u>
9:13:3	3	39.	100	97.5	35	0+0	27-7			16+0	-		2
8:56:0	ž	24.0	33+0	100	15+0	94.0	3-6			16+0	50-0	0-	2
09:33:3	3	25:)	24+3	75.5	2 P- ?	9.0	-1			15.0	0-6	51-3	2
1111	9	2:2	0	20.0	7-1	O- €	Ç			0	2-0	21-0	2
07:27:3	2	2367	2807	2112	~ ~ ~	C + 1	?			0	î	0-4	2
3536	ě.	260	22.00	د	78-6	000	3-65			0	20	0-0	£.
C : C = : A	2 5	2357	7		2	6-5	52-7			0	5	2-3	2
	. و		900	9	-	2 4 4 0) - G			0	0	0-69	
	7 4					0454	700	3	Ö	9 (12 + 0	0+1	619
3:23:3	3		0.00				3						
0:36:0	•	2	30+05	11.0	20 00	0 + 5 +	20-0	٠,) C			6 7 4 5 5 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
3:43:3	3	13:0	42.0	::	-	. 3 +0	-			200	11+0	000	_
3:36:3	3	37.6	32+0	88.0	12+C	9-6	7-61	0		19.0	65-0	51-0	703
1:33:3	3	35.0	21:3	1900	?	-	_			0	0-1	26-0	2
);;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	÷ :			•) - C 6	0-96	2010			0	411-0	35-0	2
	7	9 9 9 9	7 4 4				۲,	n.		0 1	0 .	0 - 4 S	2
1:43:3	3	29:0	3565	*	•		7 6			0 6 7 7			~ :
1:96:6	9	21.0	00	3	2-1	0	:=	0		00000	2		3
2:33:3	3	33:0	31.5	12.	3:	48+0	3.5	0	Ö	200	10+0	0-	: =
2:1C:C	4	1 % C	38.5	1 P C	32 + C	C: -	000	3		18.0	140	2.0	2
2:27:7	3:	200	31+3	3	~ + + 2	2000	?			0	0-0	500	Ξ
3:36:2	:		200	3 4 6 6	•	0	•			0	2-0	77-0	5
C: C			75.7		?	2 0 0	<u>۲</u> ٬			0	2	5-2	•
7,76,6	9 4				9	0000	3-57			0 • 6	5	96-0	5
	•		7		7 4 6 6		֡֞֝֟֝֓֓֓֓֟֝֓֓֓֟֝֓֓֓֟֝֓֓֓֟֝֓֓֟֝֓֓֓֟֝֓֓֟֝֟֓֓֓֟֝֓֡֓֟֝֓֡֓֟֝֓֡֓֡֡			-		2.0	30 1
		, , , , , , , , , , , , , , , , , , ,	,							0 •	2		72
	, U		, (, c						ç		200	
	3			3 5 6			,						n

FARLE STREET BISTRIPHILDN. CALCELATED EXTINCTION, AND MASS LOAGING ARTICULATE STREET BY AND MASS LOAGING

			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			, ,				Ξ	Bd) NOI	KAI HAS	010
41E 1143 S	a E W	-	~	m	æ	٠	\$	~	 CC 	1.36	4.3	13.5	# + 3 A
11	\$; ; ; ; ; ; ; ;	* * * * * * * * * * * * * * * * * * *	 	! ! ! ! !			1	 			· · · · · · · · · · · · · · · · · · ·	
3313616	Į,	17.62	959€	.26+1.1	1 • (13+6	1 P+ E	<u>،</u> •		3+0	.17+00	.17•	200
	5.75	21+41	9	7	•	.53+33	.23.93	60.	0.	rc+12.	.15+39	•	
11:11:11	٠,	-24.5	50+0	֡֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	J+ C	38+C	2 P+ C	ن در •	00.	2+0	.14+00	• 1 3	4
	111	56468	3767	7	?	C *	(ci.	cc.	5 + 3	10-66	95-	
	9	.51.62	38+€	7+6	7 + 5	3+0) * C	ر ن	٠١٠	8 + 0	10+00	0	1047
4:43:3	533	. 431.12	30+0	5.0	Œ	(+ t	(- 4	Cr.	.03	0	10-01	6-75	7 r
	٠ ١	· # 3 + C >	32+L	::	1-4	Œ	50-0	<u>.</u>	30.	3+0	10-92	0-04	7.50
	\$ 33	. 55+12	40	12.21		4	12+1	C:	.33	21 + 0	12+30		• • • • • • • • • • • • • • • • • • • •
5:16:6	θſ	. £6. C2	J.	•	-	0	2 C - C	274		47.50			
5:23:3	\$33	. 31+32	~	-	1+3	43	37-1		000			- 75	* * *
3.7	6. C	-29+62	21	9+6	3-5	- 27	50-0	ن ب •		. 6	0-04	5 4	
5:43:5	\$33	. 33+32	19+)	5+3	_	_	57-3	: C:	Cu.	c	16.25		56.36
5:56:6	966	. 42+(2	,53+6	•	•	-	200	ر.	37.		12+00		****
5:11:1	613	. 25+32	21+3	3.0	æ	0	77-7	C	60.		11-15		ry
6:11:5	بان	.25.62	15+0	3 + 5	•		30-6		2		10-04		
5:23:3	5 33	.27+32	15+3	2	-	2	53-3	00.	(0.		41-01		* C C U
7:36:	<u>ر</u>	-24-62	= :	۲	.17+(5	.96-61	39-0	٠, د	99.	.12+00	. 44-01		175
7 - 7 - 7 - 7		2(412.	F	Ţ	-	.21+33	ίC	.33	.03	0.0	. 31-31	-76	245.
7.76.0	2 5		12+0	3 + M = 1	~ ,	.96-61	<u>ں</u> ت	, C C	99.	0-1	.24-01	-02.	196
7-16-6		11.36.		2		.13+33	<u>-</u>	.33	60.	6 - 2	.32-11	- 31-	292
7:23:3	3 3			7 3	σ.	11446.	59-61	ن د •	٠.	. 45-01	. 33-01	-30-	332.
7:36:2	17	12061				[[+k]+	(- \		. 55	0	10-18.	- 6 2 .	277.
7:41:3	6.73				- ,	1.46.	1	<u>ي</u> د	ပ ၁	P	. 38-01	-96.	436.
	, ,	16.00			с.		23-7	60.	.03	.32-01	16-62.	•	169.
3:33:3	5.5	24.31	0 7 6 7	, .		' د	، ن	ت	ာ	ç	.11-01	-65.	, 8°
R: 1 C: C	¥ ()	2605		4 4 4 4		•	~ '	ָרָיִי. רָיִייִי		ę,	11-11	•	79.
3:23:3	513	6 6	:	•	7	· ·	ء ء ن	ب ا	0	. 31-01	.21-01	·20-01	119.
):JE:4	400	200	10.01	36.05	, L	, ,	~ r	7 (60.	16-59*	16-26	•	197.
4:43:3	533	19.	1101		` -		, ,		<u>ء</u> (10-92	10-12-		216.
1:15:6	,	. •	16+C	3701	` -		7 7		5.	16-36.	16-22.		193.
3:33:3	513	3.)	7267	7300		; ;		i (ء د • -	10-14	111-116.	92 :	343.
9:16:1	γC		25+(82+C	_	, ,	vF	٦ (١ :	, c	66.441.		C .	392.
3:23:3	533	?:)	-	6.54.1			,		<u>ء</u> د	10-61	10-000		513
3: 1:	Y C C		.82.Cr	3,5	.46-61	# P - 1	ت ۱					:	145.
7:11:	433	3	3.7	•		04-)	50.0		; <u>;</u>		1000		163
3:25:6	٠ ٢	1600	Ť.	10	-σ		٠ ٧			10-48	10-62		336
3:33:3	513	7:)	4	0	_	C+ 6 ti	22 + 3		00.	60+41	12430	124	- 6
	ن ن ن	·	٠	206	æ	A R - C	.36-01		37.	FC-66	40-01	. 24.	
	513	4:	11.11.	Ç	Œ	C++ E	<u>.</u>	(0)	000	9	37-78		244
			•		1								•

148L: 37 (cont)

				CHAVE					EXTINC.	EXTINCTION (PF2		1710V0 - V1
					********		******				+	0110467 SIL)
3415 (15m) 3ME (15m) (25C)	بر در پیرون	∾	m	<i>ರ</i>	īc.	-a	~	α	1.36	en • •	13.5	
3 MAR 17	 		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1				; † † †				
20:40:00 60		C1 .47+C	.24.66	.91-(1	3 33	.0.	ن •	J.,	10-02	10-11	0	u C
		•		.51-31	16-64.	.33	(1.		10-20			
				.36-61	10-96.	ر ت•	ت ن د •	9	26-01	10-61		
	111462. (15	•	. 33+33	16-16.	.43-31	. 32 -)1	68		16-61	10-21.	10-01	• > /
				.61-61	13-85	.2 C-C1	() 	<u> </u>	20 30	17-01	***	
				.15-31	16-56.	. 33		67.	10 -12	10-11	CC-50	
				1)-92.	. 4R-11	.2(-01	٠, د	97.	. 22-01	16-01	15-01	
				16-15.	16-64.	.33	.33	. 33	16-64.	13-31	10-01	
				.36-(1	. 48-01	20.	ر ي•	دن.	. 70-01	18-01	10-01	
	33 .17+32			11-02	. .	11-12.		.03	10-62	10-01		
•				.11 • ((30 *	٠ .))	٠ <u>٠</u> ر	. R7-01	27-01	17-01	
				16-54.	16-64.	.23-31	cë.	.03	16-16	16-66-	11-11	
	118.62	13+61		.61-61	. 48-C1	ن • ز	<u>.</u>	33.	. 91-01	.28-01	18-01	
				16-92.	.33	.33	. 33	00.	16-86.	16-75.	16-21	
				.61-(1	. 48-61	.59-(1	٥٦.	ວູ:	. 97-0	10-68.	.32-01	
	21461.		. 73433	(11.)	16-64.	.23-31	. 33	.00	10-16.	. 35 - 31	16-92.	
				11-36	19-96	٠.	ن •	٠,	.86-01	.26-01	. 18-61	
			(54/6.	16-16.	. 43-01	.23-31	.33	.00	10-80.	15-35	. 25-31	
			•	.36-61	1.3-96.	.2(-(1	٠, ٥	<u>.</u>	.88-03	.31-01	.23-01	
				((4 4 - 1	_		•	•				

Best Available Copy

Weather Summary

Date: 30 March 1977

Synoptic

Surface: Rapidly filling surface low-pressure area over eastern South Dakota.

Weak surface pressure gradient over New Mexico.

500 Millibar: Closed low pressure centers over eastern South Dakota and

north-central California with interconnecting trough result-

ing in strong southwesterly flow over New Mexico.

Holloman AFB

Clouds: Mostly clear to scattered (less than 0.3) high clouds (cirrus).

Wind: Light and variable with a peak gust of 7 m sec-1 out of the south.

Visibility: Generally greater than 60 km.

Maximum temperature: 21.1°C Corresponding vapor pressure: 2.8 Torr

Minimum temperature: 1.7°C Corresponding vapor pressure: 2.5 Torr



Figure 50a. Surface weather map for 30 Karch 1977.




Figure 50b. 500-millibar height contours for 30 March 1977.

TABLE 38. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

where the west of the second s

1977													3											
Date: 30 March Remarks												Plane observed	Single puff Cu		Few Cs N	Few Cs N		Apache ok	Few CS W-NW					Plane observed
H19h %/Type												40 Cs	40 Cs	10 Cs	\$3 0	SO ()	0	0	0 Cs	3 54	3 C1	6 C 1	2 C4	0
Clouds M1d %/Type												0	0	C	0	0	0	0	0	0	0	C	0	C
Low %/Type												0	70 0	C	C	0	0	0	0	0	0	0	0	С
Dew Point (°C)												.4.3	-4.1	-3.2	-3.6	-6.1	-5.5	-5.9	-6.0	-5.6	-2.5	-3.5	-3.9	-1.2
Vapor Pressure (Torr)												3.1	3.1	3.4	3,3	5.9	3°2	2.7	2,8	6.%	3.7	3.4	3,3	4.1
Drv Bulb Temp (°C)												16.9	17.5	19.6	19.9	19.8	19.4	18.0	15.2	9,3	6.5	7.5	8,3	ຜ _ູ ວາ
Hour	0100	0200	0300	0400	0200	0090	0020	0800	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 51. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 30 March 1977.





Figure 52. Diurnal variation of the altitude change of $C_{\rm H}^2$ between the 9 and 34 m levels. The exponential coefficient (a) for $C_{\rm H}^2(z)=z^{\rm d}k$ is plotted where z is the altitude and k is the 1 m $C_{\rm H}^2$ value, LSTC, 30 March 1977.



in the contraction of the contra

Figure 53. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 30 March 1977.




Figure 54. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 30 March 1977.





Figure 55. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 30 March 1977.






Figure 57. Diurnal variation of the atmospheric structure parameter, C_{N}^{2} , at the Apache Site for the 9 and 33 m tower levels, 30 March 1977.




Figure 58. Diurnal variation of the altitude change of C_N^2 between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, Apache Site, 30 March 1977.




Figure 59. Diurna! variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 30 March 1977.








Figure 60. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 30 March 1977.



de la maria de la comitació de la compansa del la compansa del la compansa de la










Figure 61. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 30 March 1977.




Figure 62. Diurnal variation of windspeed and relative humidity, Arky Site, 30 March 1977.

			1	1	770	! !			1	X 7 7 4 C	1 22 2	Kel HAG	S LOADING
311 31		-	~	,	2	S	-	~	æ	_	e . r	9.	
U 848 74	:	1 1 1 1 1 1	: : : : : :	1 1 2 2 2 2 4	: : : : : :	: : : : :	: : : : : :	: : : : : :	i : : : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	::::::::::::::::::::::::::::::::::::::	1 1 1 1 1 4	1 1 1 1 1 1 1 1
	¥	MAC		47.6	4 h = C	9-6	~	2	00.	9	5	01.50	•
:::	3	1:1	?	33.5	:	3	G	.00	5	0-6			•
3:) 6:	Ž	2200	28+6	11.	12.5	Ą-4	30-6	·	2	300	-	0-0	•
: 13:3	3	151)	3.7	55.5	41.3	1 1 + 3	77.3	•		1	C-15	6-64	•
11:11:	ě	3 4 6 6	21+5	7100	1400	0-84	2 C C	۔ ،	2		0-01	2010	•
15:	3	12:3	3	42+3	?	45.3			60.	0	200	20-02	. •
1:00:0	-	1 : 0	22+	11:0	1100			- ۱	2			71-0	
1:13:3	2	3		7.5.0	:	1 2 . 5	37:5	• • • • • • • • • • • • • • • • • • • •	co	0 4 2 3		12-3	
1:26:6	Ž	5:5%	30.0	1100	3	•	ے	•	ç	2 • 0	2-0	0 - W.	•
1:17:0	3	22.3	28+3	11:0	51:3	11.5	23.	O	60.	0 • ~ 1	ij	12-2	
1:46:0	ž	22.5	20 + 6	111	::	Ç .	J	91.	20.	12+0	5	36-0	•
1:43:3	\$	23:2	2017	73.53	19.3	_	51.	O	. 33	6041	7-10	C-11	•
3:00:6	ž	3 • • •	2 + 5	47+6	74-6	Ė	3	۰	ວຸ	:	-	33-0	
.::):	Ç	2	200	75.3	?		æ	O	.00	11.5	5	2-3	~
2:30:0	€.	3	=	7.		ت. ع.	10	-	31.	0.0	5-0	26-0	•
					(+ 2 1	~	21-7	n.		0-6	Ç	24-2	-
3:30:2	€.		20+C		2	3. (٠,	٠.	د د	-	Š	20-0	
() () ()	ς;				=	^ · · · ·	•	o.	20.	0-66		C-01	
	::				֡֝֞֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֡֓֜֓֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֡֡֡֡֓֡֡֡֡֓֜֡֡֡֡֡֡	م د د	- r	• •	36	2			•
1:26:1	, 4		200		7 Y	1	,	٠.	> =		, ,		
11333	5	2	22.2	2	=	150		2			0.0	2.5	-
1:10	909	.17.62	.20+01	.67.66	13-05.	10-64	25-	9	5	80-48·	. 30-01	.21-01	250.
1:42:2	3	1:0	35	333	13:	ŝ	23-3	0	. 55		20-0	19.5	-
	<u>ن</u> .		000	~	- 4 .	31.4.	Ų.	ت .	00	20	37-0	33-0	
	3			2		7 4 5	32-7	0	.03		C 4	6-65	•
	£ 3		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	J -		ر د د		ء د		Ē	0-6		•
7.79.	. 4	306		200		2		> _		: C			- 6
	3	:			:			. =					: =
3:55:	-	12.0	17:0	7000	7-52	10.6	3-06	ت د	C	-	-12	3-0	•
::13:	Ç	?;	25:	5:3		41.0	œ	3	.0.	0-6	13-0	-	-
-: 5	∵		7 T T	7 9 6	13:	1 to 0,	30-0	J	00.	Ē	50-0	-	
	-	2		?	2:	6.46	22 -2	0		3:0	0-11	73-	•
	€ .	•	2 1 0	3		C+#.	ں ت	C	٥.	Ç	32-0	2	_
	5			41.47	٠٠ د د د د د د د د د د د د د د د د د د د	1 2 0 0	~	0	.03	-9	61	<u>.</u>	•
	5 3	3			, ,	- 6		0,0	5	C 6		Ė.	_
	•							> :	•			_ :	- 6
	5		215.7) e	2 6			: : :	- :
	•												

PARTICULATE SIZE DISTRIBUTION, CALCULATED EXTINGITON, AND MASS LOADING ARTICULATED EXTINGITON, AND MASS LOADING

The state of the s

			1 1 1	1 1 1 1 1 1	1	1	į					1	1	TO AMA OUT
7 T	7: 4: 1881)	388 K	-	~	-		•	<u>ہ</u>	~	£	1.36	3.8	5.6	
SO HA														; ; ; ; ; ;
C 🗪	,,,) () (2001		300	((401)) C				
	1166	·	17.0	2 3 4 0	A 5 C	-		100		07	. 0		٠ د	
	(3)(2)	•	:	35.3	25.	:		23 - 3		000	-		C-11	á
•	3176	O	180	5 + 6	7:14	1-1	9-6	310		00.	5	10-96	10-01	356
•	::::	•	151)	23+7	76.5	-	:	23 - 3		00.	7-0	. 32-03	ç	2
•	ンジングラ	u	17:0	100	2006	÷	•	J-38		97.	2-0	7	•	2
•	:::::::::::::::::::::::::::::::::::::::	_	=======================================	26+7	::	$\hat{\cdot}$:	S		00.	-	. 29 - 31	. 20-21	2
₹.	2:11:	•		U + # &	70.	•	₩.	-2-5		53.	:0	7	•	300
_		•		20.0	2 + 2	•		ລ		60.	- 2	. 28 - 21		-
€.	2:2	u,		3.00	J + = :	•	၁	<u>ن</u>		<u>ي</u>	Ç	. 31-01	•	=
•		_	15:	13:0	12:0	:	· .	ŝ		co.	-	2	:	~
Œ	3:36:	u	150	3000	:	7.5	٠ •	.20-0		65.	0-6	.18-01	Ę	\$U.
•	:::	~	75.0	73.7	2-1	-	_	3		e e	6-6	~	. 2 9-32	133
3	3:2::	ٺ	13:0	67. 0	23:0	Ľ	į	ے	J	ع -	•	. 92-02	ç	•
S	:22:	~	17:)	73.7	31.0	-	÷	3)-7		٥,٠	-	2	ċ	_
•	3:36:	U		7 + E H	10.5	•	9-6	::		03.	•	. 22-01	ç	246
ŝ	(1);	•	11:0	67.0	33.50	_	5:3	2		.00	•	10-01.	ċ	162
3	3:36:	Ü	17:0	75.0	4 7 + C	0	င	J		01.	_	10-01	ċ	5
_	:);	~	=======================================	7111	4:0	_	10.63,	:		.0,	•	11-11	112-21	111.
·	1:5:	_	101	60 e r.	300	С.	J	L		٥٥.	~	.66-02	÷	9
^	: 33:3	~	17:	17:3	21.3	_	_	. 33 - 31		60,	•	10-01.	ç	217.
v.	200	v.	:	U • # 4	3.5	÷	-	٠٥.		င ်	•	10-11.		71.
•		•	~:	6711	?:	-	٠	_		.00	~	=	. 1 3-31	-
ο.		•	5	***	34.6	ᄋ.	•			03.	•	.18-01	16-01	- 9
		~ '	2117	7 4 6 6		-	6	•		0	_	2	Ċ	Ç
м.		۽ پ		9 4 6 6) : - :	ر د م	= (_ •	00.	€.	12-01	ç	2
- 4	7:7:	~ 4				•	Ĉ.	5	٦,		e :	5	•	- 4
-				10.0	7 0 6 7	<u>.</u>	د د	- 4	ء ـ	9 (٠ د	7		
_ •		- •						٠,	Э,	200		ζ;	•	•
~~														
٠.				•				٠ د						
					1961		c	•	, ,	2				
- 0	7 . 7				0 4 6					30	: C	601.4	- 5	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						•			3 6	•			?
. .		• •				: .	` :	٠,		•		> 8		2:
							- 4))	֜֞֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜	A K 4 = 13 K	٠	ė .
^ 1		~ 4				•		n :				50-66		21.
~ .						3		2,4		-	10-71	20-24	ę,	•
n 1	(! () !	•				17.61.	•	~ •		0.	_	.61-72	?	13.
n		i								•	ı		•	

FARLS 43 (cont)
PARTICULATE SIZE DISTRIBILITION, CALGULATED EXITACTION, AND MASS LOADING
ARKY SIZE, BLM?

And the second of the second o

1 1 1 2 1 1	: : : : : : : : : : : : : : : : : : : :	: : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: :				1	: : : : :		*3d) YOL	XA1 MAS	10461
2412 2142	SAMPLE	-			:					£	3.9		H 3
R :	<u>.</u>			1	1						1		1
-													
1 3: 0 0	000	.19.61	. 36.00	3306			ن د د	<u>.</u> ت	0).	. P.7-02	. 32-02	.15-02	17.
1190	C .	44.		3:	10-01			n (60.	C-4-	•	* ·	
3:36	9	:	:	7-19	C	J	L		2.	ç	_		
9:10:	5	11:1	28+3	35.5	÷	•	. 23 - 31	9	٠,	3-0	-		1.19.
3:36:	5	47.0		22:0	-	: :	ĭ		3.	Ę	•	-	r
6:33:	\$	63:3	1903	:	_	 		C	.03	9-0	•	. 96	:
6:16:	7 0	10.0	2000) - Z o	.14-63	25.	` .	J	٥,٠	Ş	•	. 22	.
6:23:	5	=	4347		?	<u> </u>	<u>.</u>	63		C	•	=	. 2.
6:30	٠, 4.	79.6	26.	396	ن •	ں . 	ن		<u>ئ</u>	0 - 4 .	ਯ ,		-
	?	73:0		<u> </u>	C .	?	. 22 - 21	C	c 3 •		•		49.
6:96:	U.) 		€:		٠	ب ت		u i	ė.	-	F.	÷
7:33:	C .	~ 1	21.0	· ·	16-51	Ĉ.	n.	co.	6.	6	•		23.
7:16:	0	• 7 .) - C G	i) (، د	≃ .		<u>ဒ</u>	-0	•		• 0
7:27:		7		^	~ :	?	. 27 - 7	O.	2	C	-		99.
7: 36:	0		26.5	-	:	ر در	٠, ع		<u>.</u>	-	•	5.	• •
17:43:		() ! .			•	6	'n	n,			•	F. (2.
7:56:	٠. د			~ ·	3.	٠. •	ا ن •	٠ -	9	-	Μ,	-	.
16:41			6 1 1			~ "	•	ъ.				-	÷
	- ·			3 / 1 / C (3	ن د •	ه ن		و د د	֚֚֡֝֜֜֜֜֝֜֜֜֝֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֓֓֓֜֜֜֜֜֜֡֓֜֜֜֜֜֡֡֡֡֡֡		•	•
	\ \ \ \				` `			٠,			, .		7 6
	5	1		?							, .		
A: 5 C:	9 0	110	21.0	7.5	•	40-64	•		200	ŗ		-	123.
9:33:	5	42:	44.0	-14	-	_	_	0		6.5.0	•	. 21	۰.
9:1C:	74 0	11:0	36.5	91-6	. 30-11	·	<u>ن</u> ٥٠		9	0-1	•	. 3.	C.
1:33:	5	€	36.1	<u>:</u>	$\hat{\cdot}$	<u>.</u>	ĉ.	2	ço.	- 5	•	* ·	-×-
1361	9	3 .	J • • K	100	13-61	ن	L,			•	"	. 23	r
	בי ס	1 34 7	49.1		•	•	11.05.		60.				224.
	ب د د			7 · ·	د ت	0	c,		3.	ç	(=	v,
		֭֚֡֝֝֓֓֓֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֡֓֡֓֓֓֓֡֓֡֓֡֓֡֡֡֡֡֓֡֓		CC+20.		•	œ,		ç.	10:47		-	
	5				7)		s c	٥ ج • •				
17.17	¥ 0				Ĭ		3			- 0	, ,		
	5	191	(11)	1217				. 5	000	: _		•	
	90	12.	39.0	23.6		*	٠.			`~			
1:33:	2	2313	1995	19.5			_	•	6				٠.
	9	760	86 · C	19.0	\$	ن ا	5			:=			. •
1:23:	6 6	15:		5403	16-91.		-		600	È	. 30-71	-	200
1:36:	90	101	10.0	3306	35	u	L		9.		•	ě.	C
1:17	5	?:	1501	C + 9 +		-	10-15		63.	Ę	•		-
1:96:	J9 J	1116	97.5	3:5	7	•	٥٠.		9	S C.	-	-	•

FABLE 43 (cont)
PARTICULATE SIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING ARTY SIZE, WIRK

and the second of the second o

	•				1377470	و_				TXTEVOT	CKTTACTION (PER Ke)		MASS LOADING
√ 1	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-	~	n		•					-		
30 BAR 77	; 1 1 1	: : : : :		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	* * * * * * * * * * * * * * * * * * * *			: : : : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : :	1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : :	1 2 4 2 2 3 4 2 3 4 2 3 4 3 4 4 4 4 4 4 4
22:60:00	900	.11.62	.13.63	.31.000	.30-01		.20-6.	٠,	99.	.61-01	.21-01	10-41.	20%
22:13:33	623	.13.12	11.481.	. 43+33	14-71	16.64.	.33	.00	00.	16-44.	16-61.	112-31	123.
22:26:60	9	. 110 62	.12 • C1	.33.66	٥,	. 48-01	.20-01	95.	00	.97.09	10-61.	- 14-0	
22:33:33	533	.11.32	·	. 43+33	113.31	.01.21		.00	. 23	. 34 - 34	10-41.	12-21	119.
22:46:60	904	.11.62	. 14 + 61	.33+66	. 76-63	4:-01	30.	0	00.	. 58-01	. 20-03	10-01	-
22:41:10	633	.11.32	. 13. 11	(1464)	16-14.	16-46.		co.	000	10-09	. 22-71	17-21	1.51
23:00:00	5 0€	.12.62	116+01	77.16.	17-46.	ن 0 •	L U	<u>ن</u>	03.	. 66-03	10-12	10-41	140
23:13:33	\$33	.19.32	1600.	. 52+1)	16-41.		.33	. 33	.00	10-26.	11-18.	10-60	
23:26:60	9 C C	.26.02	.26.61	- 14 51.	. 61-61	٥,	.2003	٥).	٠,	. 11.00	. 38-01	10-46.	303
23:13:33	533	. 23:32	. 25+21	.67.53		16.64.		Ç.	co.	(0.11.	10-11.	16-66.	25.5
23:40:00	4 C O	.21.62	. 30.1	33+36.	. 46-61	10~57.	.20-08.	<u>ر</u>	22.	. 11.00	10-98	10-66.	30.9
23:43:33	633	. 231. 22	16+68.	.67.03	.12+1)		. O.	• 93	00.	10.61	16-11	121-31	253.

Weather Summary

Date: 31 March 1977

Synoptic

Surface: Weak north-south pressure trough thru central Arizona.

500 Millibar: Northeast-southwest oriented trough thru central California

weakening and moving east-southeast. Continued strong

southwesterly flow over New Mexico.

Holloman AFB

Clouds: Mostly clear to scattered low (cumulus) and high (cirrus) clouds


with cumulus bases at 2000 m AGL.

Wind: Generally southerly at $5-8~{\rm m~sec^{-1}}$ with a midafternoon peak gust of $15~{\rm m~sec^{-1}}$ from the south.

Visibility: Generally greater than 16 km.

Maximum temperature: 24.4°C Corresponding vapor pressure: 3.0 Torr

Minimum temperature: 4.4°C Corresponding vapor pressure: 3.3 Torr




Pigure 63a. Surface weather map for 31 March 1977.



Figure 63b. 500-millibar height conturns for 31 March 1977.

TABLE 44. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

Date: 31 March 1977	Remarks		Plane observed 32 V straight line on recorder-	switching on miniverter 0640 climbed tower - all sensors ok	EWSS helicopter hovering over van and around tower - possible "Prop Wash" affect on winds	ð	الم الم الم الم الم الم الم الم الم الم		•	Sctd Cu Alqds ACSL W Ci INVDG W	ACSL W			
	High %/Type	55	000	00	0	00	0	000	00	ဝပပ	.300 .200 .200 .200 .200 .200 .200 .200	000	၁ပင	၁ပပ
Clouds	M1d %/Type	0000	00	00	0	00	0	60 0	0	U.	01 Ac SI	o o	0	0
	Low %/Type	0000	00	00	0	00	0	555 333			000		0	0
	Dew Point (°C)	6.00 6.00 6.00	00	0.0 4.1	2.0	3°7	•	ຜູຕຸ	• •	ლ დ • დ	- 6 1 1 - 6 1 - 6 1		-6.1	4.5.4
Vapor	Pressure (Torr)	~~~~ ~~~~	• • •	• •	•	ນ. ທ່ານ	•	ໝູນ ຜູຕູເ	• •	• •		• •	2.9	3.1
Drv Bulb	EQ	- - - - - - - - - - - - - - - - - - -	• • •		•	17.1	:-	0.00 0.00 0.40	200	%	19.0	. 6	16.3	14.9
	Hour	0000	0500	0200	0060	001 001 001	1200	004 000 000	009	1700 1800	1900 2000	2200	2300	2400



Ī

Figure 64. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 31 March 1977.




Figure 65. Diurnal variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC, 31 March 1977.




Figure 66. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 31 March 1977.




Figure 67. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 31 March 1977.




Figure 68. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 31 March 1977.




Figure 69. Inversion heights, LSTC, 31 March 1977.




Figure 70. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the Apache Site for the 9 and 33 m tower levels, 31 March 1977.




Figure 71. Diurnal variation of surface scil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 31 March 1977.






Figure 72. Dirunal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 31 March 1977.





Bound washingtone with the second second second second second second second second second second second second



Comes and an additional section of the second sections of the second section of the second se

The state of the s








Figure 73. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 31 March 1977.




Figure 74. Diurnal variation of windspeed and relative humidity, Arky Site, 31 March 1977.

FARTICULATE SIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING

The state of the s

1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,			•			i I		و.				* 1 T X 2	TTO:N (PE	KOI MAS	SLOADIVG
	Colored Colo	3614 31	SAMPL TINE (SEC		cv .						1 1 2 4 1 1			· · ·	n •
	Color	1 HAR 77	1 1 1	; ; ; ;	:	:	;				1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		: ••	90	:	•	94+6	-	2			ç.		C-KE.		•
		::	6	7:1	•	67.5	?	<u>.</u>	c		00.		0-08.	1	-
10		:5	9 0	21:0	į	A 7 .L	7-64	3-	i. O		00.	-	. 35-0	1	•
1,000 1,00	1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,	. 2	?	2:3	:	13:3	10.	$\dot{\cdot}$?		٠°.		0-00		•
	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		9 60	2200	3 • 0	7.88	91-6	:	J		0.5		0104	=======================================	•
	10 10 10 10 10 10 10 10	: 2	9 6	21:1	?	44.5	14.	_	G		.00		C-15.	7	•
10 10 10 10 10 10 10 10	11.010 10.0	1:00:	34 2	2110) • C	73.6	7-14	100	50-C		٠ د د د	•	0-44.	4	•
	Colored Colo	1:1):	3 5	221)	3+7	77.5	3	:	30 - 3		00.	_	C-15.	39-7	5
	Control Cont	3:26:	90	20.0	2405	41.6	11+1	J	ر ي	ت	9	•	0-88.	20-0	Š
	19 19 19 19 19 19 19 19	1:33:	5 5	22+)	13:1	77.5	3	:	0	0	(0.	_	1	11-1	27
	Control Cont	1:40:	0 60	18.0	25.6	71.1	30-08	1) - W 3	30	•	0	-	. 37-	27-0	
Control Cont	02277770 557 1440 2 22471	1:5):	3 53	1 1 1 1	22+1	44.3	11.	2	î	•	.00	•	. 31-7	(4-)	2
100 100	10.00 10.0	2:00:	0	18 C	23+6	910	91-10	4 .	2	•	2	-	0-05	=	. •
100 100	0217110 507 111177 11171	2:13:	6 0	14.)	24.3	67.5	61.		6	•	00			2	
10 10 10 10 10 10 10 10	0219110 501 11977 22211 17701 17101	2:26:	9 0	1900	26.0	3.00	7.4.	1	0	·	25	•	15-0	2	
100 100	03107700 601	2:32:	25	19:	22.1	\$74)	12:		•	0		٠.		-	۰,
10	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	2:46:	9 0	17.0	29 + €.	89.1	1-44						0-05	9,0	
	03117950 550 114-27 124-11 124-11 125 125 125 125 125 125 125 125 125 1	62:53:	25 6	15.1	2917		11.1		23.3	• • •	000		614		
10	19 19 19 19 19 19 19 19	0 3: 0 0	C	2 % C	23+6	700	110	. ຍ		۔ ،	, 0		200		: 6
100 10 10 10 10 10 10 1		7:13:	5 5	14:0	24.1	7 7 5 5	3	:	C	•3	603				-
10	1992 1993 1994 1995	3:20:	3	1600	23+6	3			2	ت	0			5	
10	10	9:33:	5 5	11:3	27.1	13+3	74.3		2	•		-	42.	.0	_
100 100	10	3:40:	90	3 : 6	7 :	76.0	¥ - ₹	A-C	5			ě	. 33-0	22-	•
	10 10 10 10 10 10 10 10	3:43:	C4 C	11:)	:	73.5	11:0	:	53.		.00	_		11-3	
10	### ### ### ### ### ### ### ### #### ####	*:00:	90	300	3:5	73.6	74-1	5	26-08	L	07.	•	. 35-0	25-0	•
13-15 13-1	### ### ### ### ### ### ### ### ### ##	::12:	5	7:7		67.0	14-7	C - 1 - 1	C		c c	•		21-1	•
######################################	17.02	. 20	٠ •	3 • 6	13 m	97.		ن *	Ç,	ن	00.	0	. 36-0	\$	
			C 6	7 4 6 1			6 - 7	2	n	0	.03	•	. 29 - 3	ţ	J
			9	1700	29+1	٠ • • •		ر 10-	0		00.	ě	. 33-0	23	₽.
######################################	10		ה ה	(1 2 2 2	23.1		(11)	7	2		2°	10-60.		- 6-2	•
### 1	\$12500 \$50 \$50 \$50 \$50 \$50 \$50 \$50 \$50 \$50) (1 2 :			00.	12.00	0=24.	76	т.
######################################	\$19190 950 . 12-01 . 10-01		? ·	7 4 6 18		7 7 7			3		¢0.	_		5	~
	\$\$\\ \text{10.00}	3 2 2 6				E	E			ه ی	9	•	C-04.	-69	•
	A		•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		7 7 7			•		00.	60.21.			N
\$13170 573 .22472 .33473 .12431 .45-31 .23-31 .33 .00 .00 .14-03 .45-31 .50-31 .00 .00 .12403 .45-31 .50-31 .00 .00 .00 .13407 .50-31 .00 .00 .00 .13407 .50-31 .00 .00 .00 .13407 .50-31 .00 .00 .00 .13407 .51-31 .00 .00 .00 .140-31 .51-31 .00 .00 .00 .140-31 .51-31 .00 .00 .00 .140-31 .00 .00 .00 .140-31 .00 .00 .00 .00 .140-31 .00 .00 .00 .00 .140-31 .00 .00 .00 .00 .00 .00 .00 .00 .00 .0	\$171770 \$73 .22472 .33471 .12471 .13470 .23 .00 .00 .12470 .45.31 .30471 .34 \$101770 \$72 .32472 .33471 .14471 .74470 .00 .00 .12470 .434701 .43 \$101770 \$50 .22472 .33471 .44471 .74471 .74470 .00 .00 .12470 .40471 .74 \$101770 \$50 .22472 .33471 .44471 .74471 .00 .00 .12470 .40471 .74470 .40471 .00 .00 .12470 .40471 .74471 .74470 .00 .00 .12470 .40471 .34470 .40471 .00 .00 .00 .40471 .34470 .34470 .40471 .34470 .40470 .20470 .40470 .40470 .34470 .34470 .40			2000	•	3 + 5	ě E	2 • • •	ပ ၁		50	-	. 5 7-0	37-	₽.
-00. 00. 00. 00. 00. 00. 00. 00. 00. 00.	\$10.50 \$5. \$2.50 \$5. \$3.50		_ ·	7 1 2 2		1207	45.	C - 5 6	22-2		60	_	-	Ę	┏.
-14: CD-81: CO: CO: CO: CO: CO: CO: CO: CO: CO: CO	10-01 10-02 10-01 10-02 10 10 10 10 10 10 10 10 10 10 10 10 10		•					40.0	د د		50.	13+00	50.		-
-00° 00° 00° 00° 00° 00° 00° 00° 00° 00°	22 10-02. 10-04. 00-21. 00. 00. 00. 10-04. 10-07. 1		~ ·						23-3		ço.	_		ċ	~ !
Lore Coence Coe Coe Coence Coence Description Coence	\$10.00 \cdot		: : : :					2 4	9		2		-0	2	•
	VK 10-66. 10-66. 20.51. D. D. D. D. 10-65. D. 10-66. D. 10-16. 10-16. 20-16. D. D. D. D. D. 10-16.		· ·			1 7 7			2		60	CD • ~ 1 •	-		0

FARTICULATE SIZE DISTRIBUTION: CALCULATED EXTINCTION: AND MASS LOADING ART SITE. WIM?

Character and relationship to the control of the co

					•							1000	
8 2 3 3 4 4 4 1 1	! ! ! ! ! ! !	1 1 2 2 1 1	! ! ! ! ! !	: : : : : :	2774TO					0 P 1 L X 1	NC I		S LOADING
77 77 4 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5	SO.	-			8 8 8 8				c	9 0	3.8	13.6	
1.7		I	1	! ! !	:] 	i		2 1 8 1 8 8 8 8				
26:9	3 to 4 to 6	. 23 . 62	.32+01		J	10-96		0,	S c	CO 4	C		100
	?					.						9 1 6 4	• 4
13111	9 4) 	֓֓֝֝֓֝֓֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֡֓֓֡	2 6	30	200			0 A
						•	ه د					100	
77.36.					÷ ,			ب د د	2 6	74.00			- ~
	•			, , , , , , , , , , , , , , , , , , ,		•	• =			20-86	10-KF		
1:55	25		3		11:5		9	9	00.	96-0	. 31-31	-	•
A: 1C:	9	29.0	23:5	200	12+5	9		·	00.	10.0	10-64.	17-	•
1:23:	65	13:	23.5	3:5	74.	16 - 56 -	_	a	.00	0-5	10-11	23-3	~
A: 3C:	9 0	3446	26.5	33.6	19-6	9	J	000	00.		.23-01	2-2	æ
1:17:	3	17:3		:	19-7		2	C	60.	-	16-11.		•
n:sf:	90	1:0	71.0	2 1 °C	ĭ	٠ د د	œ	Ç	9	- S	113-03	-	•
9:33:	5	13+)	34.5	::	•	_		C	00.	1 3-0	.67-32	C = S =	•
•:10:	90	1200	79+5	3.5	-	į	ပ္	J	8	•	. 16-03	C:	€.
1:2):	\$	1:1	505	35	=	9	. 23 - 31	C	c.		.23-31	22-2	
04:36:	9	1 0 0 C	ن ا	ے : د	3-61	J.	0	C	င္ပ		. 6 3-02		.
1:10:	3	1500	54.5	3	S	_	•	C	00.	Ė	- 62-35	5 - 1 5 1 - 1 5	•
	¥ .			٠ د د	<u>ت</u>		ə	، ب	9	~ :	10-01		
1:00:	3	17:5	5	<u> </u>	2	_		. 33	60.	2.0	20-64.	ני ני	39.
:	3	3 : 0	79.5	2.5	3-6-	-0-64	۔ د ک	မ သ	ب د •		- 61-05	0-59	• :
3:23:	C .		66	-	- 1	•	∾.	o:	0:		10-62.	֡֝֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֓֓֓֜֜֜֜	
		ָּיָט.			7	3		٠ د د		= :	2017	20-8C	
	•	.:					•			ç	00:00		
1:55	5		31.5	15.5	55.	•	•	9	00.	2-7	16-11.	-	197.
1:16:	•	35.2	30.0	2	13	<u>ی</u>	CO	000	. 00	15-0	. 8 3-02	7	•
1:23:	3	13:	60+3	21:5	_	16-64.	.23-31	C	00•	5	10-11.	13-2	11%
1:36:	9	34.0		2 2 2 3	Š	ں		C	9	ç	. 88-02	5	
1147	C4 C	2:2	71.5	37.50	?	?;	ŝ	<u>.</u>	0.		10-01	5 0 – 3	•
1:96:	ب و و	3 ° C	1946	7.0	9-01) -	11-02-	::	3	֟֞֜֜֜֞֜֜֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֓֓֓֓֓֡֓֜֡֓֡֓֡֓֡֓֡֓֜֜֜֡֓֡֓֡֡	.22-01	<u>.</u>	175
2:33:	<u>.</u>				ς:	•	n s		o:	- 9	20-16.		r.
7:16:		1	1000	2	17		17-17-		•				
2:23:	C.	() !		-	12-1		27-1	n (50.		VO - VO		
7:10:	9.			~ ~	3	3 4	د ن د د	ه و	5 6		50-16.	í	::
		7 4 6 1				•			ē.		20165		• 76
2:40		12.		֓֞֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜	֡֝֝֝֞֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֡֓֓֡֓֓֡֓֓֓֡֓֡֓֡֓֡	، د د د	2	5	0) -	20-7.5	֡֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	
3:33:	6	~ : :		212	•		ç.	0.0		֚֚֡֝֜֜֜֝֜֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֜֜֜֓֓֓֓֓֜֜֜֜֓֓֓֡֓֜֜֜֓֡֓֡֓֜֜֜֜֓֡֡֡	. 55 - 32		. 5.2
	•) 			, 	ر د د	ر ر ن	ن ت	200			- (•
3:47:									5 5				
	ć >				ļ.	•	!	•	3				

£

FARTICULATE SIZE DISTRIBUTION. CALCULATED EXTINCTION. AND MASS LOADING ARTICULATE SIZE DISTRIBUTION. CALCULATED EXTINCTION. AND MASS LOADING

THE PROPERTY OF THE PROPERTY O

							- 4 4 5							
; ; ;	: : : :	! ! ! ! ! !					إرا				X1140	TION (PER	KAN MASS	LONDING
7	7145 (#\$7)	1 1 ME		~	~		r	•	~	E	ž	e	· •	
N IN	. ~ . ~	: : : : : :	1 1 1 1 2 1 1	: : : :	1	: : : : : :	1 1 1	1			₹	! ! !	1	1
£ .		900	.26.01	20.00	73.66.	.30-61	13.64	. 39-61	96	000	.26-01	10-01	. 17-01	215.
		` `							, C		: 5			•
: :		5	7 6 5 5			· ·				200	: _			
	. 2 C : 0	. 4	1000			30-05			Ü	3	٠.		- 0	9.
	1335	3		3343	1243	2		•		00.	3		3-3	•
-	0:04:	, c		32.0		000	·C		C	9	•		15-0	-
=	:47:3	3	41:5	19+3	3	-		C	. 23	• 20	-	. 6	3-3	•
=	0:37:	39	8.5 · C		7-14	c		00.	20.	3	•	-	92-0	C
-	:13:	Ç		31:0	14.0					co.	10-11	. 92	3.	5
-	:50:0	4	1300	45+0	91-0	00.		ပ	٠ د د د	85.	•	. 32	Š	2
	. 30:0	3	-	C+11	. +	^			C.	C .	=	-	16-7	-01
		€.		•	ب ج	7)-47.		u,	ت •	3;			0 3 - 0	-
£ ;		? '	2	1917	7.7	٠,		-	73 (0	•		د. د ر	r. i
)	م ب د د) (20.0	-	2	2 C	2,			0.0
• •	7.76	2	7	1000	100	2-81-		ی د			٠.		1	٠.
14	35.5	3	77.5	9		, `	ċ		'n		•		- Y	9
~	3:14:	Ş	110	15.5	61-5	3	æ	6		3	=	-	2-0	
∵	:4):3	\$	42:0	?:3	3	12-51	· · ·	.53	. 33	.00		• 1 •	1:1	13.
-	1:00:	2	3.0	3-94	7	U,	00.	٥٠.	0,0	0	5		0-0.	¢
=	:17:7	3	2447	-	د					66.	? ~	•	-	•
	2000	₹.	35.	c ; c ;	€ (. 13-61	50.	٥.	<u>ن</u> ت	000	9		ŗ	÷.
2;	177	3						n (c.	n :			76-7	
		ر د ع	7 4 7 7		7-1-1)) c		201 XX			
-	3:3:3:	. 4		23.6	7-75	. c	90				25.0	; =	; C	•
-	:17:3	3	45.5	20.		16-91	.05.31		. 0	000		2	9-0	
=	:20:0	~	200	30+0	22 + C		10167.	.2 7 - 6 1	01.	000	0-	0	9-9	106.
-		Ç.	130	4 3 4 7	37.0	ė		7.7	<u>.</u>	, 0	C	_		
-:		٠, ج	7 7 6 6) () () () (ء د	:	: e	٠ •	0- x	5	29-0	
						: ,	٠.	ć.	Э,	C (-	-	52-0	32.
-		- 7			٠.	2	ء د ع د	 -		3 5	~ :	re		
		•				1		٠.				•		• •
-	35:5	3		150					9 6) C	-		
-		\ \ \	140	7.4	18.00	\ \		C			10.0		, C	
-	40:0	;;	13:	3:0	(10)	33.		?		. 5	0-01		5.7	
~	3: 55:	9	A 5 . C	3000	15.0	30-	. 48-03	•	0	000	19-0	-	0 - 2	
S	:13:3	3	13:3	29.	13.0	9.		?	.03	.03	13-5	_	49.9	-:-
3 6	:36:6	96	E	3 :		ċ	<u>ر</u> و	٠ د د	00.	٠ د د	20	8	CI	34.

PARTICULATE SIZE DISTRIBUTION: CALCULATO EXTINCTION: AND MARK LOADING ARTICULATE EXTINCTION: AND MARK LOADING

9910001 Shew (+M &3d) NO1609114X1

		-				21116	بر				EXTAC	1104 (PE	÷.	HASS LOADING
9A TE	1145	SAMPLE 71ME 1SECO		: : : : : : : : : : :	: : : : : : : :		: : : : :		: : : : : : :	! * !	1.04	0 · N · 4C ·	12	
	A 17	: : : : : : : : : : : : : : : : : : : :	=======================================	: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : : :		2 d d d d d d d d d d d d d d d d d d d	: : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		:		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	35		.11:61	.3646.	13.66.	1 3-0%	.40-01		<u>.</u> ن	<u>ن</u> د د	. 12 -01	. RO-02	. 65-02	
**	:		. 96.))	. 15+13	.15+3>	??	(ñ.	.5.	. 33	.00	. 71 32	. 31-22	. 1 5-12	
~	;;		. 40.00	.32+56	27086.	1) 4 1 .	٠ ت ت	00.	00.	00.	20-69.	. 46-02	.26-02	
~	::		. 1 5 6 3 1	. 75+33	. 47+37	11.16.	16 - 40 .	?	. 33	60.	12-52.	10-61.	115-71	-
~	21:14:0	229 0	. 79. CC	.21+17	119011	.14-62	. 4 4 - 0 3		J.	00.	. A 0-0?	59-02	-46-02	20.
~	~		. 61.17	. 29+73	.14.23	10-01	16-66.	· ·	60.	.03	. 2 3 - 02	.72-72	. 51-72	
æ	ij		. 47.00	. 27 + C.	13066.	01.	7).	.25.10	0.	03.	. E	.69-02	.63-02	
~	:			. 34+ 33	.11.	10-06.	16.44.	.33		60.	16-21.	. 79-37	. 44-22	
~	3		.10.01.	DU+3K.	. 3 4 6 6 6	. 30-08.	. 40-61		00.	0)	10-01	.71-02	.61-02	
~	::		. 451.	.24.33	. 24.23	16-94.	.49-31	ì	.00	00.	16-11-	. 93-02	. 74-02	
~	ü		. 74.60	.20.56	.61-61	. 14-63	. 48-01	ر د د	<u>د</u> ي	00.	. 76-02	. 47-02	.45-02	
~	=======================================		. 75.)	.17:33	16-16.	14-9%	c.	. 23 - 31	.03	.03	.07-72	.17-32	. 12-32	
æ	ij		.61.63	.24+06	. 3(-(. 1	476-C1	o o	ວ	Ů Ů	00.	. 82-02	. 73-02	.54-02	
~	:		. 75. > 3	.13+33	16-19.	14-21	<u> </u>	÷.	• 23	C.	. \$ 3 - np	. 25 - 32	.17-32	
C	: :		. 76.00	. 30•00	.3(-(1	<u>ی</u>	ں ت	٥.	<u>.</u> د	3.	- 44-05	.17-02	.80-03	
•	~		. 61.93	. 72+13	16-16	.45.7	ĉ.	·.	. 23	ço.	20-65·	. 35 - 32	. 21-12	
	:		.62.60	1146	112.00	0,	٠ تا	<u>ں</u> ن	٠.	60.	- 44 - 02	. 22-02	. 10-02	
~! 1!	~		. 45.00	. 21+33	(111)	10-01	<u>.</u>	ĉ.	.00	00.	.63-02	.57-02	. 37-72	
	ij		.66.00	.26.50	1746.		20.	ပ္	0,	00.	. 53-02	. 29-02	. 13-02	
~	<u>:</u>		. 44.00	. 25+33	16-16.	16-51	16.64.	ĉ.	60.	00.	.67-02	02		
~	7:46:4		u	.17+r.	.63-61	.19-61		.20-01	03.	03.	. 93-02	. 74-02	. 70-02	

Weather Summary

Date: 1 April 1577

Synoptic

Surface: Surface low-pressure area over Colorado with trough extending south-southwest into Mexico and moving across WSMR shortly after noon.

500 Millibar: Upper air trough over western Arizona with strong southwesterly flow over New Mexico.

Kolloman AFB

Clouds: Scattered low (cusulus), middle (altocusulus), and high (cirrus) clouds at 1800 m, 3600 m, and 7600 m AGL, respectively.

Wind: Southwesterly 3-5 m sec⁻¹ increasing to 8-10 m sec⁻¹ by 1000 MST. Peak gust of 19 m sec⁻¹ from the west-southwest during late morning.

Visibility: Generally 50-60 km during morning decreasing to 1.5 km by midafternoon in blowing dust and blowing sand.

Maximum temperature: 17.2°C Corresponding vapor pressure: 4.6 Torr

Hinimum temperature: 10.6°C Corresponding vapor pressure: 3.2 Torr




Figure 75a. Surface weather map for 1 spril 1977.



Figure 75c. 5%-millibar height contours for 1 april 1977.

TABLE 50. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

Date: 1 April 1977 Remarks	32 m "AT" back on line at 0230					Checked Apacho - tape changed 1145-	2	±0 €	Checked Apache - both AT's rdg	2 2
H1gh %/Type	000	_	285 285 285		2525 2525 2525		55 22	000	0	00000
Clouds Mid X/Typo	೦೦,	100 A A S	20 As 0	10 As	00 م	c	000	000	0	00000
Low %/Type	000	000	0		5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.		00 CC	CC	0	00000
Dew Point (°C)	 	1 1 5 4 m	% 4	2.1		90	2. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	900	-10.9	7.3.1.1.1.7. 7.8.2.1.0.7.
Vapor Pressure (Torr)	• •	ร กับ กับ กับ	• •	£.3	ທີ່ພູດ ທີ່ສຸດ	• •		000	2.0	000-000 9009
Dry Bulb Temp (°C)	0.00 0.00	2.5.5 9.6.0	12.3	15.0	442 462	15.3	<u> </u>		12,9	0.50 6.9 8.8 6.7 0.8
Hour	00100	000 000 000 000	0600 0700	0800	0000	1200	1300 000 000 000	1600 000 000	1800	22200 2220 2220 2300 2400 000 000 000 000




Figure 76. Diurnal variation of the atmospheric structure parameter, $C_{\rm H}^2$, at the LSTC for the 9 and 34 m tower levels, 1 April 1977.





Figure 77. Diurnal variation of the altitude ange of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC, 1 April 1977.



onto the southern than the southern we so we have the southern we so we have the southern the so

Figure 78. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 tower levels, and vapor pressure at 2 m level, LSTC, 1 April 1977.




Figure 79. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 1 April 1977.




Figure 80. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 1 April 1977.




Figure 81. Inversion heights, LSTC, 1 April 1977.




Figure 82. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the Apache Site for the 9 and 33 m tower levels, 1 April 1977.




Figure 83. Diurnal variation of the altitude change of C_N^2 between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, Apache Site, 1 April 1977.




Figure 84. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 1 April 1977.








Figure 85. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 1 April 1977.












Figure 86. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 1 April 1977.




Figure 87. Diurnal variation of windspeed and relative humidity, Arky Site, 1 April 1977.

PARTICULARE SIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING

Indicarementation and the formal and

	•	1	:	: : : : : :	7747	: : : : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : :	CXTEC	TION CPEC	KO HAS	S LOADING
1141	SAS	-	~	_	-	*	_		E	æ	3.9	• •	
1 APR 77	# # # # # # # # # # # # # # # # # # #			:	:	E E E E E E E E E E E E E E E E E E E		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : :	=	: : : : : : : : : : : : : : : : : : : :	: : : : : ? :	: : : : :
	•	2	=	•				٥,	٥. د			ī	22.
	<u>.</u>	13.	-	-	<u>ر</u>	10-64		0	00.			-0	23.
				: . د	= ;		9	. د	5	c	~	ī	
	2 4			-		~ (2	0	000		8	C = F	•
	96					•		ه ن	9		5	:	
	•			: :					60.	-	3	2.	6.
	: ;			: . ر و د		2	Э,	٠ •	99	•		-21	2.2
				<u>.</u> .	- :		•	0	5	_	3	12-2	
	2 : 5 :) ; () (3 :	•	9	000	8	- :		֝֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֡֓֓֡֓֡֓֡֓֓֓֡֓֡֓֡֓	
	 				•	•	5	0 (60.			J.	23.
)				~	١,	Э,		: ب	00	-	_	2-0	104.
	; ;			•		_ ;	ο.		0	•	=	6-46	=
	ĕ.		300	֡֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	ء	= :	ر ن ن	0	0	•	~	ç	<u>:</u>
				•	2		<u>.</u>	G	60.	~	-	7.	15.
7:56:6	ĕ.		200	6	=		12-5	۰	٠ •	_	ē	Ę	101
	. ·		^ • I	•	•	<u> </u>	0	O		•	;	3.50	20.
	-		320		- :	3 (Э,	۰	3	=	-	ç	.
	? ?		~ ` `		~ •		Ç.	66.	00.	╼ '	_	C-1	=
	3			-			> <	- 4	3 6	-:		6	•
1:26:1			9 4 6		: 5	, , ,	• (٠,	5	2	•		.22
1:33:3		-			<u>،</u>	, -	> •	3 6	26	~ 4	5	25.	
3:4c:0	¥	7			5			٠,	> <	: :	,		
114353	5			-	3	•) c		> <			22	~ .
1:00:0	V 0	9 4 6	7.80	:	5			> <	> <		``		
1111	6	3	:	-	•	7	•		2 6				
3:26:6	74 0	7416	76.0	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			•			;		
13313	523	. 83+33	. 14.23	135-51	2			90	200				
	90	3 4 4	3 * 4 %	.2	0).	37.	•	ت	00	-	-	42-0	
14717	G	3	\equiv	÷	•	.0.	 	0	0	:	-	1.7	•
	٠ •		200	=	္ဌ	J	000.	000	00.	•	•	ç	
1111	?	(• E		÷	17-06.	*	?	ço.	00.	•	3	9-10	19.
7.75.6	٠. د	2		. ب	0,	٠ د	ے,	60.	9	•	-	Ŧ	93.
				7 - 10	2	0		3	000	_	3	5 3-1	+ 2.
	6.			0 - 1 0		00.	S.	9	00.	_		2	25.
	? .		7		•	2		0	0	.60.05	2	21-2	:
	6.			3	3.0		0	000	9.	~	-	0-11	79.
	?	2	C + 6 2	~ -	•	3		6.	.00	=	\$	5	:
313216	20.	3	•	3-16		0	<u>.</u>	0	3.	æ.	•	87-0	=
	2				10.00	6	ç.	co.	9	_	_	72-0	21.

FARTICULAIE SIZE DISTRIBUTION: CALCULATED EXTRACTION: AND MASS LOADING ARTE EXTRACTION: AND MASS LOADING

							•				•		
	: : : : : : :				7742	! ! !	t I I	Ī	i	071LX	10.	÷ .	2 1040140
116 1146	SAMPLE		~					: : : : : : :	 			9.0	
14 44	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : :	; ; ; ; ;			! ! ! !	1 1 1 1 1 1	111111111111111111111111111111111111111	: : : : : :	7	! ! ! ! ! !
04:96:0	3	:	32+0	33.6	20.	00.	.25-01		93.	2-0	Ŷ	ç	9 %•
11211	3	=	1011	$\hat{\cdot}$		<u>.</u>	÷.	.05	00.	_	ĩ	ç	<u>.</u>
7:16:0	ĕ	Š	ĭ	22.5	e.	<u>ه</u>	<u>.</u>	_	9.	5	10	F	٠,
7:23:3	3	į	300	12+3	÷	2		0	60.		ï	73-3	•
1:36:0	ĕ	÷	3:0	7	•	20.	.	u	93.	3-0	1	35-0	2
7:60:4	Ç	33	4207	(-14	:	41.	3:0	a	00.	0-1~	ï	12-7	-
7:56:0	9	ij	7.0	3088	9	į	200	ت	9	9-0	ī	13-0	172.
1:22:	3	:	:	3	•	C-6+	-	co.	00.	_	į	ç	•
A: 1C: C	¥	22	300	15+0	5-0	ပ	ပ္	u	5.	~	7	17-0	.7.
	S	÷	:	11:0	2	•	•	3	÷0.	-	Ī	6-22	26.
7: 3C: C	4	÷	47+5	300	-0	20.	J	0	9.	•	?	0-0	•
	3	2		12.7	2	0	~	•	000	2	î		:
0:75	ě		:	٥ ا ا	30	IJ.	U	0	3.		î	42-0	=
71777	C	=		2 + 2	^	?	6.	a	00.	-	1	41-1	30.
3:3:0	3.	=	-	J - C 4	ت	3-6	0	e i	9.	•	1	42-0	12.
21:22:1	3	=	:	13.5	~~~	:	e.	C	0	•	ï	17-2	:
3:36:6	€	į		2000		:	٦	0	02.	•	្ជ	33-0	•
1917010	3	=		C + 2 T	-		*		.00	•	?	ç	•
	€ :	Ė	٠ •	3 3 0 0	× .	2	5	0	9	~	ç	24-0	•
	3	:			?	0 • •	73.5	0.0	00.	•	C - & T	C-11	
			ر د د د د د	30.4	- C	, د	، د د	5.	5	•	Ď,	G-20	
	2 5	: 3				16-66	N :	n	0.0	~	2	ף י	•
	E		•			ه د د) 	٠ •	0.0	•	į,	15-0	¢,
	` <		7 4 7 8		7. 4.4	, ,		96	•	٥;	ף נ	•	•
	3	3	:				,				ì		
7:06:6	¥ C	:	100					s C	5			. 5	•
7:13:3	2	=	6:3	1:	12.00	16-50	23-31	20.	60.	, .			
7:26:6	4	3	0 + 1	27.6	\$ 5 .C	6	3 0	-	5	::	į	77-0	. "
717717	3	÷	:	(41)	19.3	:	?		Co.	=	î	:	
7:70:0	¥.	-	62 · C	20.5	74.6		2 C-C	Ü	00.	2	î	13-0	•
1.57.7	3	_	77:3	30.0	2-19	:	?	O	•	3	?	11-7	•
	€.		6.2 + C	3	50	0	0	00.	00.	2	1	0-61	ë
1:17:7	6	=	-				•	ç.	e o	<u>•</u>	?	ç	:
3:36:6	•	=	79+0	3 • 6 .		ت	c	0	ပ္	-	?	76-0	•
1:32:3	2	2	-	21.57	^ - I	•	? ?	000	00.	•	ĵ	19-3	_
	3		2417	4	5	2		00.	9	•	7	20-0	•
V	674	26.451.	. 47473	. 27 + 33	•	10.56.	^	60.	0	10-54	14-03	16-21	
7:00:4	€.		5	3		-	، ، تنا	0	0	Œ	?	12-0	•
7177				2 - 2	10-01		. 27 - 31	co.	0	-	?	÷	_
0:36:0	•	î.) + N	ن د د		Ł	Į	00.	20.	•	î	9	•

PARTICULATE SIZE DESTRIBUTION. CALCULATED EXTRACTION. AND MARK LOADING ARRESTED ALMS

					14 クライン	ب				CXTTACTION	13d) NO1.	•	MASS LOADENG
04TE TENE (#51)	\$4000 446 4500	- -	e:			*			1 1 1 5 1 1	١٠٥٧		\$ · C	•
: ~	,	: : : : :	: : : : : : : : : : : : : : : : : : :	: : : : :		: : : : : : : : : : : : : : : : : : : :				- E	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	1 1 1 1 1 1 T 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
10:36:		.11.62	13.61	3000	13-61	10-61	.2010	6).	0=	.63-01	. 22-01	10-41.	203.
=		÷	÷	=	10-06.		.03		00	10-64	10-61	40-04	113.
ຼຼ		.11062	00001.	=	00•	00.	.20-01	00.	00.	10-16.	12-01	.97-02	162.
=		.11.32	11.11.	:	14-11	44. 34	.27-71	. 55	000	10-41.	.19-51	16-51	149.
ະ		. • • • •	. 97 • 60	.0.	.; ; .		00.	20.	93.	. 45-01	. 86-02	. 43-02	A 7.
=		.12.)2	.13+31	. 17.93	16.41.	10.61.		. 33	en•	10-04.	16-01.	15-51	179.
ij		. • 7 • 6 9	. 11+11	10.04.	ç,	<u>.</u> ت	٥.		000	.47-01	13-01	.63-02	7.
<u>:</u>		10.20.	11.61.	.43.433	16.47.		.2.		00.	10-01.	16-51.	11-11	125.
ຼ		.10.62)))))	37456.	27460	03.4.	10.00.	<u>ئ</u>	30.	. 70-01	10-86.	. 35-01	347.
<u>:</u>		:	. 44.13	.14.23	11.61.	16.61.	ĉ.	.05	60.	10-01	11-21	. 13-32	95.
21:16:00)) 4	ï	53.68.	24000	13-61.	20.	.26-61	٠ د د	00.	. 45-01	. 15-03	11-01	163.
=		. H5.)_		. 19.23	16-14.	 	.53	. 53	e c	10-11.	10-11.	21-01.	- 407
ຼ			.10+01	12466	. 30-06.	.	0.	٥,٠	٠٠.0	- * * ·	.12-01	. 73-02	•
<u>:</u>		. 79.)	((**6.	. 21.23	14-61.	<u>.</u>	÷:	. 33	60.	. 38-31	10-11.	. 57-32	77.
21:40:		. 74.62	00000	J	. 30-61		.26-61	٥).	٠ د	10-44.	10-01	15-01	167.
=		. 73.11	.64.13	.14.2		ĉ.	. 23 -) 1	. 5	00.	. 37-91	10-21.	. 2 2-32	- 1 -
22:10:		-66.5	しにもだる・	.01-05	.:		12-02-	٥.	93.	10-88.	. 48-02	. 82-02	172.
~			. 47433	.19.33	. 53		÷.	.00	000		20-54	. 10-32	15.
ຼ			J. + 6 + .	. to .	13-66	J.	٥٠	0,	00.	.26-01	.61-02	. 36-02	ŗ.
~		-	(1:1)	_	14-64	·.	ç		cc.	. 13-21	.65-02	. 55-32	• •
ij		. 56.01	. 20 • 60	-	.30-01	30.		٠ •	97.	. 26-02	.69-02	.47-02	÷
<u>:</u>		. 67.	. 92+33	_	14-11	<u>.</u>		.53	00.		.47-72	. 51-72	67.
Ë			35484.	.24.00	.61-61	10-64.	. 44-61	000	90.	. 52-01	. 24-01	. 22-01	274.
~		. 646.	. 44.00	_	16-91.	ç.	. O.	. 53	00.	10-96.	10-11	. 11-12	99.
ຼ		.67.61	. 32 • 6.	v	.61-C1	.48-01		<u>ت</u> • د	00.	10-01	10-91.	. 11-01	106.
<u>:</u>		16.56.	1001.	?	. 61 -) !	ĉ.	?	0.	٥٥.	. 25-51		. 46-52	• •
ຼ		. 186.	- 46-		7 7 7 7 7	•		1 .	•				:

Weather Summary

Date: 2 April 1977

Synoptic

Surface: Deep surface low-pressure area over Iowa with cold fronts extending south into eastern Texas and southwestward into southeastern Colorado.

500 Millibar: Closed low center over western Utah and eastern Nevada with continued strong southwesterly flow over New Mexico.

Holloman AFB

Clouds: Mostly clear. Few middle clouds (altocumulus) at 3000 m AGL.

Wind: Southwesterly 5-10 m sec⁻¹ with peak gust of 13 m sec⁻¹ from the southwest at 1000 MST.

Visibility: Greater than 60 km.

The institution of the contract of the contrac

Maximum temperature: 19.4°C Corresponding vapor pressure: 2.5 Torr

Minimum temperature: 2.8°C Corresponding vapor pressure: 2.2 Torr



Figure 88a. Surface weather map for 2 April 1977.




Figure 88b. 500-millibar neight contours for 2 april 1977.

TABLE 56. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER. AND REMARKS

the second transformation of the designation of the second

Hour	Ory Bulb Temp (°C)	Vapor Pressure (Torr)	Dew Point (°C)	Low %/Type	Clouds Mid %/Type	High %/Type	Date: 2 April 1977 Remarks
0010	6.8	2.3	-0.2	0	0	0	
3200	6.5	2.0	-11.2	0	0	0	
3300	8.9	2.1	-10.0	0	0	0	
3400	3.0	2.1	-10.5	0	0	0	
0090	2.1	2.0	-11.0	0	0	0	
0090	0.7	2.2	6.6-	0	0	0	
0070	5.6	2.4	-8.4	C	0	0	
0080	10.5	2.6	-7.4	0	0	0	
0060	12.0	2.5	-8.1	0	0	0	
000	13.0	2.1	-10.1	0	0	05 C1	
100	14.5	2.4	-8.4	0	0	05 C1	
1200	15.9	2.8	-6.5	0	0	0	Checked u-v-w sensors and
1300	16.6	2.4	-8.5	0	0	0	6 - 50555
400	18.0	2.4	-8°3	0	0	0	
1500	20.1	2.5	-8.2	05 Cu	0	0	
009	19.0	2.8	-6.7	05 Cu	0	0	
200	18.0	2.4	.8.3	05 Sc	0	0	1730 - plane observed
800	16.5	2.3	-9.3	10 Sc	0	0	
0061	15.2	2.2	9.6	10 Sc	0	0	
0002	14.1	1.7	-12.7	10 Sc	0	0	
0013	11.9	2.8	-6.7	0	0	C	
500	9.6	2.9	-6.3	0	0	0	
300	6	2.9	.6 .3	0	0	0	
2400	4.6	3.1	-5.2	0	10 ACSL	0	2400 - plane observed





Figure 89. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 2 April 1977.



rially the course process of medical problems and the action of the interest and the processing a

Figure 90. Diurnal variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC, 2 April 1977.




Figure 91. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 2 April 1977.




Figure 92. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 2 April 1977.




Figure 93. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 2 April 1977.




Figure 94. Inversion haights, LSTC, 2 April 1977.




Figure 95. Diurnal variation of the atmospheric structure parameter, C_{N}^{2} , at the Apache Site for the 9 and 33 m tower levels, 2 April 1977.




Figure 96. Diurnal variation of the altitude change of $\frac{C_N^2}{N}$ between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^{a}k$ is plotted where z is the altitude and k is the 1 m $C_N^2(z)$ value, Apache Site, 2 April 1977.




Figure 97. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 2 April 1977.








Figure 98. Diurnal variation of windpseed and wind direction at the 9 and 33 m tower levels, Apache Site, 2 April 1977.












Figure 99. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06$ km, $\lambda=3.8$ km and $\lambda=10.6$ km for Arky Site, 2 April 1977.




Figure 100. Diumal variation of windspeed and relative humidity, Arky Site, 2 April 1977.

PARTICULATE SIZE DISTRIBUTION: CALCULATED EXTINCTION: AND MASS LOADING
ARKY SIZE. WIN?
CALCULATE CHANCEL

The second secon

							•				2			
DATE TI	-	-	! ! ! ! ! ! !	! ! ! ! ! ! ! ! ! !	: : : : : : :	: : : : : : :	! ! ! ! !		! ! ! ~	1 1 1 2 1 2 1	1.26		13.6	e L
Ξ	\$11	1 146											-	
02 APR		1 1 1 1 1 1	: : : : : :	2 2 2 2 2 1 1	! ! ! ! !	i : : : : :	: : : : : : : : : : : : : : : : : : : :	: 1 1 1 1 1	1 1 1 1 1 1	i : : : : : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1
0	::	Ę	3:0	9	3 • •	۲	30.	50.	000	٠٠٠	3-0	10	1	9.
••	::	3	67.3	11.7	:1		16-54.	.53	.33	.03	4:0	-	5-3	43.
••	:	¥	990	43-0	C	¥	ပ	.20-01	٥,٠	99.	•	æ	-	172.
••	::	3	7:5	43.0	14.5		_	_	. 5	00.	0-5	2	5-0	•
••	0:5	ž	42.0	9 • • 0	":	.14-61	•	C	0).	29.	0-0	5	5	171.
••	:	3	61.3	75.5	14.5	•	C	3.5	.00	.00	9-0	=	:	
ä	3:5	9	2000	79+0	3.5	ĭ	ပ	U	٠ ن ن	00.	0-6	_	0-6	æ
••	:	Ç	1 2: 7	17.5	C+ 6 x	•	•	2	.03	.03	0-	=	5-3	S.
=	3:0	3	11.0	17.0	3:	÷	7	20	٠ ن ن	3.	Ç-	2	0-6	-
••	2	9	111	r. • • •	33+3	•	2	•	ç	.00	5-2	Ξ	:	2
=	: ט	3	711	73.0	326	ï	*	٠ ٠	00.	00.	0-	N	0-6	76.
••	:	3	44:0	16.7	21:2	3:	2	•	.03	.00	6-2	=	5:3	•
:	: :	9	33.0	62.0	24.6	ပ	*	၁	000	0	0-E	•	5	•
•	::	63	91:2	, ,	12:2	2	_	•	. 5	60.	-	5	5	•
07	3:5	9	37.6	730	1300	Ŧ	•	0	r L	٥,	0-0	5	0-0	•
:	:	•	43:0	44.0	-	<u>-</u>	?	÷3		co.	0-9	-	-	
02:	<u>0</u> :5	Ş	34.0	67.0	22.5	.19-61	0	٠,	0).	ပ္	7-0	=	5	58.
:	:	2	72:7	17:3	21.5	÷	_	÷:	. 33	00•		-	1	77.
ä	٥	4	34:0	34.0	_	J J	. 48.02	ũ	0	00.	3.0	ž	į	50.
		2	42:0	6040	2		.2	.53	.00	07.		-	-1	:
ä	::	€.	3 + + 6	U • 6 E	ن . س	Ÿ	3	٥.	00.	00.	Ç-	2	5	
		3	621)	17.5	-	10-06	C		.	co.	0-6	-	5	67.
ä	: ::	.	3.50	9 • •) - C	۲	0	00.	ů.	9	7-0	æ	្ន	96.
		Ç.	37.5		6-14		C)	ê.	ç.	00.	5-5	;	į	:
	֓֞֜֝֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֜֝֓֡֓֡֓֡֓֡	e .	3 7 6 5	47+0		ှ	0	<u>د</u> د.	٠ د	3	9-0	•	Ę	6
-		3:	6111	46+0	15+2	10-00	?	.5	.33	00.	_	3	6-6	73.
:	֚֓֞֜֜֜֜֜֜֝֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֓֓֓֓֓֜֜֜֜֜֜֜֓֓֓֓֓֜֜֜֜֜	• •	2 4 6 6	100) - C	ŗ,	υ,		0.	9	ç	Ξ	֭֚֡֝֝֝֜֜֝֟֝֜֝֟֝֝	æ
		2 5		7867		•	~ •	. 23 - 31	66.	00.	-	~	[149.
) ;	9 .)	•	9 4	٠,	50.	00.	0	c	֭֡֝֞֝֜֝֜֜֜֝֟֜֜֝֓֓֓֓֓֜֟֜֜֜֟֜֜֓֓֓֓֓֜֜֟֜֜֜֓֓֓֓֡֓֜֜֡֓֜֜֜֜֡֓֡֡֡֡֡	< □
		- C				16-61		.23-31	n (500	. 52 - 01	16-21.	. 7 7-72	139.
::) <u>-</u>	·	ز د	3 6			2	֚֡֝֝֝֝֜֜֜֝֜֜֜֜֜֓֓֓֓֜֜֜֜֜֓֓֓֓֜֜֜֡֓֜֜֜֜֓֓֡֡֡֡֡֡֡֡֡֡	r
:				7 4 4 6			16.64	16-16		95.		-		•
:)	, , ¢ ,	7 4 6	3 ¢)	ŗ	، د و	ب ن •	ت ن	9	Ç.	~	2	78.
:						•	-	~ (00.		_	-	5
	֓֞֜֜֜֜֜֜֜֓֓֓֓֓֓֓֓֓֜֜֜֓֓֓֓֓֓֓֡֓֜֜֓֓֓֓֡֓֜֜֡֓֡֓֡֓֡֓֡֓֡֓֡֓֡֡֡֡֡֡	6 .	04//	0 + K K	3000	· •	10-44	.20-C3	5	9	9	2	Ę	•
	1:1	2 .				•			60.	00	0 2	2	5	~
:	֓֞֜֜֜֜֞֜֜֓֓֓֓֜֜֜֜֜֜֜֜֓֓֓֓֓֜֜֜֜֜֜֓֓֓֓֜֜֜֜֡֓֡֓֡֡֡֡֡֡	ë.	֭֡֝֞֜֝֞֜֜֝֜֜֜֝֓֓֓֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜) + 4: E	, .	10-91	0	0	ပ သ	03.	•	£	C - C	105
•						•	2	_ '	C	00.	•	_	Ę	0
2:	ر د در	6 .				٠,	2	13-52	00	0	•	=	١,	•
						•	-6.	-	.00	0.	•	•	٠.	÷
•		0		72.) 	,	5	00.	00.	<u>ن</u>	•	~	Ļ	•

FABLE 61 (cont)
PARTICULATE SIZE DISTRIBUTION, CALCULATED EXTRACTION, AND MAKE LOADING ART E. MINR

1					1	TIS LINE	7 9 2					1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	-	1	1	1	37740	ار		į		1140	TION (PER	-	SY LOADING
77 371	SAMPL TIME (SEC	- Ind		n	-	*	æ	~	æ	٧,	e.	-	
. ~							13	: : :	: ! ! ! ! ! !				
	00	3446.) + E E	3	د .	; . د	נוני מוני	•	9	•	•	<u>.</u>	2
			. ·		7.00		~ c	2	5.5		7		
	36) () -	د ا د د		2 6		-		
(2:1	26 E2	. 4 % 4 .	6466	1 2 4 5	S	2	0 (0	5			Ŀ.	•
7: 30	9			2000		0-00	، د د		90	•	<u>.</u>	Ľ,	
7:07	נים כנ כי	. 514)	644	37.0	27-7		~	a :	00,	•	<u>.</u>	<u>.</u>	
	9	5.86.	710	7.2	3-61	0	0.	00.	3		_	l C:	
	2	. 13.	7.50			_	n	C :	000	•	55.	<u></u>	
=	9	. 70 • 0	36+0	4 2-C	~	10-E4.	J	60.	<u>.</u>	•		20	•
9:5	3	(• \$ • .	5110	12-7		?	. 23 - 31	ç.	.00		-2		=
	34 0	3.64.	1:0	3:5	0	<u>ي</u>	J	ټ	53.	_		Ţ	
	÷	. 44.	1517	61.3	÷	.	÷.		00.	æ	<u>;</u>	ļ	~
8:3	90	0.00	4700	<u>-</u>	÷	. 94-01	9	٠,	00.	æ		ř	•
::	9 0	. 62.	4847	1303	?	 	· 0 ·	c	60.	•		٢	_
0	د بون	3.44.	# 2 + C	91-C	0	20.	0	00.	00.	~		ŀ	
7:2	3		130)	17-7		.	· •	O	.00	-		<u>.</u>	
V : 40	90	.23.6	17 + C	36-0	.19-(1	00.	0	C	03.	•	22-	ř	_
4:4	9	· · · ·	19.7	1200	^		.3	C	co.	Œ	•	4	
	9	13.0	19.0	15.6	.30-08.	0	ပ္	ç 3•	90.	•	5	ř	3 00
	6	.63.	39.0	12+2	.53	14.7	•	C	00.		53	7	_
::	٠ •	0.000	3 3 + C	コーコに	ی	<u>ي</u> د د د	9	ن د	3	•		į.	
~	£		28+3	1500	16.51.	?	_	0	60.	-		:	~
	ن. ج.	. 730	13+0	3 - 6	00.	ာ	~	00.	000	*		7	•
	3	. 33+	2117	7 + 7	~	_	_	0		•	=	<u>.</u>	_
<u>.</u>	9	2.2.) + T) - C	ب ا	- C - C - C - C - C - C - C - C - C - C	CV	0	0	•	_	<u>.</u>	~
•	C ?	. 920	2467	. 4 6 7		.5	.0.	co.	60.	•	:	<u>.</u>	~
=	9.	.12.0	200	٠ • •	0 :	0.	9	٠ •	3.	7		ŗ	
::	•		, ,			1		> <	3.	` '			- '
•	35		,) r					, i	
			300	1200	19-6					•	5		
2:5	52 532	. 71633	. 32+33	16-16.	12-51		(6.	000	60	60-64	36 - 32	21-12	: :
2::	90	.73.6	3000	61-0	0	000	~	3	00	-	ć	, <u>,</u>	•
2:2	3	. 13.	19.3	61-7	30-3	16.61.		0	00	•	37-		_
2:3	90	.12.0	26+C	1-0	5-0	20.	J	00.	00.	5	~	7	_
::	5	(11.	(11)	61-7	-1		. 37 - 31	.33	.00	-	-51	ż	2
2:3	90	.12.0	41.0	2-5	3.5	00.	0.	ou.	00.	m		۲	œ
3:33	30 53	. 460.	36+3	-	^	_	÷:	.00	.03	9	1	£	_
-	٠ •	0.00	0 · · · ·	ပ္ လ	13-C1.	0164	0	0	00,			å	
7:57	25 57	. 131	72.5	_			. 33	00.	0	_	ż	Ļ	
3: 36	29 03		35+6		D		00.	000	00.	•	č	ŗ	U.

PARTICULATE 5.2E DISTRIBUTION CALCULATED EXTINCTION AND MASS LOADING ARXY SIFE. WERS

o we were the formal the modern and the contraction of the contraction

	1 1 1	1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	34440	: !	# L	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : :	271	TEON (PER	† ÷	2 10401
	=	S .		-				1	\$	7	•	. 36	3.8	13.6	UB /M • 53
	1		. W		1			-						•	
	2 A2R		; ;				1 1 1 1 1]]		# 1 1 1 1 2 1	: : : : : : : : : :		•	:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
					•	27.5	ر ب	ے و	20-0	0	6.	-	S.	ç	137.
			ns			21.5	٠ د	•	0	.00	00.	_	•	ċ	35.
							֡֝֝֝֝֞֜֜֝֓֓֓֓֜֝֜֜֜֜֜֜֓֓֓֓֓֡֜֜֜֡֓֡֓֜֜֜֡֓֓֡֡֜֜֡֡֡֡֡֡֜֜֡֡֡֡֡֡	٥	900	٥.	9	=	N	ç	
		200	•			13.0	??	~ 1	27-7	60.	00.	_	€	ċ	109.
				0)) - T A	2000	٥ ا	20-0	ا د ا	00	Ξ,	=	ç	
			٠.		7 4 6 5	6 1	٠٠. د د د		27-7		0	=:	~	ċ,	
) . C .	7	9-6	9	٥٠٠	000	~	•	ç	\$ 5•
			• •		, ,		7	~ <	7		60.	5	2	ċ,	• ;
		900	ے د		700		,	٠,	,	s e	2	ė,	٠,	Ģ.	Ĉ.
		03:5		100	30 00	2300	200	9	200	٠.	•	-			
	9:9	000	_	3:0	3403	1940			2	, (200	: =		ָרָ כְּ	
	9:0	00:3	u	1110	4 2 + C	7-14	46-6	0		0	90	. =	7	٠,	
	3:3	0000	•	?	39.3	11:	13-)	4.5	0	0	02.		9	ċ	
	0:4	20:0	u.	:	42+C	91-C	91-6	48-0	0	•	99.	=	-	ç	. .
		50	•	12.7	11:0	12.0	3.	19.3	-	C	•	Ξ	=	÷	110.
	~ ·	֓֞֝֞֜֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	u,		32+0	9-T9	13-0	3-64	8	Ü	90.	· A 7 - 0 2	20	1	
		000	~ 1		25.7	2	-	ĉ	Ë	. 5	00.	10-11.	2	5	100.
		500	0			200	2000	-	<u>ن</u> 0	J	93.	13-01	Ξ	-	
727570 507 14071 1007 1007 1007 1007 1007 1007 1	r -		- 4		7007	C-14	-19	0	•	n.	0	10-6-	=	Ç	204.
727 (10 b)	- -)	֓֞֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֡֓֓֡֓֡֓֡	6	٥ (ر د	5.	6.	- ;	6	=	
		00:1			000			s	١,	5 (•	~		֓֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	216.
		0630	_	(45)						, e) •	6 3			
### ### ### ### ### ### ### ### ### ##		00:1		100	13.5		30-6	-	C		90	ςΞ			
	::	: 33	_	:	11:3	27.3	13.	19.5	:				2	16-11	110
### ### ### ### ### ### ### ### ### ##	:: :::	00		2:0	0	300	5	Э,	2-0	00.	3.	=	Ē	Î	101
			-		62.7	(2)	-	0	•	.00	00.	2	Ξ	?	
14110 610							5:	9 (ن د د	0	00.	₩,	S.	Ç	•
######################################		200	نه ه	000		700	٠	4	ر ا	06	0.0	5	5	֓֞֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֡֡֡֜֜֜֜֜	
######################################	-	00:1	_		261)	61.	7.5		, ! -		9 5			֓֞֞֜֞֜֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֟֜֟֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֡֓֡֝֡֓֡֓֡֓֡֝֡֓֡֡֡֝֡֡	
11110 517 . 77*17 . 34*17 . 51*11 . 33*11 . 33 . 30 . 30 . 30 . 30 . 30 . 30 .	:	00:	-	740	21.5	12.0	19-0	၁		00		, ,	; ;		
\$120.00 \$70 \$30 \$30 \$32 \$70 \$30 \$70 \$74 \$70 \$70 \$70 \$70 \$70 \$70 \$70 \$70 \$70 \$70	፧	1:00	_	77.3	34.5	61-7	33-1	C	•	.00	00	7			
113170 532 . A5.33 . 28.33 . 33.31 . 33 . 03 . 00 . 00 . 01 . 01	: 5	00:3	•	3:0	35.6	346	30-6	0-0+	3	00.		, –	7	42-0	
\$146:00 660 .48.60 .48.60 .12.60 .60 .40.01 .00 .60 .60 .40.02 .60 .72.02 .64.02 .60 .72.02 .60 .72.02 .50 .00 .10.01 .72.02 .50 .00 .10.01 .72.02 .50 .60 .60 .60 .60 .60 .60 .60 .60 .60 .6		000	•	43.0	28.3	35		Ĉ	•	.00	00.	_	=	74-3	-
10-01 10-01 .00 .00 .00 .00 .00 .00 .00 .00 .00 .	*	8	€	A 3 + C	13.0	12.5	ن	0-9.	٥٠,	٠. د.	9.	-	3	5-0	7
0:00:00	•	ر د د د د د د د د د د د د د د د د د د د	1	79.0	36.3	-1-	î	6	Ä	co •	00.		72	S-1-3	• 5 •
111110		20:1	s.	22.0	37.0	1-6	19-6	1910	ပ (00.	07.	3	=	0-44	20.
134:10	=	00:1	_	61.0	6	?	-	C-5	<u>.</u>	.	00.		0	73-0	39.
	~	00:3	•	1300	95+C	3 + C	-	o	0	00.	9	•	•	1	*

FARTICULATE SIZE DISTRIBUTION: CALCULATED EXTINCTION: AND WASS LOADING ARTISTS INCTION: AND WASS LOADING

A CONTROL OF THE PROPERTY OF T

		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	C 4 4 4 E	<u>ر</u>				FYTTHCTEON	TTON (PER	-	MASS LOADING
17E 174E (BST)	SAMPLE 71ME (SEC)	-	~	-		.		: : : - -		1.36			J6 /#•• 3)
7 4 8	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 1 1 1 2 2 2 3	: : : : : : :		***	* * * * * * * * * * * * * * * * * * * *			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
20:36:4			74.	•			•	;	•				
) . ·			30.	0	3	10-01	• 6 1-02	.51-02	
				17-14	16-06	10.6.	. 23 - 31	cc.	60.	10-17	10-11.	11.01	110
				22.60	- L. S.	00.	0.	00.	00	CO- K.	CO-74.		
				. 12.	16-14.	16.64.	(6.	60				9 6 6	: ;
		. 1 1 . 61		13061.	. 76-61	0.0				2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	7010A	20-06	30.
:23:3		-						> i	2		10-11	-43-05	ė
					11-61	17.61	. 23 " 31	000	.00	-0-~·	- 46 - 32	. 3 8-02	104.
					2000		0	0	9	. • 7 - 0 2	.67-02	. 50-02	
					14.4	<u>.</u>	6.	ço.	•00	.0-10-	CC-05.	. 16-32	-
		20 · Z · ·			00,	ပ ၀	00	00.	00.	69.100	00.00	60.0	
				. 22-21	16-94.	?	ê.	. 55	.00	60-66	6011		
7 7 7 6 7 6		. 20 • 0.		.18.C	13-61	10-64.	٥.	00.	00	60-0	0		
: 523:3		===		12-21	07.	10.40.						20166	130
1:36:0		:		73061	000				3		20-56	11-71	112.
((())		. 71 6 3 3) (3	0111	. 74-02	• 67-02	• e
213616								C.	00.	7 ·	.04-52	. 69-32	56.
29:23:30	433	:			7	MOI		9	0	. 0-0	.77-02	.69-02	47.
1:16:6								00	co.	.53-02	. 35 - 52	. 21-12	- 6-
		,		31.7	13.610	·	<u>د</u>	0	0	. 73-02	. 48-02	45-02	27.
				10:10	11-65		?	0.	000	.64-02	4.5-32	40-02	24.
			•		0	·	. 3 4-02	ç.	99.	15-01			
		2	.	16-14	?	ĉ.	ĉ.	.00	00•	. 61 - 02	00110		
2000		11161	03+60	. 1 1 - 6 1	09.	00.	٠ ٠	00.	93	74-02			

Weather Summary

Date: 3 April 1977

Synoptic

Surface: Weak surface low-pressure area developed over central New Mexico

and moved slowly eastward.

500 Millibar: Northeast-southwest oriented trough thru northeastern Arizona

moving rapidly eastward with generally strong southwesterly

flow over New Mexico.

Holloman AFB

Clouds: Mostly low (cumulus) and middle (altocumulus) cloudiness at 18C m and 3000 m AGL, respectively, becoming partly cloudly after 1900 MST.

Wind: Generally southwesterly at 5- 10 m sec^{-1} with peak gust of 15 m sec^{-1} from the southwest near noon decreasing thru the afternoon to north-westerly at 4 m sec^{-1} by 1600 MST.

Visibility. Generally greater than 30 km.

Maximum temperature: 13.9°C Corresponding vapor pressure: 2.7 Torr

Minimum temperature: 6.1°C Corresponding vapor pressure: 4.0 Torr




Figure 101a. Surface weather map for 3 April 1977.




Figure 101b. 500-millibar height contours for 3 April 1977.

TABLE 62. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

Dato: 3 April 1977 Remarks	0030 - plane observed - checked	acoustic sounder			U445 - piane observed	0730 - roplaced broken 8 m u at	Apacne - still looks bad		cumul on 1mbus	Possible cumulonimbus S	32 m "T" has spikes in high wind -	detective Cu culmu	TOTAL COLUMN TO THE PROPERTY OF THE PROPERTY O	CB NW. N/towering Cu SW-NW. NE-E/rain	showers NW/dissipated Cb's S	CB W, NW, N-E/rain showers NW, NE/	Virga W.towering cu Sw CB SW-N-SE and overhead/snow showers	NW, E/virga N, S, E overhead	ai activ	lovol only) Snow showers ended 1745	불:	ob Virga N.S. branks in Ovarcast N. S Cb SE, SW rain showers SE, SW, light-	ning cloud to ground SE	(thin)	(thin)
High %/Type	0	0	0	00	> C	0		20 C4	2	0				0		0	0					0	0	0	20 C1
Clouds M1d %/Type	50 Ac	90 Ac	20 VC		90 90 90 90		70 Ac		30 Ac	05 Ac	0	c) C	0	•	0	0				10 Ac	50 Ac			20 Ac 20 Ac
Low %/Type	c	0	0	c	00	00	0	•	30 Sc	70 Cu		, C		40 Cu		20 Cp	90 Gb				90 CP	40 Cu	30 Sc		00
Dew Point (°C)	.4.8	-4.6	ů,	N. C	ာ လူ	2.9		-6.5	-7.4	-12.3	2.8	ت د د	6.7	6.0	:	e./-	-8.1				დ•°	8.6-	6.7.	n 0.0	ອີ ເຄື່ອ ເຄື່ອ
Vapor Pressure (Torr)	3.2	•	۸.۷	•	•	• •	•	•	5.6	•	•				ç	o.,	2.4				5. 0	2.2	•		က္က
Dry Bulb Tamp (°C)	7.7	0.6	, 0	ກິນ	က တ မော	6.1	6.9	8.0	٥ • •	12.2		•	25.7	•		14.3	11.8				9.0	8.9	7.7	ກ ຕ : ວັນດີ	ຕຸຕຸ
Hour	0100	0200	000		0000	00.00	0800	0060	000	86	1200	1300	1400	1500	0091		1700	1800		1900	1800	1900	2000	2200	2300 2400




Figure 102. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 3 April 1977.




Figure 103. Diurnal variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC, 3 April 1977.




Figure 104. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 3 April 1977.




Figure 105. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 3 April 1977.





Figure 106. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 3 April 1977.



adamban madifi milang pulkasa kada adalah di kada paranan berapaman na

198




Figure 108. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the Apache Site for the 9 and 33 m tower levels, 3 April 1977.




Figure 109. Diurnal variation of the altitude change of C_N^2 between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, Apache Site, 3 April 1977.




Figure 110. Diurnal variation of surface soil temperature, air temperatures at the 3 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 3 April 1977.







Figure 111. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 3 April 1977.




THE PROPERTY OF THE PROPERTY O



M. Richard Control of the Allegan and Constitution (Matter Section 1984).



A STATE OF THE PROPERTY OF THE






Figure 112. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06$ µm, $\lambda=3.8$ µm and $\lambda=10.6$ µm for Arky Site, 3 April 1977.




Figure 113. Diurnal variation of windspeed and relative himidity, Arky Site, 3 April 1977.

PARTICULATE SIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LUADING

The second design of the second design of the second design of the second second design of the second design of th

		1	1	1	ť	ا د				2 × 1 × 2	TION CP	¥	
04 TE 114E				· ·	-	.			I 1 1 1 1 1		 . . .		r • L 90
i ~	: : : : :	1 1 1 1 1 1 1 1 1 1	! ! ! !	: : : : : : : : : : : : : : : : : : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1 1 1	1 1 1 1 1 1
0:0	96	:	9.0	1-6	00.	00.	٠٥٠	00.	00.	9-	0	0-40.	12.
::);	3	?	36.5	5:	14-11	6.	. 23 - 31	.00	0	10-21.	\sim	. 78-3	193.
200	9	200	· *	200	13-61.		co.	00.	00•	?	•	.50-0	;
: 13:3	Ç	39:0	34:0	:	÷	ç.	.5	.03	ço.	0 - 6	-	. 52-0	:
3 : J	Š	3.0	1:0	3-7	60.	30.	00.	000	93.	. 20-01	3	.22-0	.7.
: 13:	3	3		61-2	16-51	.	. 23 - 31		00.	10-25.	•	. 12-3	139.
1:00:0	3 ¢	9.0	0	39.6	0	ပ	00.	٠ د د		10-82	œ	. 32-0	1 0
	2	611.	7 + 2	72-2	. 1 3 -) 1	16-54.		. 33	00.	.32-01	-	. 49-7	75.
1:26:0	9	73.0	1:	3 · L	9	၁၀.	٥.	.	20.	. 32-01	•	.37-0	*
	6		16.0	12.7	. 23	_	_	.	5	10-05	•	0-04	~
	€.) ·	77.	3 · · ·	5		.20-01	<u>د</u>	00.	. 55-01	•	.17-0	•
7 7 7 7 7 7	, .		7 7 7 7	19 6 3	16-91	~	6.	. 5	0	. 53-01	•	. 97-5	_
2:00:2	6.) • 7 7	10 + 0		.	ę.	ن ت	0	9	. 61-01	~	.10-0	•
(2	(• 2 1	1942	33+3	•		~	.00	8	10-59-	•	. 19-0	•
2:26:0	ن •	3 - Z	11+0) 	5	ġ,	.20-01	٠ •	00.	.61-01	C	.17-0	_
	2 :	7 4 2 1		7 4 4 7	•		.03	c.	000	10-66.	•	.11-7	₹₩.
	ć.) 			•	، د د	: ر ك	9	00.	10-01	•	0-66.	_
~ · · · · · · · · · · · · · · · · · · ·	,		744		25	10-10-	∾ ;		•	10-25.	~ 4	. 1 3-7	
	3				, , ; ;			2 6	•			G - 8 -	
1:26:0	` ~	78.0		7 - 6			•	75	95		C		• • • • • • • • • • • • • • • • • • • •
37.32.5	7	A 2 + 2	7007	21.63	,								
3:40:0	4	3 : 6			•					2 6	~ €		
3:53:3	3	3:0	74.3	300	19.			000	000	0.00	-	C-04.	
0:00:0	4	37.0	0.04	1100	3-6	Ĭ	å	00.	00.	9-0	•	. 32-0	-
	~	~ • ~ •	21.1	13.7	• 9•	16-64.		. 33	00.	10-12-	•	.13-7	•
	÷.	•	•		39-6	0	.20-01	، ن	0.3.	9-6	€.	0-44.	131.
7 1 7 7 1 1		7 4 5 6			33-7	•	֡֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֡֓֓֡֓֓֓֡֓	.00	00.		_	. 10-0	•
	5 4				: . : :		ن ا ا	9	0	10-91	£ :	0-61	•
							•			0-22	e 1	. 48-7	
		֓֞֜֜֜֜֜֜֜֓֓֓֓֓֓֜֜֜֜֜֓֓֓֓֓֓֜֜֜֜֓֓֓֡֓֜֜֜֜֓֓֡֓֡֓֡֡֡֓֡֓֡֡֡֡֡֡			ئے د			ے د	٠ •	10-4x		0-82.	
1:26:0	4	0 0 0	73.0	200	. c		, L		٥ د		> 6	100	•
1:93:3	3	251)	10.5	(- 10					, ,		•		
3:30:6	9	2	20+0	-	ب پ		` . c						
9:50:0	3	25.0	31.5	19.5	1 5-3	.03	6) C		٠.	-61	
0:55:9	9	:	9 • 0	21+0	9-0	. 0	000	0	90	17-0	• •		
5:13:3	5 533	. 27. 11	. 36+33	16-19.	16-61.	16.64.	. 33	000	0	0.01	40-65	. 52-32	
6:26:6	9	3:0	3 • 6	12.0	3-6	20.	00.	00.	00.	CI		01/6	11.
113313	3	23:)	16.7	33-3	C	c.	.00	60.	0	•	•	(-)	22.
	•		1	•									

PARTICULATE CIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING ARTICLE, MIRR

The street of th

: : : : : : : : :	1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : :		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		1	1		ジアクロテじ				1	2.6 1	201	KAI HAG	S LOADING
ATE T145 (#ST)	3AMPLE 7116 (SEC)			•	-		•		e	ļ Ā	6.	6.0	
		0		1 0			10100		1 2 2 2 3	9			
7:00:7	3			-	· ;	16.54						; e	, C.A.
7:16:0	9	330	34.5		15-61		0	0		10-7-		12-0	
7:23:3	3	31:	34.5	-	(3.	S	.00	000	000		2 - 2		32.
7: 36:0	9	3000	21.0	36-6	:	3-64	0	C	3	16-0	0-	0-64	:
7:17:1	3	35.0	31.5	5	13.		. 53	00.	00.	C - 1~	-	\$0-0	.1.
7:96:0	ž	3000	23+0	J	0	00.	12021	٠ د و	99.	10-61	-	0-99	10%
1:00:0	3	3		3.5	. 32-31	6.	.00	C	00.	6-1	3-0	ŗ	.5.
	S :	310	17+0	ے ا	0	; د ت	٥.	00.	ပ ၁		0-0	16-0	25.
9:23:3	3	17:	28.5	?	-	16 - 6 4 .		. 33	00.	-	0-6	3.3	**
30:1	•	3 + 6 F	•	<u>۔</u>		50.	0	00.	ာ	ę	ç	30-0	•
	3	39.0	26+2	•	16-91	_	. 23 - 31	. 33	00.	Ļ	-	-0	. 16.
7.50	Ξ.	•	0 + 6	9-1-0	, . o	13-90	<u>ي</u>	0	00	ç	E	70-0	E
	?	3763	n '	-	-		6		00.	ŗ	-	-	3 6.
	ē :) - I	<u>ا</u> د	0	ٔ ت	0	00.	Ė,	0 - 0 ·		•
07:21:7	2 :		֓֞֜֜֜֜֜֜֜֓֓֓֓֓֜֜֜֜֓֓֓֓֓֓֜֜֜֓֓֓֓֜֜֜֓֓֓֓֓֜֡֓֜֡	֓֓֜֜֜֜֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֜֓֡֓֡֓֡֓֜֓֡֓֡֓֜֜֡֓֡֡֓֜֡֓֡֓֜֜֡֡֓֜֜֡֡֡֡	n :		. 37 - 1	CC.	60.		î	3-3	107.
	3 ;))		2		2	9	ָ ט י	00	1 D :	٠	57-0	9
	3					• (n :	, c	00.	5	בין בין	C-01	6.1
	32	97.0	200	47.5)) r	200				
0:10:0	4	910	7446	24.6									•
5	\$33	. 43.31	. 41+33	10-10.	35-36			20		.201	60-59		
30:00	÷	47.0	73.0	12.5	00.	20.	0	C	00•	3-0	9-6	0-0	
	3	67.0	48+3	27+3	2	6	Ĝ	C	00.	9:0	5-3	10-0	
	6 :	9	3 6 6 6) i		<u>.</u>	CV I	0	0	Ľ	į	21-0	œ
	2 '				7 - 0 Z	•	ׅ֡֝֝֜֝֝֡֝֜֝֝ <u>֚</u>		00.	-	î	3.	•
	ີ່	1300			10 - C - C - C - C - C - C - C - C - C -	Ξ;	ر د د	ہ ت	9	ė	0	0-6-	177.
0:06:0	. <			7					39				<u>.</u>
: (1):	3		:	1100	-	0		0					5 🕏
1:96:1	9	Ë	43+0	3 0		24.0	200	9	3	0			- 61
:::::	3	31.5	10.0	17.5	:	:	23.43	cc.	00.	0	6	0	7
2:16:0	9		:	28.5	5	9	000	0	9	0 • 9	000	18+0	-
: 52:	3		5	24.7	38+5	9	23 +5	.00	•	•	2+0	0:	2
7:30:0	9		•	-	3 + 0	9	:	00.	9.	9	17.0	15+0	2
	2	100	•	111	?	9	-	co.	•	:	13.0	3.3	=
3:26:2	9 :	2 .	34.0) ·	2 + 0	•	•	00.	9	٠	1200	10.0	2
1:33:3	3		֓֞֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֡֡֡֡֡֜֜֜֜֜֡֡		?	•	3	.00	00	•	13+0	11.0	2
	e .	9000			ن د د	000	ĭ	5.	9	0	0	ç	5
	•					2			9	9	0-64	C = 6	•
	6		2			•		•	ت د	•		F	•

FABLE 67 (cont)
PARTICULATE SIZE DISTRIBUTION, CALCULATED EXINCTION, AND MASS LOADING
ARKY SITE, NIM?

The second of the second substantial and the second substantial su

	1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :	: : : : : :	1 1 1 1 1 1 1	1 1 1	2				-	0411X3	104 (PE	.	ام ا
	1145	AMPL V BRE	i t t t t	: : : : : : : : : :	1	: : : : : : :	1 1 1 1	I	-	 	• 26		•	•
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : : : : : : : : : : : :		1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	13:40:0	9	•	•	2 • 0	÷ +	0	1	95	67.	7.0	A	į	•
	3:93:3	3	19:3	6+3		:	20		. 23	00.	•	-	. 30-31	3%8
	1:00:0	Ş	170	200	3:0	1 H + C	14.0	9815	03.	99.	12+0	0-94	50	•
	11111	3	13:)	23+3	:	76.3	ĉ	50	.00	00.	0-26	39-0	1	0
Color Colo	4:5C:C	9	3300	23+0	3	14.0	J	7-1-	00.	00.	98-0	47-0	-0	-
		3	::	1111	3	13.	22+3	33-1	.03	000	73-0	31-J	53-	-
	0:00:0	¥	5	11:0	3	11:	Û- E ₩	O	J	3.	47-0	22-0	16-0	~
10.00 10.0	1:40:0	3	£ 2:	17.7	:	-3-	4.0	ĉ	0	000	6-69	29-3	20-7	•
	2:00:0	3 .	2		٠ •	25	0-96	ĭ	J	3.	70-0	37-0	35-0	•
	5:13:3	2	200	1311	3	?==	43.5	?	C	0	-	39-3	35-0	•
	3:30:0	9	0.6%	12+C	<u>ا</u>	J	9-64	7.3	J	3.	9-9	17-0	13-0	•
	5:30:3	3	3.5	12+3	35	2	0	_	O	<u>ء</u>	43-0	12-0	63-2	•
	9:46:0	4	6.00	6.0 • C	:	30-6	C	2	J	3	36-0	0-41	11-0	*
	3:40:0	3	93:0	36:0	3	<u> </u>	ĉ	-	a	20.	15-0	C-11	10-0	*
): 0C: C	4	25	75.0	3.5	J= 4*	0-E	3-6	ဘ	0	?	24-0	23-0	267.
	16:13:3	Ç	2:0	73+2	3	33.	ô	0	2	69.	36-3	11-0	57-3	•
	16:20:0	₹	73.6	86 + C	ij	3-6	9-1-0	ن 0	c	0	9-6	12-0	85-n	35.
Control Cont	16: 33:3	3	2:	11:0	:	0	0.4.0	?	2	.00	C-0	10-01	19-7	224.
10		€.)	346) -	2.6	20.	S	J	9	0-0	51-0	2-0	•
7127100 b70	6:52:0	2:	3463	34+7	?	•	C	?	0	0	2	0.5	71-7	113.
	0:55:4	€.		0 0 0 0	ے ا	0	ပ (၁)	د د	۰	00	9-0	33-0	18-0	~
7:22:00 600		•					-	?	o.	9		27 - 3	6-3	201.
7157172	7:26:0	ن ج ج	9 7 6 0	9-2-6	•	3.5	0-46	C .	٠.	00.	31-0	10-0	93-0	•
	V : V : V	2	7 2 5 6 7	7		- 14	69.0	,	n.	0:	35-0	C- 61	3.	2
		, , E •) () () () () () () () () () (3 6	33.60		•	0	9:	33.0	2000	C + 6.	8
		7	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7 4 7 7			0.10		0	3.	•		0 • 25	-
######################################		} =			-	-		7	- (36	• • • • • • • • • • • • • • • • • • •	000	•	400
### ### ### ### ### ### #### #### #### ####	A: 12:0	\ \ \	3	23.0		1800			3 0					2
######################################	1:22:3	\$	44.5	130)	5		0.4.0	•	· c					
######################################	A: 32: C	÷	7 : 0	300	-	3.6	2		0	9	0.7	-10		
######################################	9:12:3	3	1111	6113	:	1:	49.0	•	C	.00	2 . 0	1 - C	16-3	
1132130 533 .27+72 .34+31 .43+31 .43+31 .43+31 .33 .00 .00 .012130 67-01 .33+131 .33 .00 .00 .47+00 .43+13	A: 52:0	Ę	9 • • •	13+0	3 0 0	246	Û~ 8 ₩	39-0	0	00.	39-0	29-0	01	
9:12:00 650 .29:02 .42:01 .13:01 .13:01 .44-01 .39:02 .00 .00 .77:00 .40:03 .39:03 .03 .03 .03 .03 .03 .03 .03 .03 .03 .	1:25:	Ş	271.3	21.5	3	23.5	0-54	?	0	00.	6 4	73-3	41-3	~
\$2210 \$33 .30 .30 .30 .30 .30 .30 .30 .30 .30 .	9:15:0	ž	2400	42.0	3 . C	3.5	0-4+	3 9-0	J	00,	17.0	67-0	48-0	
######################################	1:25:	Ş	:	31:5	:	76-3	13.5	_	0	• 20	0+11	=	2 9-7	•
10:40: 40: 40: 40: 40: 40:40:40: 40:40:40: 4	. 32:0	9	17.0	2000	•	30.0	19.0	5	J	00.	7-0	35-	29-0	•
9:52:00 ACC .23:C2 .34+C3 .1C+C3 .12+CC .34+C0 .0C .0O .0O .13+C3 .47 5:22:20 522 .14+12 .24+13 .12+23 .21+34 .31+C .03 .00 .00 .14+C3 .47+C3 .21+C3	1:15:0	Ç	15:7	34+7	=	12:2	0-6	?	0	00.	0-16	-	6-6	_
-28. 10-01. 10-01. 10-10. 12-01. 12-01. 12-01. 10-01. 10. 10. 10. 10. 10. 10. 10. 10. 10.	4:52:0	Ž.	23+0	0 + # £	9	12.5	2.0	u	00.	00.	3+0	-	12-0	•
10-01-01-01-01-01-01-01-01-01-01-01-01-0	1:26:0	3		24.7	=	=======================================	9	:		•0•	:0	25	٢	•
	c: 15:0	4	7.0	17.C	ے ج	Ξ	÷	S	00.	9.	000	37	1	æ

TABLE 67 (cont)
PARTICULATE SIZE DISTRIBUTION, CALCULATED EXITACTION, AND MASS LOADING
ARKY SITE, WIMS

The second secon

		1	1		13 2 2 4 5 0	یہ				TXTIACTION	43d) NO1	÷	HASS LOADING
047E 114E SI	1 1 1 1 E C S S C S C S C S C S C S C S C S C S	3	~	,	•	r .			1 1 1 c 1	1.36			
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :	7 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	: : : : : : : : : : : : : : : : : : : :			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
20:22:	900	.14.62	.21+61	33414.	03+76	. 94-01	10-67	000	93.	0	1010		17.1
23:32:30	623	. 110.22	10.02.	. 79+33	. 76.31	.95-31	16-48	60.	00	0-08	10-04	10-01	
5	900	.14.62	.21.61	23049.	37466	10-64	00.	0	00	. No-01	42:01	. 22-03	230.
≃	† 33	. 09.)[. 12.71	. 51+33	16-19.	16-50.	16-16.	.00	00.	10-74	10-50	. 43-31	587
ë	900	. 24.03	.12+01	37.66	.76-61	. 46-01	.20-61	c.	00	. 52-01	. 24-03	10-01	211.
∺	102	12110.	11.001.	(2+2)	. 76. 11	.95-31	. 37 - 21	cc.	00.	.65-01	. 33-31	. 28-31	314.
č	900	*0.24.	.19+61	.55.00	33+47.	. 96-01	10-58.	000	00	0-0-0	10-11	10-72	26.2
<u>:</u>	\$ 33	. 83.)1	17.31	. 82+33	16-97	.23+03	. 57 - 31	00.	600	. 76-01	. 48-31	16-51	
3	900	.0000	.19+61	. 5 A • C C	13+61.	. 96-01	. 3 9-63	00.	5.	. 69-01	. 0-04	10-05	4.71.
~	\$ 25	. 97.)1	. 21+31	. 75.33		? 0•	16-16.	.00	00.	. 95-01	10-15.	. 4 5- 31	28.9
ä	900	.10.62	13000	33+#4.	.12+60	. 38+00	130-63	0,	00.	- 0 E -	50-03	153-01	.88
∺	633	. 13+32	. 18.71	. 94.33		16-64.	. 57 - 51	.00	00.	10-16-	10-71	. 39-71	
~	900	.05.61	.16+01	. • 7 • 6 6	.1%+00	0344%.	. 3 9-C1	00.	00.	-0-0 e	10-66.	* # 3 U #	397.
≃	533	. 85+ 21	16.41.	. 12+33	16-97	CO+11.	. 23 - 31	0.	00.	10-19.	10-15.	. 27-31	247.
=	0.0	. 33.01	. 14.01	30.44.	.30-01	. 96-01	.39-01	0	00.	* 0-0 ¥ •	. 28-01	10-46.	293.
~	2	•	.21+)1	. 64+33	. (3+2)	. C++1.	. 57-31	.00	00.	10-06.	10-04.	. 45-21	463.
	900	-	10001	00000	.91-61	.24+00	. 98	00.	00.	. 42 -01	.56-01	10-96-	612.
~	6 53	•	16.1.	. 7.3 + 3.3	.11.	.21+03	. 39 - 11	. 33	00.	10:64	10-14.	10-65.	371.
: :	900	æ	.20+03	.10+21.	. 14 + 6 6	. 94-01	.14.00	9.	03.	10.00	69-03	.62-01	782
≃	\$33	10.50.	. 21+31	. 94.53	. 12.	16-50.	. 23 - 31	.00	000	10-1/	10-45	. 29-31	274
ë	<u>ه</u> د د	.15.62	.25+01	.10+01	17.66	10-64.	120-C1	9	00.	10-94	10-64	12-01	4 40.

Weather Summary

Date: 4 April 1977

Synoptic

Surface: Weak surface pressure gradient over the southwestern United States.

500 Millibar: Northeast-southwest oriented trough over WSMR with strong

southwesterly flow in advance of the trough and strong

northerly flow behind the trough over New Mexico.

Holloman AFB

Clouds: Clear to few high clouds (cirrus).

.

Wind: Light and variable except northwesterly 5 m ${\rm sec}^{-1}$ during late

morning and afternoon. Peak gust of 8 m sec-1 out of the northwest

observed shortly after 1100 MST.

Visibility: Greater than 60 km.

Maximum temperature: 18.9°C Corresponding vapor pressure: 2.1 Torr

Minimum temperature: -0.6°C Corresponding vapor pressure: 2.9 Torr



Figure 114a. Surface weather map for 4 April 1977.

The account of the contraction o




Figure 114b. 500-mill: par height contours for 4 April 1977.

TABLE 68. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

The Control of the Co

Vale: 4 April 1977 Remarks	Plane observed									Apache tape changed 0945-1020 - recal 32 AT - unable to adjust either T/C to any constant readout - uvw's and 8 AT ok - time on datalogger 1 hour fast -			reset time Recal LSTC AT's - all else ok, plane observed 1220-1300			Apache datalogger, all Apache data ok	8 m u-v-w at Apache was 90° off cor	rected at 1700						
High %/Type	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	c	0	0	0
Clouds Mid %/Typo	c	0	0	0	0	0	0	0	0	0	0	C	0	c	0	0	O	0	0	0	0	0	C	0
Low %/Type	0	0	0	0	0	0	C	C	0	0	0	0	С	0	0	С	0	0	0	0	0	0	0	0
Dew Po⁴nt (°C)	-3,6	-3.8	2.9-	-7.8	6.9-	-7.0	-6.5	6.9-	-6.2	-6.4	-6.3	-5,3	-4.6	-7.4	-8,3	8.8	-14.8	-10.1	-10.6	13.0	-6.4	-10.9	-12.9	-11.2
Vapor Pressure (Torr)	3.5	3.5	5.9	2.6	2.7	2.7	2.8	2.7	3,1	8.3	2.9	3,1	3,3	5.6	2.5	2.3	1.5	2.1	2.0	1.7	2.8	2.0	1.7	1.9
Dry Bulb Temp (°C)	1.9	0.7	-1.6	-2.5	-2.6	-1.9	-0.1	4.0	7.3	10.0	12.3	13.2	14.9	16.5	16.9	15.9	16.5	16.0	10.5	6.4	8.5	3.2	2.8	3,3
Hour	0100	0500	0300	0400	0800	0090	00/0	0800	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 115. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 4 April 1977.




Figure 116. Diurnal variation of the altitude change of C_{ll}^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_{ll}^2(z) = z^2k$ is plotted where z is the altitude and k is the 1 m C_{ll}^2 value, LSTC, 4 April 1977.




Figure 117. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 4 April 1977.




Figure 118. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 4 April 1977.




Figure 119. Dirunal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 4 April 1977.




Figure 120. Inversion heights, LSTC, 4 April 1977.




Figure 121. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the Apache Site for the 9 and 33 m tower levels, 4 April 1977.




Figure 122. Diurnal variation of the altitude change of C_N^2 between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, Apache Site, 4 April 1977.




Figure 123. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 4 April 1977.








Figure 124. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 4 April 1977.







infliction of the administration of the second second second second second second second second second second



Heather Summary

Date: 5 April 1977

Synoptic

Surface: Weak pressure gradients over southwestern United States.

500 Millibar: Pressure ridge moving eastward into western United States

with moderate northwesterly flow over New Mexico.

Holloman AFB

Clouds: Clear.

Wind: Light and variable with peak wind of o m sec-1 f. on the south

observed shortly before noon.

Visioiiity: Greater than 60 km.

Haximum temperature: 22.2°C Corresponding vapor pressure: 2.9 Torr

Minimum temperature; 1.1°C Corresponding vapor pressure: 2.0 Torr



Figure 125a. Surface weather map for 5 April 1977.




Figure 1255. 500-millibar height contours for 5 April 1977.

TABLE 73. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

The construction of the co

¥

										101-01														
Date: 5 April 1977 Remarks										Apache dn for cal, 1032-1101-nal	- all el				Cal LSTC AT's									
H1gh %/Type	0	0	0	0	0	0	0	0	c	0	0	၁	0	0	0	0	0	0	0	0	0	0	0	0
Clouds Mid %/Type	0	0	0	0	0	0	9	O	0	0	С	0	0	0	C	0	0	0	c	0	0	0	0	0
Low %/Type	0	0	0	0	C	0	0	C	C	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Daw Point (°C)	-12,5	-11.9	-14.9	-9.1	-15.2	-12.4	-10.7	.3.2	2.4.2	-5.0	-5.1	4.9	-5.6	-6.6	-5.7	-7.4	-7.8	-8.0	-9.1	-8.9	-9.3	-8.6	-10.4	-11.2
Vapor Prossure (Torr)	1.8	1.8	1.5	2.3	1.4	1.7	2.0	3.6	3.2	3.1	3.1	3.2	3.0	8.2	2.9	2.6	2.5	2.5	2.2	2.3	2.3	2.3	2.1	1.9
Dry Buth Temp (°C)	0.3	-0.9	-1.9	9.0-	-3.5	-2.0	5.8	10.6	13.0	14.9	17.3	18.3	20.0	19.4	21.2	20.2	20.4	19.6	15.6	14.5	11.9	11.8	6.2	0.9
Hour	0010	0020	0300	0400	0600	0090	ن.700	0000	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 126. Diurnal variation of the atmospheric structure parameter, $C_{\rm H}^2$, at the LSTC for the 9 and 34 m tower levels, 5 April 1977.




Figure 127. Diurnal variation of the altitude change of C_{ij}^2 between the 9 and 34 m levels. The expenential coefficient (a) for $C_{ij}^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_{ij}^2 value, LSTC, 5 April 1977.




Figure 128. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 5 April 1977.




Figure 129. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 5 April 1977.




Figure 130. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 5 April 1977.




Figure 131. Inversion heights, LSTC, 5 April 1977.




Figure 132. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the Apache Site for the 9 and 33 m tower levels, 5 April 1977.




Figure 133. Diurnal variation of the altitude change of C_{N}^{2} between the 9 and 33 m levels. The exponential coefficient (a) for $C_{N}^{2}(z) = z^{a}k$ is plotted where z is the altitude and k is the 1 m C_{N}^{2} value, Apache Site, 5 April 1977.




Figure 134. Dirunal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 5 April 1977.








Figure 135. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 5 April 1977.









Weather Summary

Date: 6 April 1977

Synoptic

Surface: Weak surface pressure gradient over New Mexico.

500 Millibar: Weak ridge over western United States with light north-

westerly flow over New Mexico.

Hollowan AFB

Clouds: Senerally clear to thin scattered high clouds (cirrus) with few low clouds (cumulus) at 2000 m AGL during the afternoon.

Wind: Light and variable with peak gust of 8 m sec⁻¹ from the east-southeast shortly before 1400 MST.

Visibility: Generally greater than 60 km.

Maximum temperature: 26.7°C Corresponding vapor pressure: 2.9 Torr

Minimum temperature: 5.0°C Corresponding vapor pressure: 2.5 Terr




Figure 136a. Surface weather map for 6 April 1977.



Figure 136b. 500-millibar neight contours for 6 April 1977.

TABLE 78. LSTC DAILY LOG OF "EMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

The and the second of the second seco

Da t.d.i 6 Aprill _1977 Romarks		System crashed/reprogrammed and on	at 0220 MSI Psychromoter broke (conversion	tables in use)								Small Cu build up NE of station		Faw Cu NE	Fow Cu NE			APA 32 AT back on 18no 1742						
High %/Typa	0	0	C	0	0	0	C	0	0	>	0	0	0	C	0	0	10 C1	20 C1	30 C1	30 Ci	20 C1	10 01	0	0
Clouds Mid %/Typo	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	o
Low %/Type	0	0	0	0	0	0	0	0	0	0	10 Cu	10 Cu	10 Cu	0	0	10 Cu	C	0	0	0	0	0	0	С
Dew Point (°C)	-13.4	-13,5	-12.3	-12.6	-9.1	-9.1	-6.7	-5,3	-7.0	.5.4	9.6-	.5.3	8.8.	-6.1	6.9-	-8.1	5.6-	-10.5	-13,8	-8.7	0.0-	-10.5	-8.1	.7.7
Vapor Prossure (Torr)	1.6	1.6	1.8	1.7	2.3	2.3	2,8	3.0	2.7	3.0	3.2	3,1	3.0	6.5	2.7	2.5	2.2	2.1	1.6	2.4	2.3	2.1	2.5	2.6
Dry Bulb Ter.p ('C)	4.7	4.9	4.9	1.5	-:-	9.0-	6.1	10.6	14.9	18.1	20.6	23.3	24.5	24.8	25.3	25,1	54.5	22.8	19.1	14.6	11.4	11.6	11.4	11.0
Hour	0100	0200	0300	0400	0090	0090	0700	0800	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 137. Diurnal variation of the atmospheric structure parameter, C_N^2 , a. the LSTC for the 9 and 34 m tower levels, 6 April 1977.




Figure 138. Diurnal variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC, 6 April 1977.




Figure 139. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 6 April 1977.




Figure 140. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 6 April 1977.




Figure 141. Diurnal variation of windspeed and wind direction at the 8 and 34 tower levels, LSTC, 6 April 1977.




Figure 142. Invaruton haights, LSTC, 6 April 1977




Figure 143. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the Apache Site for the 9 and 33 m tower levels, 6 April 1977.




Figure 144. Diurnal variation of the altitude change of C_N^2 between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^3k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, Apache Site, 6 April 177.




Figure 145. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 6 April 1977.







Figure 146. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 6 April 1977.





THE SEASON OF THE WALL AND THE WALL AND THE WALL AND THE SEASON OF THE S






Figure 147. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06$ im. $\lambda=3.8$ im and $\lambda=10.6$ im for Arky Site. 6 April 1977.




Figure 148. Diurnal variation of windspeed and relative humidity, Arky Site, 6 April 1977.

FABLE 13 PARTICULATE SIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING ARKY SITE, NEW?

1.0	1 1 1 1 1 1 1 1	1 1 1 1				37747			1		EXTENC	110N (PE	+ 💆	S LOADING
	31	SAMPL	-	ĸ				-	1 2 4 4 5 1 7 1	: : : :	:	<u>-</u>		
	A A A A A A A A A A A A A A A A A A A					1 2			1 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	9:35	6	:	•	12.5	;		3 6) r	2 6		6	į .	ř ;
	9:49	9 00	5	13.	2-1	: 5	. 5	, C		3 5	_			~ <
100 100	3:33	50 63		=		÷			, ,	20				• :
10 10 10 10 10 10 10 10	6:04	90	970	23.4	_	0		J						- *
		00	431	::	35.3	÷		•	. •	00.		1		•
10	2.0	٠ د	1	3	7 :- 6	ت	#-0	0		2		9	•	
10		C4 0	:	201	61-3	ċ		C	•	00.		30	28-7	. ~
		€.			7-10	3.	00	0	$\overline{}$	00.	-	32-0	-	. ~
10	66.6	0		-	22-0	_	43.	~	•	00.	_	27-19	71-0	•
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,		9		7.)-I+	٠.	Ė	34.	U	00.	•,	15-0	10.0	=
10 10 10 10 10 10 10 10					77-7		C.		6.3	.03	_	13-13	60-1	~
10.00					٠ د د د		0 ,	-	o.	ə •	_	59-0	15	-
							n •	n.	Ο,	00	~	19-1	14-1	•
					? ? ? ?		~	2	0	0	-	2	9-29	€:
Color		00	0 8				25	- 6	Э (D (2	C - 6 6	0-0	•
						,	. د	: :	-	5.6			2:	•
10	1.25	00	78.0	346	12+0			> <	36	•	7	1		- (
10 10 10 10 10 10 10 10	: 33:	6	11:	17:7		٠,		2	"					7
10 10 10 10 10 10 10 10		90	3.0	200	2	0,	9	20-0	, c					
10		6	67:0	26.3	13:3	÷	7	23-3	0	00.	: 2	10-01		2 6
12 12 12 12 12 12 12 12	0.0		2	0	2 :- C		9	0	c	000	₹.	0-0	36-0	-
10 10 10 10 10 10 10 10		0 9	7:3	<u> </u>	2			2	0	00.	:	23-0	- Q - Q	•
10				•	 		• •	3 4 - C	·	00.	=		=======================================	170
10 10 10 10 10 10 10 10				· · ·	~ (2 .		22.7	n,	9	=;	C- 16	9-10	00
									J (00.	~	C - C =	15-0	=
	:03:	0	31.6						2 د	900	;;	2 S	<u> </u>	96
10 10 10 10 10 10 10 10	:13:	3	39:3	::	7 4 6 3	4 4 5 5			, (2 6			92	272
10:100 000 000 000 000 000 000 000 000 0	1:24:	39 00	301	3 + 6	10+6	- 4	9-64	,	. C				7 7 7 7	
10:100 000 000 000 000 000 000 000 000 0	. 35	9 0	€	::	43.5	=	49.5	23-5	0	co.				
	* * * * * * * * * * * * * * * * * * *	0. 0.	5 . 5 .	7.5	61.0	9-16	1900	20-0	·	00		2.0-0	27-0	
19510 570 19510 19	. 2 5	C .	~ ~ ~	=	?:?		C : : :	31.3	0	0.	5	- 45	4.5-2	
129170 973 11-01 20-01 11-01 00 00 12-01 19-01 274 11-01 11-		0 . 0 .	2	-	43+6	3 + + 0	14.0	20-0	0	000	5	31-0	20.5	227
139:130 970 18-07	1 2	C.			27:0		C : 1	3	0	00.	3	29-0	28-5	27.5
149101 60. 60. 60. 60. 60. 60. 60. 60. 60. 60.) . 	3 6 6		3 + 3 5	S.	C	20-0	ပ	00.	3	0-66	76-0	
142700 050 -08460 -18400 -18400 -18400 -00 -00 -00 -01-01 -08-03 104-03					1 3 + 2	÷	ô	÷.	0	00.	~	47-5	26-3	~
108 60 -10-10- 10-11- 60- 10- 10-11- 60- 10-11- 60- 10-11- 60- 10-11- 60- 10-11- 60- 10-11- 60- 10-11- 60- 10-11- 60- 10-		9		9	2	¢ :	0-E	٥,	9	00.	=	0-98	72-0	*
28 80-28. 80-68. 60. 60. 60. 60. 60. 80. 80. 80. 80. 80. 80. 80. 80. 80. 8		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			7 4 6 1	2		2-2	0	60.	=	0-10	7.9-2	102
		2				:	0	P	000	9		5	12-0	25

FARTICULATE SIZE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING ARTICULATE STREY STRE, WINE

all controlled and the west of the control of the c

	-				134440	ور				CKTENC	CKTENCTION (PER K4)		HASS LOADING
OATE TITE :	SAMPLE TIME (SEG)	-		r &	æ	3 0		1 1 1 1 1 1	 C C	1.26 3.8	e		
36 APR 77	1 1 1 1	12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	:			1 1 1			1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 5	: ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !
22:17:00	900	. 75 60	. 36 • 00	23062.	. 46-61	00.	٠ •	00.	5		. 78-02		=
22:23:33		. 65.00	. 43.00	.24.33	16-61.	.	e.	.03	00.	. 78 - 07	.57 - 32	. 30-32	2
27:39:00		. 62.00	.47+00	. 37 • 0 €	.30-08.	10-84.	ຍ	03.	00•	12-01	. 99-02	.72-02	.5.
22:11:30		. 73.33	. 43473	. 27.33	÷:	<u>.</u>	· 0 ·	.00	٥٥.	. 75-02	- 49 - 32	. 22-32	17.
22:55:00	900	00.00.	33.61.	. 1 5 + 6 6	.30-01	30.	.20-01	00.	90.	12-01	11-01	. 89-02	112.
23:35:30		. 71.33	. 98•33	. 21 + 23	16-91.	<u>.</u>	6.	.00	00•	10-61.	.63-32	. 92-32	43.
2 3: 15:00		. 76.00	7 + 50	0000	13-61.	. 04-01	ပ္	00.	50.	12-01	.84-02	.79-02	42.
23:25:30		. 44.00	. 49+33	. 24+23	10-05	16-64.	÷.	. 33	٠٥.	10-21	-88-32	. 68-72	43.
23:38:60	900	.39.62	39.00	.23+00	.15-(1	.14.00	. 39-01	00.	00.	. 33-01	. 20-01	.22-01	232.
23:43:20		. 25:)!		16-14.	14-71	 	?	. 33	.0.	16-11.	. 45 - 32	. 25-32	33.
23:99:00	\$ CC	. 43 + C1	00.44.	.27.66	. 30-01	<u>.</u> دون	00.	00.	90.	. 23-01	.86-02	. 52-02	57.
1 1 1 1 1 1 1 1 1													

Weather Summary

Date: 7 April 1977

Synoptic

Surface: Weak pressure gradient over New Mexico.

500 Millibar: Weak ridge over western United States with light westerly

flow over New Mexico.

Holloman AFB

Clouds: Clear to thin scattered high clouds (cirrus) with patches of low

clouds (cumulus) at 1800 m AGL during the afternoon.

Wind: Light and variable with peak gust of 6 m sec-1 from the west about

midserning.

Visibility: Greater than 60 km.

Maximum temperature: 28.3°C Corresponding vapor pressure: 3.6 Torr

Minimum temperature: 5.6°C Corresponding vapor pressure: 2.5 Torr




Figure 149a. Surface weather map for 7 april 1777.



Figure 1495. 500-millibur height contours for 7 April 1977.

TABLE 84. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

. BPETT 1977 Remarks							ache - all ok				Few Cu ENE of station		Checked Apache - all ok		C1 is 0 opaque 32 m AT at Apache	ine 2 loose probes		Missed reading working on 32 m AT		at AT box of station		Checked Apache site - no data on	rong button pressed	
Vare: / Bpri							Checked Apache -				Few Cu EN		Checked Ap		C1 15 0 01	back on 1		Missed rea	32 m AT out	had coax		Checked Ap	32 m AT, v	
High %/Type	0	0	0	0	0	20 C1	10 CH	10 C1	10 CH	10 C1	10 C1	10 C1	10 C1	20 C1	10 C1	0	0		0	0	0	c	0	0
Clouds Mid X/Type	0	0	0	C	0	0	0	0	c	0	0	0	0	0	0	0	0		0	0	0	0	0	0
Low %/Type	0	0	0	0	0	0	0	0	0	0	0	10 Cu	10 Cu	10 Cu	10 Cu	10 Cu	10 Cu		10 Cu	0	0	0	Э	0
Dew Point (°C)	9.9-	-6.0	-5.8	6.4-	-8.3	-10.1	-6.8	-5.5	-4.0	-1.6	-3.4	-3.1	-4.2	-5.6	6.9-	6.9-	-6.8		6.4-	-8.9	-8.6	6*6-	-0.1	-9.3
Vapor Pressure (Torr)	2.8	2.9	3.0	2.5	2.4	2.1	2.8	3,0	3.4	4.0	3.6	3.0	3.4	3.0	2.7	2.8	2.8		3.2	2.3	2.4	2.2	2.3	2.3
Ory Bulb Tamp (°C)	11.1	10.0	7.8	4.5	2.7	1.8	7.2	11.7	16.7	20.1	21.5	23.7	26.3	56.6	27.2	27.1	26.8		23.3	17.8	15.6	12.7	12.2	11.3
Hour	0010	0200	0300	0400	0050	0090	00.00	0080	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 150. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 7 April 1977.




Figure 151. Diurnal variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the latitude and k is the 1 m C_N^2 value, LSTC, 7 April 1977.




Figure 152. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 7 April 1977.




Figure 153. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 7 April 1977.




Figure 154. Diurnal variation of windspeed and wind direction at the 8 and 34 \uppi tower levels, LSTC, 7 April 1977.




Figure 155. Inversion heights, LSTC, 7 April 1977.




Figure 156. Diurnal variation of the atmospheric structure parameter, $C_{\rm H}^2$, at the Apache Site for the 9 and 33 m tower levels, 7 April 1977.




Figure 157. Diurnal variation of the altitude change of C_H^2 between the 9 and 35 m levels. The exponential coefficient (a) for $C_H^2(z) = z^2 k$ is plotted where z is the altitude and k is the $l = C_H^2$ value, Apache Site, 7 April 1977.




Figure 158. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 7 April 1977.








Figure 159. Diurnal variation of windspeed and wind direction at the 9 and 33 m tower levels, Apache Site, 7 April 1977.









The second secon




Figure 160. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 7 April 1977.




Figure 161. Diurnal variation of windspeed and relative humidity, Arky Site, 7 April 1977.

TABLE 89 PARTICJ. AFE SIZE DISTRIBUTION, CALCJLATED EKTEWCTFOW, AND MASS LOADING ARKY SIZE, WEWS

The second free line with the second best with the second best and the second best with the second best with the second best and the second best with the se

	i i i i i i i	~		1 1 1 1 1 1 1 1 1 1	*********			111111111111111111111111111111111111111		ı		
			~	•		•	~	c	Ţ.	y.9	1).6	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1		1 1 1 1	# # # # # # # # # # # # # # # # # # #	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1 - 1	1 1 1 1
	.26.0	3+0	7:1	3-1	20.	.20-02	00.	9	0-6		12-0	•
	.17.	3:3	:	?	·.	ĉ.	.55	60.	-	î	5	•
	3 + 2 + 5	3 + 0	**	7-4	9	.25-53	00.	80.	3.0	13-0	-	120.
	(+29.	19.5	13.0	-	?:	6.	.03	80.	?	2-2	:	•
	.670	56+0	15+0	6	. 48-01	.	00.	93.	•	79-0	3-0	•
	. 63.	:	5 . 5		0.		. 33	00•	0-0	-	6-3	. 6.
	0 . 4 .	39.0	24.0	3-6	000	00.	ပ	00.	6-0	55-0	30-0	
00000000000000000000000000000000000000	(16)	21.3	3.5	30.0	11 -6 4.	O	. 33	00.	0-1	5-0	59-2	37.
	0.63.	#5 + C	10+0	30.	20.	00.	0	80.	1	3.0	5-6	æ
	. 79.3	1:3	1-	33.)	3:5	œ	C	00.	5-3	2-3	-	121.
	. 82+0	69.0	15.0	30-0	£	00.	00.	20.	2-0	į	5	
00000000000000000000000000000000000000	C+21.	6	3:5	33.	.:	C	.00	00.	3-0	[-]	-	52.
	.73.6	45+0	17.0	A1-C	ى	•	٥	00.	-	38-0	16-0	204
00000000000000000000000000000000000000	.17+)	6:0	?	4:	(C.		. 33	00.	-		52-3	\$
	3.66.	13.0	70.0	76.	0+	٠ 0	00.	99.	9-5	2	0-4	2
	. 40.	27+3	3:5	76-1	.49-01	. 23 - 31	.03	00.	•	SI	102	_
	.10•0	0+0	100	76-6	ပ	٥٥.	03.	3.	6-3	3:0	3:0	-
		13+3	67.4	-	:	_	.00	00.	•	13	۲	5
00000000000000000000000000000000000000	3.40.	20+0	35.6	3+6	3.4	ì	00.	00.	9	į	35-0	E.
4 COLUMN PARTICO PO PO PO PO PO PO PO PO PO PO PO PO PO	::·	:	13.5	3:	÷2	c.	.03	00.	0-6	ç	33-0	•
00 00 00 00 00 00 00 00 00 00 00 00 00	0.14.0	9+0	82+0	:	:	C	00.	00.	u	Ç	29	=
001121100 001121100 001121100 001121100 001121100 0011211100	(:1:	5.3	6113	61-1	9-3	^	00.	00.	0-1	î	20-3	•
4:54:00 %C	3.2.	ပ္ (၁)	3	~	-	О,	00.	00.	•	•	0-0	2
4:04:00 &C	12.	21:3	0110	:	3	\sim	60.	ÇO.	-	? -	71-7	_
8:25:55 63	346	ن د د	•	76-6	•	Ð,	0	0.	~	9	0	E .
4:24:00 AE	. 15.	- + + -	100	17:	Ç	•	.00	0.	•	5	11-7	•
		0	ب •) - C	0	0	00	00	₽ .	0	30-0	~
111110 63	(11)	C .	~ ~ ~ ~	?	?	~ (60	0	æ	?	10-1	_
00:44:4	5			J + 2.	9	U,	00.	9	•	0-0	D-25	, P
619119 63	. 1 3 4 9	2547	2040		C+ 6 1	10-16	60	60.	9		-	- 1
30 30: 0:6:			2 5			,	3.	2				^
7:17:17 07						. (5 C	3	•		3010	
J: 43:50 55			3 6					2		3 5		
4. ba.co								•			60-00	37.5
			,					2				
74 50.00.4			7 4 6) (٠ د		96	•			• =
			7 4 6 6				•	•				
		ر د د د)	ء ر ا ا		•		2	٠.			
					•		•	5				
30 00:41:0	3.71.	•			•	•	>	>	9		•	_

FABLE B9 (cont)
PAHTICULATE SIZE DISTHIBUTION, CALCLLATED EXTINCTION, AND MASS LOADING
ASSY SIZE DISTHIBUTION, CALCLLATED EXTINCTION, AND MASS LOADING

The second secon

1 1 1 1	1 1 1 1		1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1		1			1 1 1 1 1
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	: : :	シアフリン !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!	! ! ! !	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	11 11 11 11 11 11 11 11 11 11 11 11 11	2	TION (PEG	X4; X4%	COADING
7.	14C N S T 3		••	€:	en.			÷	~	E	9 6	e . r	13.5	
Nav 10		•		1 .		; , ;	1 :	i :	1 1 1 1 1 1 1	1 9 1 1 1 1 1				
ë;	F	0 e	20.2	1 U + 1 U ·	10+31	- y.	. 1 4 + 00	13000	0	00.	10-6x	. 42-01	19-01	20%
:;	\	٠,	֭֝֡֓֓֓֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֡֓֓֓֓֡֓֓	21.0		-		22-2	0	0.0	0	10-01	44-7	
::		, ت		•			: د د	200	00.	0	2	20-08	20-0	÷ ;
		~ 1	2	6 - 02		-	~	ָרָי	3	60.	•	. 37 - 72	C:	
	3256	, د	5) • • ·	•	3	0-6	2 C = C	9	00.	2	10-46	28-0	
		•	2	1697	2	ָ ה	16 - 6 4 .	-	.03	.00		. 38 - 01	?	
::	35:0			1700	•		9	, ن	0	5	Ĵ,	=	23-0	
	7 . 7	~	3	20+1	C • ~	=	2+5	-	.00	60.	•	_	2	
Ë	0:5	v,) • •	-	7.4	O	30-61	00.	00.	~	. 41-01	33-0	
-	23:3	~	=	210	7 3 4 7	•	.19+33	-	.00	60.	_	~	7-3	
E.	35:0	v,	=	3	30.0	~	90.	ç S	٥ ٠	00.	-	0	13-0	
E.		\mathbf{a}	:	42+3	33:3	:	<u>.</u>	٠.	00.	00•	•	•	42-1	
ë	35:0	u	316	200	1	7-1		00.	00.	93.	•	5	74-0	
	23:3	~	3:	1.3	19.0	33.3		6.	.00	•00	•		13-3	=
÷	11:0	U	3 ;	200	2100	.46-61	·	.20-61	٠ د د	00	:		10-0	123.
03:	11:3		3:		23.53	13.	.	_	. 33	00.	3	=	26-3	
:	45:0	·	7:0	16+0	5				000	00	\$	•	0-64	.22
03:	45:3	•	:	77.7	24+2	:	5:5		.00	00.	6-6		12-3	
;	03:0	u	9 0	2017	3 + 4	00	96	•	00.	3.	ç	2	19-0	209.
:	14:3	^	3	3:0	27:5	•	÷.	. 23	. 03	00.	~	•	54-3	. 9
ä	25:0	·	316	3 • 6 9	3 * 6 6	0	. 43-01	ں	00.	00.	2-0	•	0-99	• · · · · · · · · · · · · · · · · · · ·
:	19:3	•	:	44.0	24+3	3	ĉ.	. 21-11	00.	60.	3-0	=	15-7	-
ö		u	3 • €	34.6		0	00.	00.	00.	00.	0-0	•	16-0	16.
:	34:7	•	3	5:0	:	0	.	. 23 - 31	.03	00.	C - 2	=	2-0	~
= ;	0.0	u,		U + 3 =	ت -	5-0	J	o	00.	9	9-0	•	ç	
<u>:</u>	1 5 : 5	~ '	?	-	11.0	_		. 23 - 31	.0.	00.	9:0	n	:	101.
=:	2	, ب	֓֞֞֞֜֞֜֞֞֜֞֞֜֞֜֞֜֜֜֞֜֜֜֜֜֜֜֜֜֝֜֜֜֜֝֜֜֜֝֜	35 ¢	ر د د	٠,	. 4 8 - C 1	00.	0	00.	12-01	. A 1 -02	-60-05	18.
:	7 9 6 7	- 1	- 1	•	2		.3)			00.		•	:	25.
:		v,	ر د د	9.0	3-5	3	υ,	0	00.	00.	-	•	.11-02	•
		~ 1		4347	C+1		60.	.0.	•	0	-	r.	5	•
		u,	֓֞֞֞֜֞֞֜֞֜֞֜֜֞֜֓֓֓֓֜֜֜֜֓֓֓֓֜֜֜֜֜֜֓֓֓֓֜֜֜֜֜֓֡֓֡֡֓֜֜֡֓֡֓֡֡֡֡֡֡	٠. • •	•	2	0	. ت	0	3	2-0	•	Ç.	20
: :		•						16-62	0	.03	-	-	3.	117.
	22.0	v,	֓֞֜֞֜֜֞֜֜֞֜֜֜֓֓֓֓֜֜֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜֜֜֜֜	200	٠ - -		0	0	6	9	9	•	0-01	16.
: :		•			•		66.	6	.03	00.	C - 2		7-1	:
			9	ن ن و و ز	D - (٠	C (0	ر ص	9	Ç	•	11-0	12.
		•	-		?	Ċ		6.	.	00	-	•	:	23.
	5			1 6) i	מביני מביני	، ن	3	00.	00.	ç	∾.	26-0	÷.
		•	()	70.00	7-7		6.	_	0.	00.	6 5		CI	27.
:		9		3 • 4 1	، د		, 0	13-02-	5	9	<u> </u>	•	ا	• 9
		•		7 4 6 1	-		16.64.	, ,	0	00.	-	~	-	_
-	2			•	ب ڊ			.20-02.	0	00.	6	c	Ē	105.

FARTICULATE SIZE DISTRIBUTION. CALCULATED EXTINCTION. AND MASS LOADING ARTICULATE EXTINCTION. AND MASS LOADING

The second of th

					C 4 A 4 4 E	بے				CXTINCTION	TION (PER	÷.	ASS LOADIN
0ATE TT9E (#ST)	304PLE 71AE 71AE			; ; ; ; ; ; ; ;					1 1 1 2 1	4C - 1		•••	
; ~	1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	**		1 1 1 1 1	=======================================	111111111111111111111111111111111111111	: ! ! ! !		:::::::::::::::::::::::::::::::::::::::
7:5	00 00	2	00.	.30-01	00.	20.	20.	00.	00.	.17-02	. 49 - 0 X	.26-03	
1:35	20 63	. 43+33	.13+23	. 32-21	14-31			000	00.	. 30 - 02	. 22-32		
	29 03	ċ	.13+00	.36-03	00.	30 •	00.	00.	00.	. 28-02	. 0-0-03		
1:25	30 53	. 33. 13	16-96.	16-19.	14.31	6.	•	.00	00.	- 16 -	. 2 3 - 3 2		
3,9	994 00:	8 . CO	.13+66	J 0.	11-61.	00.	00.	00.	00.	. 34-02	. 16-02	. 14 - 02	
	30 +5	:	.19+33	3:	?	•	.0.		00.	. 1 L n n	. 25 - 52		
4:55	00 60	÷	.11.00	. 36-01	00.	10-64.	00.	S S	00.	. 11-02	. 2 4-02		
3:3	20 \$3	. 37+)3	16-94.	. 12+))			60.	. 53	00.	· · · · · · ·	- 19 - 32		
5:24	34 00	ż	. 19 • 66	٠٥.	119-61	00.	ر د •	00.	00.	. 41-02	. 20-02		
4:21	33 53	ŝ	.19.23	16-19.	16-61.	14.9-21	ĉ.	.00	00.	. 6 - 02	.42-32		
9:34	90	ż	.17.00	.61-C1	13-61	00.	, O.	00.	00.	. 39-02	. 26-02		
4:1	. £	÷	. 46-31	ć.	14-71	 		. 33	00.	- 6 - 0 5	.15.77		
3:50	90	Ė	.23+60	. 36-63	.46-C1	. 48-01	00.	٥ •	99.	. 77-02	.64-02		
4:04	2 2	-	16-19.	16-19.		c.	ç.	. 33	00.	· 2 4 - 32	.11-32		
÷	39 00	. 33 4 00	.13.60	13-36.	. 29-62	30.		00.	00.	. 31-02	.21-02		
6:25	5000	:	.11.33	. 32-21	10-61.	e.	<u>.</u>	.00	00.	. 3 5 - 02	. 21-02		
6:39	00	:	. 13+00	. 41-61	٥٦.	00.	30-01	00.	00.	. 12-01	111-01		
16:05	5	\$.13.13	16-19.	12.51.		6.	.00	00.	.39-02	. 25 - 02		
6:55	34 33	÷	. 13+66	.61-61	0	ပ ပ	ن .		9	. 26 -02	.13-02		
7:53	5 5	:	.64.3	16-16.	??	 C.	. 23 - 31	. 33	•00	. 74-02	. 11-02		
7:1	9¢ 00	ċ	. 11+60	. 36-01	0,	00.	0	0,	3.	. 29-02	. 93-03		
7:23	5 5	_	. 24+32	16-14.	??	 	60.		co.	. 39-02	.17-02		
	9 00	ż	. 11+00	.31-12	5.	٠٥٠	J 0 •	000	00.	. 25-02	. 0-0-0		
7:45	3	=	. 28+33	16-19.	10.06.	 	ĉ.		0	- 9 - 05	.43-32		
7:55	00	2	.21+60	. 36-6.3	00.	. 48-6.1	17-0-6	000	00.	00120	74.02		

Weather Summary

Date: 8 April 1977

Synoptic

Surface: Weak high centered over central Colorado.

500 Millibar: Weak ridge over Rocky Mountains with light northwesterly flow over New Mexico.

Holloman AFB

Clouds: Clear early morning. Scattered cumulus 1200-2000 m AGL during daylight hours.

Wind: Light and variable with peak wind of 7 m sec^{-1} from the northwest during midafternoon.

Visibility: Greater than 60 km.

Maximum temperature: 29.4°C Corresponding vapor pressure: 5.0 Torr

Minimum temperature: 7.2°C Corresponding vapor pressure: 2.5 Torr




Figure 162a. Surface weather map for 8 April 1977.




Figure 162b. 500-millibar height contours for 8 April 1977.

TABLE 90. LSTC DAILY LOG OF TEMPERATURE, MOISTURE, CLOUD COVER, AND REMARKS

Commence of the Commence of th

Vate: C April 1972 Remarks			0300-187° shift all parameters	at LSTC						Faw Cu E Apacho ok - cal AT/C's	Cu E LSTC 32	could not recal							Few Cu S					
ktgh %/Typo	0	0	C	0	0	C	C	0	0	0	C	0	C	c	0	0	9	0	0	0	0	0	0	0
Clouds Mid %/Typo	0	0	0	0	0	C	0	0	0	0	С	0	0	0	0	0	0	0	0	0	0	0	0	0
Low %/Type	9	0	0	0	0	0	0	0	0	0	0	10 Cu	10 Cu	10 Cu	10 Cu	10 Cu	10 Cu	10 Cu	C	0	0	C	0	0
Dew Point (°C)	-10.3	.7.3	-8.4	-10.4	-12.7	-10.2	-8.1	-6.3	-5.3	-4.7	-2.8	3.0	-7.5	-7.0	6.7.	-5.5	ភ.ភ.	6.5-	-4.3	-7.4	-5.1	-6.7	-7.3	-8.9
Vapor Pressure (forr)	2,1	2.7	2.4	2.1	1.7	2.1	2.5	2.9	3.1	3.2	3.7	5.7	2.6	2.7	2.5	3.0	3.0	2.9	3,3	2.6	3.1	2.8	2.7	2.3
Dry Bulb Temp (°C)	11.7	11.6	9.6	5.7	2.2	2.2	8.9	13.3	17.0	21.8	24.0	26.5	27.5	27.5	29.4	28.0	28.0	26.7	23.9	19.1	17.5	16.6	14.4	13,3
Hour	001.0	0200	0300	0400	0200	0090	0700	0800	0060	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400




Figure 163. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the LSTC for the 9 and 34 m tower levels, 8 April 1977.




Figure 164. Diurnal variation of the altitude change of C_N^2 between the 9 and 34 m levels. The exponential coefficient (a) for $C_N^2(z) = z^2k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, LSTC. 8 April 1977.




Figure 165. Diurnal variation of surface soil temperature, air temperatures at the 9 and 34 m tower levels, and vapor pressure at 2 m level, LSTC, 8 April 1977.




Figure 166. Diurnal variation of the difference in temperature between soil surface and 9 m and soil surface and 34 m, and net radiation at the 1 m level, LSTC, 8 April 1977.




Figure 167. Diurnal variation of windspeed and wind direction at the 8 and 34 m tower levels, LSTC, 8 April 1977.




Figure 168. Invariation haights, LSTC, 8 April 1977.




Figure 169. Diurnal variation of the atmospheric structure parameter, C_N^2 , at the Apache Site for the 9 and 33 m tower levels, 8 April 1977.




Figure 170. Diurnal variation of the altitude change of C_N^2 between the 9 and 33 m levels. The exponential coefficient (a) for $C_N^2(z) = z^a k$ is plotted where z is the altitude and k is the 1 m C_N^2 value, Apache Site, 8 April 1977.




Figure 17i. Diurnal variation of surface soil temperature, air temperatures at the 9 and 33 m tower levels, and vapor pressure at 2 m level, Apache Site, 8 April 1977.







Figure 172. Diurnal variation of windspeed and wind direction at the 8 and 32 m tower levels, Apache Site, 8 April 1977.




And the second of the response of the second



The second secon



The second of th



APPENDIX A

AIRCRAFT MEASUREMENTS OF THE ATMOSPHERIC STRUCTURE PARAMETER

Aircraft measurements of the atmospheric structure parameter measure of optical turbulence were performed by the Wave Propagation Laboratory, Environmental Research Laboratories, National Oceanic and Atmospheric Administration. The report covering these measurements is included as Appendix A.

Temperature irregularities may be noted where the ambient temperature is within ?° of 0°C. This is an instrumental effect (related to the tape recorder) and should be overlooked.

The world will be the world of the property of the world of the property of th

NOAA Technical Memorandum ERL WPL-27

WSMR ATMOSPHERIC STRUCTURE CONSTANT (C_n^2) SURVEY

R. B. Fritz R. S. Lawrence

This report was supported in part by the US Army Electronics Command, Atmospheric Sciences Laboratory, White Sands, NM 88002, under W43P6S 77-8029 Mr. 6. Hoidale was the ASL-WSMR Technical Representative.

Wave Propagation Laboratory Boulder, Colorado September 1977

WSMR ATMOSPHERIC STRUCTURE CONSTANT (G_n^2) SURVEY

AND THE PROPERTY OF THE PROPER

R. B. Fritz and R. S. Lawronco

INTRODUCTION

motors on two moteorological towors), wind, temperature, humidity, and pressure. The Optical Propugation place at approximately local midnight, dawn, noon, and sunsot. This report describes and summarizes the using un aircraft-mountod tomporaturo probo, including vortical profilos to 3000 moters above ground and at White Sands Missile Range, New Moxice. The Atmospheric Sciences Laboratory of WSMR conducted groundbased and rawinsonde measurements of the refractive index struature constant ${
m C}_{
m n}^2$ (at heights of 8 and 32 Botwoon March 25 and April 5, 1977, a multi-sonsor cooporativo atmosphoric survey was carried out constant altitude circuit surveys. The aircraft measurements and concurrent rawinsende launches took Group of the NOAA/ERL Wave Propagation Laboratory (Bouldor, Colorado) carried out measurements of \mathbb{C}^2_n nircraft measurements only.

motors above sea level. The north-south ridge of the San Andres mountains, at an altitude of 2100-2400 meters, is 15 kilometers west of the center of the area, 32-meter meteorelogical towers are located at the sites denoted Apache and LSTC, which are 5.5 km apart. At the northern corner of the area is the accompanying map (Fig.1). The terrain is relatively flat with a mean altitude of approximately 1200 The area survoyed is butween Alamegorde and Las Cruces, New Mexice, and is illustrated in the dry lako, Lako Lucoro, and the beginning of the White Sands National Monument.

2. AIRCRAFT MEASUREMENTS

The objective of the aircraft measurements was to obtain vertical profiles and constant altitude survoys of the optical refractive index structure constant, C_n^2 . This parameter is derived from the




Figure 1. Map of surveyed area (Map courtesy of U.S.Army Topographic Command).

tomperature structure parameter, G_T^2 , through the relation:

AND THE WORLD CONTROL OF THE PROPERTY OF THE P

$$C_n^2 = \left(\frac{79 \text{ p}}{1^2}\right)^2 10^{-12} \text{ C}_T^2 \tag{1}$$

whore ho is pressure in millibars and ho is the absolute temperature. Units of $C_{
m H}^2$ and $C_{
m T}^2$ are m $^{-2/3}$.

mounted on the right wing of a Cossna 205, about 3 meters from the engine. The sensor consists of a 6 µm fluctuations affect the refractive index structure. In turn, $\mathbb{G}_{\mathfrak{p}}^2$ is determined from a temperature sensor Equation 1 is based on the assumption that over small scale sizes, temperature rather than humidity platinum wire wound on an open square, .35 cm on a side and 2 cm long in the direction of filght. The to corrosponding temperature fluctuations, and by assuming that the spectrum of turbulonce fellows the sonsor and its mounting are shown in Fig. 2 and Fig. 3. Sonsor resistance fluctuations can be related Kolmogorov Law, it can be shown that:

$$C_{ll}^{2} = \frac{2.68 (ll^{2} - ll^{2})}{\left(2^{ll} t_{ll}\right)^{2/3} - \left(2^{ll} t_{ll}\right)^{2/3}}$$
(2)

where T2 is the mean square temperature fluctuation,

\$\text{N}^2\$ is the mean square aircraft and system noise fluctuation,

v is aircraft air spood,

 \mathbf{f}_{L} is the low frequency response limit (0.23 Hz), and

 $f_{\rm H}$ is the high frequency response limit (320 Hz).

The use of this system in provious surveys is described by Ochs and Lawrence (1972) and Ochs of al. (1976). Dorivation and discussion of thoso equations are available in the reference by Lawrence at al. (1970).

Figure 2. The c_T^2 probe consisting of a δ μm platinum wine wound δm a form E on in length.

Figure 3. Mounting of the C_T^2 probe on the Cessna 205

Corrections to account for temperature The system was calibrated on the ground with was sensor covered and the aircraft meter off to minimize all fluctuations, and again in the air before beginning the surveys. dopendence of calibration were derived by G. R. Ochs and D. Walters.

TODAY SALAMAN TO A SALAMAN

the alrborne tape recorder. Altitude, pressure, air speed, and other information were recorded verbally In addition to the temperature fluctuation data, temperature itself was simultaneously recorded on on the same recorder.

3. DATA REDUCTION

Data wore recorded on an instrumentation tape recorder on board the Cessna and subsequently digitized location, air spood, etc., and to remove erroneous data caused by voice information over-riding the at 5 second intervals. The digitized data were edited to add related information such as altitude, tomporature channel or alreraft radio interference on the $\mathtt{C}_{\mathtt{n}}^2$ channel.

3.1 Vertical Profile Data

we cond. The temperature and $c_{
m n}^2$ data were processed by averaging all points within a 75 meter altitude above ground. Air speed was approximately 50 meters per second and the descent rate was 24 meters per To obtain data for the vertical profiles, the Cessna was flown in a descending spiral from 3 km runge and ropresenting that interval by one point in the vertical profile plots.

3,2 Constant Altitudo Circuit Filights

path indicated on the map (Fig. 1), and the ground speed on m / leg would differ from one run to another The circuit filghts at 61, 122, and 244 meters above ground could have started at any point on the

Apache site at 60% of the way around. In practice, Apache was within 5% of this fractional flight time. depending on winds speeds and directions. In order to present a consistent representation of these survoys, the data are "normalized" to show LSTC at the start and end of each gruph, with passage of The "checkpoints" around the circuit are noted on the map and on the graphs as follows:

The months and the months of the control of the con

A: LSTC site

South edge of drifted white sand (more distinct than indicated on map)

: North odgo of drifted white sund

D: North odge of Lake Lucero

B: South odge of Lake Lucero

: Apacho alto

i: South ond turn

On many graphs, not all chockpoints are noted, but their approximate locations can be estimated easily.

4. PLIGHT SCHEDULES

starting with the 0500 flight on March 25th and ending with the 0000 filght on April 5th. Two pilot/data Plights were scheduled within the two-hour time frames contered at 0000, 0500, 1200, and 1800 MST recorder teams permitted operating around the clock.

ground followed by constant altitude circuits of the area, at altitudes corresponding to 61, 122, and 244 The usual filight program consisted of the spiral descent from 3000 meters above ground to near the motors above the ground. The 61-meter circults were generally emitted on the midnight flights. of the counter-clockwise circuit flights is shown on the map (Fig. 1).

On a number of occasions, weather conditions or equipment problems prevented making the complete set of monsuroments described above. The times of several flights were altered to meet range air space schoduling requirements.

WHITE SANDS C_n^2 SURVEY Summary of Flight Schedules and Data Obtained

Flicht	Doto	Time	Descent	Levei	Notes (reasons for lost data)
Flight	Date 1977				notes (reasons for fost data)
number		101	phase	flight phases	
	Mar-Apr			phases	
1	25	0500	Y	Y ¹	
2	25	1000		Y	Tape recorder problem at start
3	25	1800	Y	Y	•
4	26	0000		Y	
5	25	0500			Sensor broken in flight
6	26	1200	Y	Y	Sensor replaced; vertical profile data
					from ascending run
7	26	1800			Thunderstor
8	27	0000	Y	Y	
9	27	0500		Y	
10	27	1200			Sensor broken in flight
11	27	1800			Poor weather - overcast with showers
12	28	0000			Tower instruments out (blowing sand)
13	28	C500			" " " " "
14	28	1200			Temperature data erratic
15	28	1800	Y	Y	
16	29	0000		Ÿ	
17	29	0500		Ÿ	
18	29	1200		Ÿ	
19	29	1800		Ÿ	
20	30	0000		Ÿ	
21	30 30	9500		Ÿ	
22	30	1200		Ÿ	
25	30 30	1800		Ϋ́	
24	31	0000		Ÿ	
25	31	0500		Ϋ́	
26	31	1100		Ϋ́	
27	31 31	1830		Ÿ	
28	01	0000		4	Pacardar microphona problem
29	01	6509			Recorder microphone problem
39 30	01	1200			No flights: blowing sand at ground
30 31	01	1800		Y	No 111gitts. Diowing said at ground
51 52	62	0000		Ϋ́	
		0500	1	1	Va vaica data on tono
55 54	92 02	1200	Y	Y	No voice data on tape
35	02	1800		Ϋ́	
35 36	02 03	6000		Ϋ́	
30 37	03 03			Ϋ́	
		0500		Y	Ciani baili an anna anna ina
38 30	03 07	1200		Y	Cloud build-up over mountains
39	03	1800		1	Rain in area, overcast
40	04	0000		٧٠	No back-up flight crew
41	04	0500		Y	
42	04	1200		Y	
43	04 05	1800		Y Y	
44	05	G000	1	1	

Try indicates data obtained and processed

5. ACKNOWLEDGMINT'S

The state of the s

The following individuals assisted in carrying out this experiment:

Glonn Holdalo (ASL-WSMR) White Sands Experiment Coordinator

Colbourn Norton (ASL-WSMR) Project Scientist

Prios (ASL-WSMR) Project Scientist

Thomas Prios (ASL-WSMR) Project Scientist (Glen F. Miller (WPL-NOAA) Aircraft equipment operations

Gorard Ochs (WPL-NOAA) Project Sclentist

G. T. McNico (WPL-NOAA)

Pilot

Arthur Batin (NBS-Bouldor) Pilot


Wm, Rotallack (SEL-NOAA) Data Presentation

6. REPERENCES


Lawrence, R. S., G. R. Ochs, and S. F. Cllfford (1970): Moasurements of atmospheric turbulonce relevant to optical propagation, $J.\ Opt.\ Soc.\ Am.\ \theta O$, 60:826.

Ochs, G. R., and R. S. Lawronco, (1972): Tomporature and C² profilos measured over land and ocean to 3 km above the surface, NOAA Tech. Rept. HRL 251-WPL 22, Sult. of Documents, U.S. Govt. Printing Office, Washington, D. C. 20402


Ochs, G. R., Ting-i Wang, R. S. Lawronco, and P. Zlosko (1976): Stollar-scintillation measuroment of the vortical profile of refractive-index turbulence in the atmosphere, Proc. of the Soc. of Photo-Optical Inst. Engineers, Vol. 75, (Imaging Through the Atmosphere) 48-54.




The second of th





The production of the state of







THE REPORT OF THE PROPERTY OF











The second of the second of the second of the second of the second of the second of the second of the second of

















and the resident the contraction of the contraction







Commission of the Commission o





The second secon








The contract of the second second second second second second second second second second second second second



















THE PROPERTY OF THE PROPERTY O




The second secon

TO A STATE OF THE PROPERTY OF



resolution de la la company de la company de la company de la company de la company de la company de la company



The second of the first of the first of the second of the first of the

ū

The second second and the second seco

TOM 0001 520077 SIMDW	NOISE LEVEL ** .00016 IAS ** 120 MPH ALTIMETER SETTING ** 29,74	HT (M AGL) T CNZ LOGIO	- 300 14.9 1.86-13 -1	1075 10.4 1.76-15 -14.		320 1 010 12 3 12 3 0 011 1 0 10 1 10 1	- 678 11. D D. 68-16 - 18.	- 750 10, 5 2, 55-16 -1	- O25 9, 5 2, 3E-16 -15,	- 900 0.7 1.1E-1616	- 975 0.5 6.9E-161	- 1050 7.7 O. DE-16 -15.	- 1125 7 9. UE-16 15	- 1200 6.3 1.5E-15 -1	- 1275 5, 9 2, 1E-16 -15.	1 1000 5, 1 5, 7E-16 155,			0 7 7 56:17	1 1725 2.1 3.76-17 -16.	- 1000 1,2 A 7E-17 -14,	- 1075 . 7 1. 3E-17 -16.	- 1950 . 9 1.9E-16 -15.	- 2025 . A 3E-16 -15.	- 2100 A 2. AE-16 -15.	- 2175 - 7 JE-16 -15.	- 2250 -1. 3 3, 35-16 -19.	- 2320 -1.0 1.76-17 -16.	1 12400 12.4 G. 46117 116.	1 24/5 - 12, U 1. VE-16 - 15.						
		LUGIO CNZ			ŭ i	2 6 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7	2 2	5		-14.0	ŭ	-15.6	-		ទ	ភ :	ລ່ ເ			5 <	5 5 5	5	ຄ		ə	÷		ត	0 6 6 7	<u>.</u>	o .	- r	<u> </u>	ž		
	. 02	CNS		1. 75-16	21-11	1.06-16	5	16-19	6E-16	1-39	26-1	1-36	75-1	7.6-1	=======================================	1. 56-16		7 - 22 - 7	7. 44-10	0 05-10	D. 26-16	5. 65-16	5. SE-16	3. ne-16	1, 16-16	ಶಿ. ೧೯⊶17	2E-17	A. OE-10	1. 65-16			7. 25-17			1	
	. 000125 INO = 29.	-			ni -		- 5		0	-	-	-	-	G .9			ຈ ດ:		o -	-					o i	-	٥.	<u>.</u>	ai e		: כ) v	· <		,	
	WDDAR //OJEB NOIBE LEVEL * . OOC IAD * 120 MPH ALTIMETER BETTING	HEIGHT (M AGL)		225 - 300	300 - 373	070 - 400	323 - 400	100 - 675	575 - 750	750 - 828)25 - 900	326 - 007	175 - 1050	1000 - 1120	123 - 1200	1200 - 1275	0521 - 6221	0201 - 0001	0001 = 000	272 1 273	627 - 069	725 - 1000	1000 - 1079	1075 - 1950	1930 - 2025	3025 - 2100	2100 - 2175	2175 - 2250	2250 - 2225	2325 - 2400	07:57		2007 I 8040	2042 - 47.00 27.00 - 27.74	2775 1 2250	

The second second second and the second seco

WBMR 770027	0 /20	MET.		WOMR 770	770327	300 MBT	
NOIDE LEVEL ODG 1AB 130 APH ALTIMETER BETTINO	000063 INO M 29	8		NOIGE LEVEL ** IAS ** 120 MPH ALTIMETER BET	MPH BETTING # 25	29. 70	
HEIGHT (M AOL)	i –	a N	10010 CM2	HEIGHT (M AGL)	<u>.</u>	C 20	LOOIO CN2
3		6. 5%-16		:	6	91-30	
1	6	· •	-		(d	벌	ຄ ຄ ຄ
1	ລ	1. 911-16	2	1		1-36	ņ
1	-	22-1		222 - 600		16-1	£
1		9. OII-17	_	679 - 009		9, 76-16	211
1		1-11	-15.6	002 - 679	o	7-17	ຄ
1	ກ	_	3	1	١, ٦	7	ຄັ
	0	AG-16		:	٦,	-	ຄ
1		2K-16	5	ŧ	-1.1	1.91-15	ë
	_	1. 517-15		2	-1.6	20-15	Ë
	_	3. UE-16	3	 1	ដ ផ	~	÷
•	_	2. 45-16	-	1	r r	1. 36-15	-14.9
•	۸,	1. TIL-16	5	1	2 6-	∹	÷
•	ຄ	2. 7E-16	7 41-	٠	- Ci	2. UE-19	٠.
•	0	5, 2E-16	:: ::	ï		15-15	
•	¢	91-D6 2	<u>.</u>	ı		-	
•	_	111-11	Ş	1	ت د د	-	ċ
•		อ. ממ-17	91	1	ا ئ م	7-3	
•		21-:39 C		ŧ		12	÷
•		_	3	ŧ	اري. ت	1-20	ś
•		-	Ş	1		1-12	á
1000 - 1075	-6.3	J. 5g-16	115. 8	1073 - 1950	-7.6	1. 6E-17	-16.0
•		_	5	ŧ	- 0 -	1-12	અં
•		2. 3E-16	~	ı	-0 -0	<u>-</u> 5	ં
•		_	- -2	ı		=	٠ -
•		9. DE-17	-16	1	4.0-	3, 54-17	-16.5
•			•	1	-0.0	<u>`</u>	9
•		-	5	ŧ	10.4	7	5
•		-	_	1	-10.0	1. 66-16	3
•		_	~	1	-11- 8-11-		-15.0
•		_		1	-11.7	66-1	ឡ
•	3	_	-	1	12.3	Ţ	ي
•	÷			1	- 123 -	35-1	3
٠	_		- 16. €	1	1.00 to	06-1	<u>5</u>
•	-11.0	1. 16-17	-	Į	-13.9	0, 36-17	-
•	٠.	•	-16.7	I	-14.4	, 6E·1	-16.6
2925 - 3000		-	_				

The Continue of the Continue o

EB112	770328	1000 MGT		WIDHIN 77	770329	o mat	
NDIBE LEVEL IAB # 129 M ALTIMETER D	L w . 0000U MPH BETTING w	29.7		NOISC LEVEL " IAS = 120 MPH ALTIMETER SETT	- 0NI.	29. 67	
HETOHT (M A	70F) 1	CNS	F0010 CNS	HEIGHT (M AOL)	۲	CNS	LODIO CNR
	-	2 78-1			=	211113	÷
1	5	1-3/	9 27-	1	-	, 4 -	
1	<u> </u>	1.16-1		373 - 430	0		3 6
1		3, 76-1	7	•	- 57		3 5
1		7.1.1-1	-	,	C C	٠,	5
•	0.	1.76-1	2	ı		1 = 1	5
1	7 6	4, 7E-17	-	675 - 750	7.		-13.7
1	Ö	16-1	-	I	7	1-30	ຄ
1	o	00-1	?	ı	_	25-16	
1	<u>`</u>	- 5	9	,		1-39	
1	\$	1. 36-16			n n	10-1	
1	٠ō	28-1	£	1050 - 1125	_	16-1	
1	ຄົ -	1 - 30	-	1	_	2. 4E-16	ຄ່
•		16-1	3	1	ຕ	36-1	
•	< (1.06-16	<u>.</u>	_	ų s	757	
•		1-16	ດ	1			
•			3 :	1	 23	-3	
•	C# ·	76-1		2000	ຄ	-16	
	-	0	<u>ن</u> ء	275 -	-	1 [[-]	-17
•		1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		ı	⋍	1-36	
-	ľ	-3	2		1. C	1-36	
•		-3		1		7. 56-17	Ś
•	1	- E		ı	-	41:1-1	
•	ī	<u> </u>	16. 2	1950 - 2020	ຖິ່	97	-17.3
•	- í		10 A	1	_	65-1	
•		- II	91	1	_	2. 3E-17	÷
•		2	œ i	ı	14.7	5E-1	
•		- 1	7 61	ı		46-1	-16.5
•		1, 26-15	b	1	_	1-30	
•		7-19	0	1		36-17	-16. s
•		OE-1	ຄ	ı	_	1-36	
•		16-1	16	ı	71	1-39	
•		≍	15. 3	1	_	76-1	
•		76-1	19. 20	1	*	1-30	-16,3
•		Ä.	19. 3	ı	Ċ1	3, 46-17	
•		46-1	*	1	-6.7	26-1	
•		7	16. 7	ş	-10.3	96-1	-16.2
2050 - 2925	16.6	2. 16-17	-16. 5				
•		띭	16.				

NOISE TO SET 10000129 NOISE 1000129 NOISE 1000120		770329	300 MBT			770329	1200 MBT	
Mail	120 E	00012	86. 78		NOISE LEVEL 1AB = 130 r ALTIMETER E	H. OOOOA	29.77	
222 - 230	THOI	_	a N U	1.0010 CN2	Ē		CN2	LOGIO CN2
1000 0 1 0 0 0 0 0 0		_	UE 1	5		-	C F	4
1, 200 1				1	•	9	7 20 5	•
1000 0.0			ត			· c	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
1			211-16	ຄ		i =	811.18	1 2 7
100 6.9 2.96 6.0 6.79 6.00 6.79 6.00 6.79 6.7			2. 36-16	ຄ	•	7	2 22 2	6
1,000		_	2	ຄ	:	•	2. 75-16	ន
1730 3. 2. 27 175 16. 5 19. 6 19.		_	3	ຄ	1	i sõ	3, 65-16	ຄ
1000 1, 70 1, 70 1, 10			711-1	ຄ	ı	ລັ	3, 61-16	ຄ.
1030 2.9 2.4E=17 -16.8 2.90 2.90 2.9 2.90 2.9 2.90 2.9 2.90 2.9			75-1	ຄັ	•	4	3E-16	ស
1.00			45-1	Ş	ı	ຕັ	4. 315-16	ຄ
1030 2, 7 9E-17 116 115 11			1, 36-16	<u>ت</u>	1	ü	2. 26-16	ა.
1120			76-17	-16		G	2. 26-16	ຄ
1200 1.3			E	ຄ	ı		1.16-16	-16
1879 . 8 4.0E-16 -19.0 1879 1879 . 1 6E-16 -19.0 1879 . 1 6E-16 . 1 6E-17 . 1 6E-18 .			ະ ເກ	ຄັ	ī	-	1.76-16	ຄ່
1350 -6 3 AE-16 -15 5 1375 1330 -7 6 16 15 1350 -7 6 3 AE-16 -15 1350 -7 6 3 AE-16 -15 1350 -7 1425 -7 -7 1425 -7 -7 1425 -7 -7 -7 -7 -7 -7 -7 -		<u>ධ</u>	2	ຄ	ı		1. 65-16	Ľ.
1429 1.6 2.7E-16 13.6 13.0 1429 1.8 1.		9	~	က်	1	1	1. 66-16	ស់
1900 -1, 1 3, 4E-16 -19, 9 1429 1900 -1, 3 7, 9, -16 -19, 19 -19, 19 1900 -1, 27 -1, 2 -1, 2 -19, 19 -19		-	Ħ	z)	ı	1	2. 7E-16	ຄ່
1979		_:	4	ស	i	ï	7, 31 -16	ဂ်
1650		_	벟	ກັ	1		51-3C	ń
1723		ci		ຄ	1	Ci	76-1	ຄ
1000		0		ຄ	ı	ģ	56-1	ស៊
1078		ຕ່	3. 16-16	3 .	1	ų	26-1	4
1930		٠.	5. DE-16	ຄ່	ı	ដូ	26-1	4
2020 19.4 9.45 19.5		-	C-11	£.	1	ဂုံ	36-1	÷
2100 1, 3E-16 19, 9 1, 2E-16 19, 9 1, 2E-16 19, 9 1, 2E-16 19, 9 1, 2E-16 19, 10 1, 2E-16 19, 10 1, 2E-16 19, 10 1, 2E-16 19, 10 1, 2E-19 14, 10 1, 2E-19 14, 10 1, 2E-19 14, 10 1, 2E-19 14, 10 1, 2E-19 14, 10 1, 2E-19 14, 10 1, 2E-19 14, 10 14,		ຄ່	3. 4E~16	ກ່	ı	ဂုံ	1-12	÷
2230 -6. 0 1.56-16 -19. 0 -19		ຄ	1. 36-16		1	ពុ	25-1	÷
2230 -6. 6 3. 48-16 -15. 5 -15. 5 -14. 2250 -4. 0 9. 18-15 -14. 2325 -7. 7. 98-16 -15. 1 -14. 2325 -4. 0 1. 38-15 -14. 2470 -7. 7 28-15 -14. 2470 -4. 7 28-15 -14. 2470 -4. 7 28-15 -14. 2470 -4. 7 28-15 -14. 2470 -4. 7 28-15 -14. 2470 -5. 7 28-15 -14. 2470 -5. 7 28-15 -14. 2470 -5. 7 28-15 -15. 2470 -5. 7 28-15 -15. 2470 -5. 7 28-15 -15. 2470 -5. 7 28-15 -15. 2470 -5. 7 28-15 -15. 2470 -5. 7 28-15 -15. 2470 -5. 7 28-15 -17. -16. 7 28-15 -17. -16. 7 28-15 -17. -16. 7 28-15 -17. -16. 7 28-15 -17. 2470 -5. 7 28-15 -17. -17. 2470 -5. 7 28-15 -17. -1		á	1, 56-16	ຄ	:	41	9E-1	÷
2525		j	Ę	3	ı	4	16-1	4
2325 - 2400 -7,7 2E-15 -14,7 2,1E-19 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-15 -14,7 2,1E-17 -15,7 2,1E-17 -15,7 2,1E-17 -15,7 1,1E-17 -17,1 2,1E-17	_	7, 96-16	ξ	1	4	36-1	ë	
2475 -8 3, 26-19 -14, 5 2400 2475 -4, 9 6, 96-19 -14, 6 2520 -8, 2		~	26-13	خے	1	1	15-1	4
- 2530 -8 2,7E-15 -14.6		0 1	J. 2E-15	ë	1	4	76-1	ë
- 2625 -6.3 2.7E-15 -14.6 2 2625 - 2700 - 2.2 9.3E-17 -15.7 2700 - 2.2 9.3E-17 -15.7 2700 - 2.2 9.3E-17 -15.7 2700 - 2.2 9.3E-17 -15.7 2700 - 2.7 9.7 1.2 2700 - 2.7 9.7 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2		0	2. 7E-15	ď	1	ភ	71:32	÷
2700 -0.9 2.26-17 -16.7 2700 -2.2 9.36-17 -15. 2700 -2.2 9.36-17 -17. -17. 2700 -2.9 -6.9 16-17 -17. -17. 2775 -2090 -7.9 6.76-18 -17. 2825 -10 2.96-17 -16.5 2925 -3000 -9.9 9.86-18 -17. 2925 -3000 -9.9 9.86-18 -17. 2920 -3.9 9.86-18 -17. 2920 -3.9 9.86-18 -17. 2920 -3.9 9.86-18 -17. 2920 -3.9 9.86-18 -17.		ö	2. 76-15	نے	1	ų,	15-1	ຄ່
- 2735 -9,4 1,7E-17 -16 0 2700 - 2731 -6,9 1E-17 -17 - 2750 - 2920 -7,9 6,7E-19 -17, 2745 - 2920 - 2,9 6,7E-19 -17, 2925 - 10 2,9E-17 -16,5 2925 - 3000 - 10,1 1,1E-17 -17 2920 - 3000 - 19,9 9,8E-18 -17,		ä	2. 2E-17	á	t	-6.	1-30	91.
- 2000 -9,7 0,26-10 -17,1 27/5 - 200 -7,9 6,76-10 -17, 7 2020 - 20,0 4,26-10 -17, 2000 - 20,0 4,26-18 -17, 2000 -10,1 1,16-17 -17		ς.	1.76-17	J	i	j	16-17	-12
· 2925 -10 2.9E-17 -16.5 -17. 2925 - 3000 - 19.9 9.8E-18 -17. 3000 -10.4 1.1E-17 -17		ċ	2E-1	Ľ.	1	``	75-1	ĸ
3000 -10.1 1.1E-17 -17 -17 -17 -17		-	1-3/	'n.	ı	Ġ.	26-1	
		-	16-1	_	ı	q	1	

WEMR 770329 1800 MBT	TUM 0 055077 RWUM	
NDISE LEVEL 4.0001 1AS * 120 MPH ALTIMETER SETTING * 29 79	NDISE LEVEL " ,00007 [AG " 130 MPH ALTIMETER BETTING " 129,9	
HEIGHT (M AOL.) T CNR LUGIO CNR	HEIGHT (M AGL) T CN2 LGG10	CND
130 13 13 13 14 15 -15	1 300 10 6.888-16 -139.	£.
- 200 11 9 1, DE-16 -1	- 375 9 3 3, 1E-16 -15,	Ð
- 300 11 P 1, 1E-16 -16	- 450 B.7 1. BE-16 -15.	0
- 375 10 6 0 3E-17 -16	- 525 G. 1 4.9E-16 -19.	ი :
10 1 10 1 10 10 10 10 10 10 10 10 10 10	1 000 /, / 3, 4E-16 -19, / 15,	ຄະ
19 9 B B CO CO CO CO CO CO CO CO CO CO CO CO CO	9)
- 675 7 9 B, 2E-17 -16	- GRU 6 N NE-16 -19.	^
- 750 7 3 9,9E-17 -1	- 700 5.0 3.0E-16 -15.	4
- 025 6.9 1.9E-16 -1	- 975 5 3, 1E-16 -15,	ຄ
- 900 3,7 1,4E-16 -15,	- 1050 A. 5 5E-16 -15,	ຕ
- 975 5 15-16 -16	- 1125 J. O 9, 7E-16 -15	
- 1050 4 6 1, 2E-16 -15,	- 1200 3.4 5.4E-16 -15.	ຄ
- 1125 A. 1 2. DE-16 -19.	- 1275 G. 1 5, 9E-16 -15,	£.
- 1200 3 7 2E-16 -19	- 1330 2.7 U. 4E-16 -15.	-
1 12/3 3 1 2 46-16 -13	1 1420 2. 5 7. 2E-16 -15.	٦.
1 1300 K. S UKTIS 110.	1 1200 H; 1 12, /2110 H[c.	ე -
1 1900 1.9 1.46113 1.1	- 1570 7. G. 6E-1G +2	
1.070	- 1725 - 6 1.18-17 - 17	•
- 1650 . 7 1, 9E-15 -14,	- 1800 - 6 1.3E-17 -16.	s
- 1725 6 1. 4E-16 -15.	- 1875 9 BE-10 -17,	
- 1800 6 6.2E-17 -16.	- 1950 -1, 4 2, BE-17 -16,	ş
- 1675 -1 2,06-17 -16,	- 2025 -2 GE-10 -17.	
- 1950 -1, 6 3, 7E-17 -16,	- 2100 -2.5 1.36-17 -16.	٠ ئ
1 2025 12, 12 3, 56117 116,	- 2175 - 3 4.26-17 - 16.	~ (
1 2100 12, U / 7211/ 116,	1 16	មេត
		4 (
1 2223 14 A Minist A 11 11 11 11 11 11 11 11 11 11 11 11 1	107	3 6
1 2000 US 1 2000	1 2555 - 15 9 5 DE-17 1 1 7 1 7 1 1 7 1 1 7 1 1 7 1 1 7 1	o e
- 2475 - 5 D 1. 46-16 - 19.	- 2629 -6.1 3.6E-17 -16.	• ◆
- 2000 -6, 1 0, 06-16 -15,	- 2700 -6.4 1.16-17 -17	
- 2625 -6, 3 1, 0E-16 -15.	- 2775 -6.6 1, 36-17 -16.	c
- 2700 -6, 5 3, 36-17 -16.	- 2000 -6.0 2E-17 -16.	~
- 2775 -7, 2 4, BE-17 -16.	- 2925 -7.2 3.5E-18 -17.	ຄ
- 2850 -8,1 1.3E-17	- 3000 -7.3 1.8E-17 -16.	^
- 2923 -9 B. 4E-17 -16.		
- 3000 -9, 9 1, 9E-17 -16.		

WBMR 770330 1200 MBT	NDIBE LEVEL # .00007 IAS # 125 MPH ALTIMETER SETTING # 30.12	HEIGHT (M AGL) T CN2 LOGIO CN2	20 C				1 200 10 7 45114 15	- 600 10, 1 4, 6E-16 - 15.	- 679 9.3 5.06-16 -15.	- 750 8,4 4,7E-1415.	- 825 7.3 2.9E-16 -15.	- 900 6,7 3,BE-16 -15,	- 975 6, 1 1, 6E-16 -15.	- 1050 5, 5 7, 7E-17 -16.	0 - 1125 4, 8 3, 4E-16 -15,	- 1200 4,2 1,4E-16 -15,	- 1275 3,4 3,3E-16 -15.	- 1350 2.7 3E-16 -19.	- 1420 1,9 1,5E-16 -15.	1, 3 9, 2E-16	- 1575 - 2 9, 4E-16 -15	878 1630 1.6 5.1E=16 13.	600 = 1740 = 6 3. Br=16 = 10.	- 1800 -1 7, 4E-16 :15,	201 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 2020 - 2 7E-16 - 1	- 2100 -1.9 3.76-16 -15.	-2 1.7E-19 -14.	- R250 -2.4 R. 4E-16 -15.	- 2325 -3, 3 4, 1E-17 -16.	- 2400 -4, 1 1, 1E-16	- 2475 -4.6 BE-16 -15.	-4, B 1, 1E-15 -15	- 2625 -4, J 3, 9E-16 -15.	- 2700 -4, 6 B, 1E-17 -16.	15, 1 2, OE	- 2050 -5, 5 4, 0E-18 -17.	- 2725 -6 3, 65-18 -1	- 3000 -6.3 4.5E-18 -17.
		LG010 CN2	-		ລິ		-15, 9	_	-16 1	-	_	-	_	4	ຄ່	ត់ ៖	ភ :	1	ດ .	÷ ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	. ·	1.0.0		-16.6	S	•	-16.9	e i	-17.4	7.		┥,	٠,	ν.		2	-		~
900 MBT	90	สพอ	. 7E-1	36-1	1. 65-16	1. 45-16	1. 25-16	3	ដ	7	7 96-16	2. DE-16	7. 65-16	=		2 :	7. UE - 10	0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	21.10	3, 75.17 A 001.14	01.10.0	3. 15:17		2. 4E-17	ü	2. 35-17	យ	2	넑.	01-3G	2 1	D1 - 25 . D	יוני בייני עני בייני			1. 55-10			りてしばついま
770330	CL = .00002 MPH SETTING =	M AGL) T	7.	~	7	~	0 %	ð	ស់ :		₹ •	e (ni e	. ž. 1		.i .	. C	. <	1	7.5				1079 -2.2								1	!) £	3	0 4	j 4	4 0	l
WEMR	NDISE LEVE IAS = 120 ALTIMETER	HETOHT (1		1		1	1	1	1	1	1		•		•			•	•	•	•	•	•	900	075	•	0.00											200	

770CI30	1000 MST		WSMR 73	126077	O MST	
NDIBE LEVEL * .000C IAS * 120 MPH ALTIMETER BETTING *	os • 30 01		NOISE LEVEL * 1AS * 130 MPH ALTIMETER SET	. 0001	30,05	
HEIGHT (M AGL) T	3NO	רסטוס כאש	HETOHT (M AGL)	÷	Çız.	10010 CN2
130 - 828	7 2,26-16				6. 26-16	
300	1	. E	300 - 378	12, 0	ī	1 1 1
- 378	ď				36-1	
430	ë		ı	_	1-30	7
223	1.35		525 - 600	12, 3	2	
009 -	4 2 65-16	6	ı		1-36	
00 - 675		-5	i		16-10	-
730	ď	\$ 27 I	?	_	3, 76-16	
- 023		ຄ	ŧ	01		
00%	5 1.3E-16	2 211	:	9. 1	2. 46-16	ຄ
975	,		1			-13.7
1030		116. 3	1	υ. 1	1. 6E -16	
- 1123	3 AE-17	Ð	1	ر د د	1E-16	-16
- 1200 7		-16.1	1		9. SE-17	-16
- 127% 6.		-16. 9	ł	ۇ. ئ		-16.8
- 1350 6.			ı		. OE-1	_
- 1425 5.			ı		1. 3E-16	-15.0
- 1500 4.		-16.9	ŧ		76-1	
- 1573 4		£	ŧ		36-1	_
- 1630		s?	1		7E-1	-1.
		-15 6	1725 - 1800		9.16.10	-17
- 18º0 2.		2 .011	1		36-1	
- 1075		ဂ	ı		45-1	-16.9
- 1950	0, 36-17	-16 1	1		3E-1	-18.4
- 3025	16-16	-16	1	1.6	75-1	-
1 2100	B 4E-17	-16.1	4	-	16-1	
- 21/3 -	36-16	-15.7	1	- i	1-36	12, 3
1 8950		-16.3	ŧ	٠ ا	36-1	5
* 8093	AE-16		1	r i	뿔	
: 2400 -2.		123 0	•	-1.6	12-1	16.
. 2475		571	ŧ	i G	-17	
- 25503.		115, 23	ı	1. 13.	36-1	
. 2625 -0.			1	ر ن د	26-1	
- 2700 -4.			1	ا ق م	. Till .	-16.7
- 2775 -4.		-16.7	1	र : र ।	- H	9
- 2050 -4.	25-17		200 - 2923	2. ¢	75-1	
. 2923	1.75	-16 @	ŧ			
925 - 3000 -5.	1.36.1	•				

TOD 150077 NABH	WBMR 770331	331	1100 MBT	
900	EL 3PH	õ		
ALTIMETER DETTING - 30.02	ALTIMETER BETTING	5	30, 02	
HISTOHT (M AGL) T CN2 LCG10 CN2	HILLOHT (M AGL)	}-	a Z O	L0010 CN2
- 116-15 10, 9 1, 18-15 1	150 - 825	19.23		
- 300 10, F 8, 8E-16 -1	1		2E-1	
370 10.0 2.36-16 -15.	1	ຕ	2 76-16	Đ.
450 10,3 5,317-1615,3	1	ď	9E-16	ຄ
525 10 0,7E-16 -15,	1	.	1, 75-16	
400 9,7 1,011-10 -14,7			0, 4E-16	ភ :
673 9, 22 4, 66-16 -15, 3		<u>.</u>	31 - 3C - 5	2 5
700 E. 9 O. UET. 7 1 6. 1	250 I 250		26-16	100
	•	. 3	551	4
6.25 S. 1.2 S. 1.2 S. 2.5 S. 2			1.02-15	4
1000 6.9 6.06-1615.7				
1125 6,7 2,18-17 -16,7		7.9	46-17	Ġ
. 1200 6.6 56~'7 ~16.3			3. 7E-17	.j
1273 6.6 3.31-17 -16.				j,
. 250 6. 5 1. 26-16 -15.				j,
1. 1. 20 0 7. 00. 17. 17. 17. 17. 17. 17. 17. 17. 17. 17			3. UE-17	e e
				: : :
1070 4:0 1.05-10 1.05-			2. 36-17	ð
1725 0.8 2.86*17 16.	1650 - 1725	က (၁	1. 36-17	-16.9
1- 01-10 0 0 001.	-		1. RE-17	÷
. 1075 2.3 1.76-17 16.8			D. 316-10	ς.
1950 1,7 3,78-17 -16.4	-	 	A. DK-10	<u>۲</u>
7.02. 1.0 28-17 -16.7		-		
) E		ó s
1	-	i i	1, 60-17	_
. 2000 - 5 0 0 0 0 - 16. 6				~
- 2400 - 9 1, 7E-17 -16.B	-			ĸ
- 2475 -1.3 16-17 -17	-			÷
- 2550 -1.7 6.6K-10 -17.1	-	ψ: •	5, 04-10	
- 2625 - 12, 2 68-17 - 16, 2				j:
10.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0			7. 16-17	\ :
n o	27.00 = 27.75	- n	20.00	17.0
1 2 1 2 1 2 1 2 1 2 1 2 2 2 2 2 2 2 2 2				
2,742		-	1. 45-17	
				2

	벑		
	IRO MPH ETER DETT	6 79	
COSTO CNS	HEIGHT (M ACL) 1	ans	L0010
: : : : : : : : : : : : : : : : : : :	11 220 11	1-36	-
ē		1.16-16	-12
0	- 378 10	1-35	
\$	450	1 4E-1	7
27	30 - 525 G.	7	ŭ
	009 =	ä	-
	- 675	E-16	71-
2	- 750	7	
2	1 625 3	1.311-16	n
-16 3	1 900	1 311-16	
ઝ	4 975	1-11	S
2	• 105¢ 3.	-	ຄ
3	1050 - 1125	1. 56-16	-13. E
<u> </u>	- 1200 22.	. 26-1	<u>د</u>
٠.	- 1275	1. 16-16	•
	1350	3E-	Š:
	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	01-70 1	ភ័រ
	2 1 2007 1 COX	76:10	: C
3	0000	76-17	5 2
2	17.55	2. 41-14	: =
	- 1000	1	53
2 21-	- 1075	2. 46-15	÷
ş	- 1950 3.3	1.26-15	<
	- 2025 -3.0	1. 26-15	4
0	- 2100 -4.3	7E-16	ត
-16.7	- 2175	2 -12	÷.
	- 2250 -5, 1	27. 16-15	e .
ā	1 2020 10 to	1. 46-15	<
•	- 2400 b. B	1. 36-16	છ
2	- 2475 -6.1	5, 16-17	÷
Ş	- 2550 -6.4	3U-16	ຄ
2	4- 9676 -	2, 75-17	÷
16.	- 2700 -7. 5	1. AE-17	-3
	20.40	35117	5 <
5	0000	٠,	ž 5
-	2000	*	
•			

All the Constitution of the Continue of the Co

MBMR 770402 0 MBT	SOADY SHIP	1200 MBT	
NDIGE LEVEL + 00002 IAN + 120 MPH ALTIMETER BETTING + 29 03	NOIBE LEVIEL " . 00000 IAB " 120 MPH ALTIMETER BETTING " .	29 84	
HIGIOHT (M AGL.) T' CHE' LUCIO CNE	HIETOHT (M AOL) T	CN2 C0010	10 CN2
37 - 51 - 51 - 51 - 51 - 51 - 51 - 51 - 5		36-16	
3/ 6 /	3 - 300	A 200-13	4.4
01- 71-110 C 7 CCC .	- 375 9.	UC -18	4, 6
GI 71-112 & G 7 009 -	- 450	28-16 -1	ນ
- 675 5.6 3 9E-16 -15	- 525 - 525	1- 91-31	ຄ
21. 91. 11 11 1 10 062	2.	211-16	ត់ :
1. 01. 01. 0 v v v c. 01. 01. 01. 01. 01. 01. 01. 01. 01. 01		1- 91-36	ត់ •
	250 1 700 6. s	1 01-11-1	> <
101	- 900	15-16	5
01 - 91 - 90 '9 CC	- 975 A.	71-16 -1	ຄ
G1- 91-30 G V 1 0021 -	75 - 1050 3.	20-13 -1	ຄ່
- 1275 . 0 9.06-16 -1	1123	1- 91-119	გ. გ
- 1050 - 1 0 7E-16 - 15.	125 - 1200	1- 91-10	က် :
1 1 4 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200 - 1275	6E-16	ត់ :
1:		1	n e
1072 - 10 1 66-16			
01: VI-10 1 25 0001 :	1200	7- 01-37	
61: 31-36 1 6 6- 0001 -	- 14:501.	1- 91-36	n
- 1070 -4 1 1,011-19 -14	- 1725 -2.	4E-151	æ
- 1950 -4, 9 3, DE-14 -15,	1000	52-16 -1	ສ່
- 2030 - 19, D 1, 9E-13	1070	1-12	÷,
3030 3100 10 0 411 10 0 0	6 '6" 0000 I 0000		₹ C
71 01-12 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2100	01-10	n
- 2325 -7. 3 1. 06-11.	Ť	DE13	÷
- 3400 -7,7 3,26-10 -1,	1000	-16 -1	
- 1474 -7.9 9.50-10 -1	: 2022	-16 -1	: :
- 24'10 -0 -0 2 611 ·17 -16.	2400	1-18 -1	-
- 2625 - 0 3 3 (7-17 -10 -10 -10 -10 -10 -10 -10 -10 -10 -10	- 2475	1-16 -1	٠ 0
- 2700 -0. A 3K-17 -16.	2020	-12	
= 2775 = 0 0 0 0 = 17 = 1	10000	1- 21-12	٠ د :
1 2000 -0. 0 20117 116.	00/11	- 71-37	-
- 2002	5//2	011	÷ :
. 2000 -0.3 3.76-10	0000		 ດ໌ -
			7 3 6
	200	7- 01-91	i

WEIGH 270403 O MET NOISE LEVUL W. 00002 IAS W 130 HPH ALTHETER SETTING ■ 29 76	HEIGHT (M AGL) T CNR LOOIG	(M AGL) T CN2	10.7 4.511-16 -1	- 375 10, 8 5, 316-16 -1	73 - 430 9.8 1.68-16 -1	- 22a C. 9 1, 4E-16 -1	20:-16 31:-28:-16	1 200 1 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	- 023 6.0 5.6K-14 -1	6.0 3.01-16 -1	" 975 5.7 3.6f-16 -1	1000 5, 1 3, 48-16	1123 4. 5 3. 36-16 -1	1 1200 4, 1 0, UK-16 11	1 1000 001 1	- 1425 1.6 4.211-17 -1	- 1500 .9 2.12-17 -1	71 1,001 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1 1000 I. O. I. O. I. 1201 I. I. O. O. I. I. I. O. O. I. I. O. O. I. I. O. O. I. I. I. O. O. I. I. I. O. O. I. I. I. O. O. I. I. I. O. O. I. I. I. O. O. I. I. I. O. O. I. I. I. O. O. I. I. I. I. I. I. I. I. I. I. I. I. I.	1000 -1, 5	- 1075 A. 211-17 -1	1 1980 -2 5 46-17 -1	-0. 3 C. OK-10	1 2175 14.7 1.01112	- 2250 -3, 1 9, UK-10	- 2025 -0,7 1,5E-17 -1	- 2400 -6.2 4.6E-17 -1	- 2478 -6.0 4.0E-17 -1	- 2000 -7. H 2. 66-17 -1	- 2625 -7.3 5.0K-17 -1	- 2700 -7.: 1. BE-16 -1	-7. 3 7. DE-17 -1	1 32 5 5 VI
	S	CN:																															
	רטסוט כ					2	₹ € •		: -2	: -5	•	÷			2 -5	÷	Š	-16.1	ē ∹	200	-16.1	-		i <	100	5		<u> </u>	=	<u>=</u>	2	5	1
1000 MM1		70010	21. 71.36	31- /	71. 91.	11-17 -16	91-12	01 - 01 - 17	21- 21-32	91- 11-11	91- /1-39	91- 21-39		01:-17 ::16	01- /1-30	71:-17 -16.	5g-17 -16.	7117	01:17 110.	2 2 2 2	16-17 -16.	1-16 -1	91 21	71-17	-17 -16.	36-16 -19.	6 -15.	31-16 -18	35-16 -13	" 6E-16 -1"	3E-17 -16	. CI- 01-3C	77.
770402 1980 MM1 FL + 00005 MPH BRTTING + 29 72	01007	1 cmb Ldovo	61- 71-35 C 6 b1	14 3 4 36-17 -18	71. 91.31 6.61	13 6 43-17 -16	12 2 2 2 10 11 10 11 10 11 10 11 11 11 11 11 11	10 1 28 - 10 11 11 11 11 11 11 11 11 11 11 11 11	51- 21-12-12-12-13-13-13-13-13-13-13-13-13-13-13-13-13-	9 3. 211-17 -16	0, 6 2 66-17 -16	7 6 0 66-17 -16	7. 4 0.08-17	6 6 0 0k=17 ::16	0.1	A 2 5.711-17 -16.	3, 2 5, 6g-17 -16.	91- 21-30 9 6	10. CE:17 110.	01: 91-10:4 C	6 7. 411-17 16.	1. 14-16	91: 41:19:6 4:11	12 0 2 251 2 1 1 2	-3 4 011-17 -16.	-4 1 1. 3E-16 -19.	4. 9 2. 16-16 -15.	-0 6 1 211-16 -19	-6 2 2 2E-16 -15	-6. 0 1. 6E-16 -1"	-7 4 3 2E-17 -16	-7, 9 1, 36-16 -19.	11 6

Terreta principal de la light


MUPIN	270403	500 MUT		WEFF	770404	TON HOT	
אסומת רתאתו	G-71 CC '1	•		NOTER LEVEL	EL ™ . 000025 MPH	ຄ	
ALTIMETER OFF	11N0 1	ಬಂ ೦ಬ			DETTING *	29, 97	
A M) THOISH	AOL) T	CND	L0010 GN2	HEIGHT CM	ר (יוסע	CND	L0010 CN2
•		0.08-16		•	~		-17
•		=	9	1	ci	1.74-16	_
4	-	25:10	-	1	ci	1-11	
220 : 222	i e	1 46-16	-	450 - 525	J. 1	6. RE-17	-16.2
ı		1 - JO	- CI-	:	દક	1-30	ś
:		34-1	5			1-19	
1		1-1C				76-1	ડં
1		1-316	_			7	હં
:	. 7	1-11	_		1	7-30	Ġ
i	ı		< 0.00 ×		•	1.75-17	ઝ
1	1	78-1		-	^	211-110	Ġ
٠:		1.45-16	÷ 50	ŧ	32 22	75-1	ડં
:	· 1	7. 011-17	1.16. 1	1		20-1	á
ŧ	7	4. DE-17	116, 4	1200 - 1275		2. 9E-17	-16. 5
3	7	2, 16-16	113, 7	ŧ	ប៉ុ	712-1	÷
1		1. 31-15	414.9	ī	Ť	1-31	ō
1	ţi 1	91-110 8	-15. 4	1	٠ ١	75-1	ż
1	ij	1.611-16	5	:	ទ	12	ર્ગ .
ī	ប៉ុ	4. DU-16		ı	ij.	- W	÷
1	ç	1.24-16	-	1	-6.	16-1	ö
i	Ţ	2. 411-16	9.61.	1	Ī	76-1	-13.G
1		3. JE . 16		1	, ,	1. 45-16	-13.9
:		1. UK-16	٥ : ١٥ -	ı		1. 40-17	ż
1		C. 1G-17	-16, 1	•	ę	75-1	-16.0
2		묽	6,51	i	ė	26-1	ဂ
I	9-	ដ	-17. 6	i	Ş	3E-1	-16.1
1		6, 25-10	-17.2		9	100-10	-1.
ŧ	-	3	91-	1	6	1. 20-17	-16.9
1		Z	-15. C	1	2,7	1. 16-17	-17
3	ģ	2. 76-17	Ġ	•	6	4.011-17	છ
ŧ	Ö	뜅	Ġ	1		75-17	Ĵ
1		불	-16. 2	2550 - 26	0 1	- i	Ľ
1	Ģ	7		ı	-10	<u>م</u> . و	
i	ş	2. 78-17	j	ı	1	2, 10	J
1	0	1-DG		1	-11-	-30	ā
3		1-110	÷	2000 - 0002	22 -12	76-1	-16.0
2925 - 2000	07-	2. 26-16	-15,7	1	7	7. 40	~

WBMR 77	770404	1200 MET				
NOIDE LEVEL +	F90000	-		NOTER LEVEL #	000000 TUND FIELD	
7 1 68	11NO +	.0 OC		- E	No - 30.02	
HETONT (M AGL	-	CN.	1,0010 cm:	HILLOHT (M AGL)	CNS	LOGIO CN2
0 - 73	7 01	T uc.				
_	9	1.31.		62 - 0	. 7 5. 9K-1	
			~	ï	1, 70:-1	5.
,		01-3	P -:		4 2 1. 311-1	3
•		200			3. 6 2. 61-1	9
•		- 29	ຄວ		2. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.	ġ.
0000	ə c	0 7 1 1 1 C			_	- 5
,		בר ה) ភព		1 . B. C.	2
	G.	6E-1	- C		0. A 6. UR-1	2
,		1-116	3		9 3.74-1	č
		31:-1	4.9		911-1	50.
		76-1	5 4		1-39'1 9'	5
	~	2		47.5	-30 7 6	<u>.</u>
1		-	\$ -	_	1-11-1	9
ŧ	- -	9	÷ .		1-36-1 9	ន្ន
ī	ລ - ເ		\$ ·			<u>.</u>
	9		* -		*	<u> </u>
1	< 1		• ន		7-20	3
1	-	91.36	-13 7		26-17	-16.7
1	ä	1.16-16	-16		= G	Q
2	U	O, 6E-17	-16 1	•	2 2 16-1	
:	-2.7	3E-16	113 7		5 46-17	S
	ព	- L	0 41		1-30 C	9:
		01120		. :	1. Off 1.	
2002 : 2100	, i,	3 411-17	- 0 - T	1950 - 2025	- 9 7 3E-17	10.0
:		?	-0	1	1.3 14-16	9
•	9 4-	5 111-17		1	1.8 4.16-1	
1		0 : J		ŧ	2 4 1.96-1	~
:	হ ১০ -	-	£ .	ı	2. 2. 2. 7g·1	
		7		1	2. 4. 5. 7E-1	0 1
•	_		. :	1	1. 1. C	2 5
: ;	3 ? ? !		2	1		į
•	7 7 1			. 1		
<u>.</u> .	` ;		. 6	. 1		5 5
	- :					
, :			: :	1		<u>i</u>
		• •	5	ı	-4, 0 6, 26-17	6.0
					i	


		1.0610 GN2			3-		-13 5	~15.6	97.	2.0	-16,3	-16	-16, 1	-16.6		_	٠.	-16. 5	_			2	-	٠٠٠ ١٠٠٠ ١٠٠٠		17.1	> 0 1	_	2		-	- 12				ຄ ຄ	-18.7	-16.1	-17.2
O MB)	a	GND	21.13	36-1	1-3	14-1	16-1		- 1	: H:	1-1V	-	1-16	7:-7	. Off-1	7	1-11-1	7	1-NG	-	- 5	- H	1-5	2. 76-17		-	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2 5	77	717-1	<u> </u>	7 56-10	•	70-10	2. 5E-16	1	1-36		-36
270405	000003	r G		_	6.7				6.0	-	6 0	٠.	٠.	د	٠.	13	-		က က	ų,		٠.	٠.	e i	٥				ก หา		ถ่	r C	_		- 2.	G 7-	O .7	_	C 7
7.7	LEVEL V 120 MPH GTER BET	T (M AQL)	900	373	450	923	007	673	420	C S S S S	900	975	0001	- 1123	- 1200	. 1278	- 1330	- 1425	1300	- 1575	0691 -	. 1723	- 1000	- 1070	0261 -	20210	0012		22.00	3050 1000	2400	2475	1 1140	- 2625	- 2700	- 2775	- 2030	- 2025	
MUMIS	NO 196 148 -	HE I OHT	1000	1000	275	450	C 23 C	009	678	750	220	1006	. 279	1030	1,25	1200	127.5	13.0	1425	1 1000	1978	1630	1725	1000	1075	1930	3030		2173	220	200	2400	2475	2220	2625	2700	2772	2050	2923


THE PARTY OF THE PROPERTY OF THE PROPERTY OF THE PARTY OF


V i Alreraft radio inturforance





THE REPORT OF THE PROPERTY OF





















tion of the abstraction of the contraction of the contraction of the properties of the contraction of the co




this of the three could be the transfer of the














The control of the co
















Commission of the Commission o


























































The second of the second secon































A THE REPORT OF THE PROPERTY O
















































































































William and the Whole and the control of the contro





When the substitution is the state of the substitution of the subs

APPENDIX B

DATA EDITING

With respect to measurements of optical turbulence, two types of editing were employed - objective and subjective. The objective editing was concerned with the effect of the towers on the measurements, continuity problems, and power surges. Data deletion was by statistical analysis through appropriate programming. The subjective editing centered on meteorological phenomena and was edited out of the final plot after a thorough analysis of the objectively edited data.

Tower Effect

Turbulence sensors were mounted at approximately the 9 m and 33 m levels of the towers at the LSTC and Apache Site (Fig. 3). It was felt that the tower would have little effect on the measurements at 33 m, but the measurements at 9 m should be edited for tower shadow effect.

Figure Bl shows the orientation of the wind and turbulence probes at the 9 m level at Apache Site. The direct tower effect angle thus ranges from 90° to 155°. Ten degrees was added to either side of the sector to act as a safety factor against tower boundary effects.* Thus, for each 10-second average of C_{-}^2 , the corresponding 10-second average wind direction was examined. 'If that wind direction fell between 80° and 165°, the C_{-}^2 value was eliminated from the data set. As noted in Table 7 there were a maximum of 90 ten-second average data points in a given 15-minute average of C_{-}^2 which was plotted as C_{-}^2 . If the elimination of the data effected by the tower resulted in less than 30 data points in a given 15-minute period, then the 15-minute average was eliminated from the daily plot.

Probe Problems

Another source of error resided in the probes themselves. For example, a probe may be broken and not making contact, or it may be broken and making sporadic contact. In the former case, the signal will be low and exhibit very little variation. In the latter case, the standard deviation of C_1^2 will be quite large. Both sources of error were corrected through statistical procedures.

^{*}The same direction criteria were applied to the LSTC data.

APACHE SITE METEOROLOG!CAL TOWER 9m LEVEL




Figure Bi. Orientation of the wind (W) and turbulence (T) probes at the 9 m level of the 33 m tower at Apache Site.

Power Surges

A third source of error is that represented by the effect of power surges. Any 10-second average C₁ value greater than four standard deviations away from the mean was eliminated from the data set.

Heteorological

The last source of potential error which was treated - meteorological phenomena - was handled subjectively. After the objectively edited data had been tabularized and plotted by day, the data were subjectively analyzed. The question to be resolved was what, if any, meteorological phenomena could cause significant (greater than one decade) short term variations in $\mathbb{C}^{2}_{\mathbb{R}}$? The analysis hinged on:

- (1) Wind direction as f(time)
- (2) Standard deviation as f(time)
- (3) Lapse rate as f(time)
- (4) Temperature as f(time)

If the significant short term changes in the 15-minute averages of $C_{\tilde{1}}^2$ were not meteorologically interpretable, then they were deleted from the data set.

The sind data were not edited.

pliked deligation of the production of the contract of the contract of the production of the contract of the c

APPENDIX C

TURBULENCE SENSORS AND THEIR CALIBRATION

The turbulence sensors used in this experiment incorporate coiled 8- to 10-micrometer diameter tungsten filaments from Westinghouse and General Electric 3-watt, 120-volt light bulbs as the temperature sensing elements. These sensors operate in a differential configuration with a 20 cm vertical separation. The electronic circuit uses a direct current bridge with 500 micrommperes flowing through the probes. The voltage variations across the filaments are amplified about 3000 times by a differential amplifier with a frequency response which is bandwidth limited between 0.016 Hz and 750 Hz at the half power points. The amplified voltage fluctuations feed a root-mean square (RMS) module which has a 10-second averaging period.

At a typical gain setting where a 1°C peak-to-peak temperature fluctuation corresponds to 2 volts peak-to-peak in the RMS module, the sensor package has a C_1^2 dynamic range from the noise level of approximately 4 x 10^{-17} m^{-2/3} to the enset of electronic clipping at about 4 x 10^{-12} m^{-2/3}.

Tungsten filaments are used instead of fine platinum wires to achieve an acceptable probe lifetime. Under typical weather conditions with no precipitation, a tungsten filament probe life of one week is realized. Under similar conditions the lifetime of a 1-micrometer platinum wire would be measured in hours.

The use of the 8- to 10-micrometer diameter tungsten probes reduces the high frequency response; however, in practice this does not appear to be significant since the spectrum of C_1^2 (C_1^2) encountered in the atmosphere has most of the energy at low frequencies. This is demonstrated in Fig. C1, where two equivalent turbulence sensors with different probes are compared. One device used 1-micrometer diameter platinum probes as a reference standard. The other instrument used the 8- to 10-micrometer diameter 3-watt to 126-volt tungsten filament probes. The systems were operated with a basic vertical probe separation of 20 cm; however, the two instruments were moved so that corresponding probes were within 2 cm of each other.

The system's calibration depends upon the temperature coefficients of resistance for the probes. The temperature coefficient for the tungsten filaments was measured as 0.00423 = 0.00001 ohm/°C although some lots were 0.00443 = 0.00001 ohm/°C. The platinum probe temperature coefficient was measured as 0.00385 = 0.00001 ohm/°C. As can be seen in Fig. C1, the tungsten sensor response was about 5% higher than the fine wire platinum response. This difference was within the experimental error. A dynamic calibration with an oscilloscope was used and this limits the

annual de compression de la compressión de la compressión de la compressión de la compressión de la compressión




Figure Cl. Comparison between turbulence response for two equivalent systems with different probes. The abscisssa represents the response of a 1-micrometer diameter platinum wire probe while the ordinate represents the response of an 8- to 10-micrometer diameter 3-watt to 120-volt tungsten filament probe.

calibration accuracy to 2 to 3% per system. For the 20 cm separation used for these sensors, the tungsten filament measurement accuracy does not differ significantly from the results with the 1-micrometer platinum probes. The absolute accuracy of the turbulence sensor can be estimated from this comparison as $\pm 5\%$ for C_T (C_N) or $\pm 10\%$ for C_T^2 (C_N^2).

APPENDIX D

ADDITIONAL PARTICULATE INFORMATION 16-19, 23 March 1977

Prior to the 24 March to 8 April 1977 sampling period, particulate size distribution, windspeed, and relative humidity measurements were made at the Arky Site. The resultant graphical depictions of extinction coefficient, windspeed, and relative humidity are shown in Figs. D: through D10.

Tabular listings of the size distribution, extinction coefficient at λ = 1.06, λ = 3.8, and λ = 10.6 and mass loadings are covered in Table D1.




Figure D1. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06$ µm, $\lambda=3.8$ µm and $\lambda=10.6$ µm for Arky Site, 16 March 1977.




Figure D2. Diurnal variation of windspeed and relative humidity, Arky site, 16 March 1977.




Figure D3. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 17 March 1977.

Havin and the control of the control




Figure D4. Diurnal variation of windspeed and relative humidity, Arky Site, 17 March 1977,




Figure D5. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu\text{m}$, $\lambda=3.8~\mu\text{m}$ and $\lambda=10.6~\mu\text{m}$ for Arky Site, 18 March 1977.




Figure D6. Diurnal variation of windspeed and relative humidity, Arky Site, 18 March 1977.




Figure D7. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Sit:, 19 March 1977.





Figure D8. Diurnal variation of windspeed and relative humidity, Arky Site, 19 March 1977.



. igure D9. Diurnal variation of the particulate extinction coefficient for $\lambda=1.06~\mu m$, $\lambda=3.8~\mu m$ and $\lambda=10.6~\mu m$ for Arky Site, 23 March 1977.




Figure D10. Diurnal variation of windspeed and relative humidity, Arky Site, 23 March 1977.

TABLE DISTRIBUTION, CALCULATED EXTINCTION, AND MASS LOADING
ARX SITC, ASHR
CHANNEL
CHANNEL

	!					CHANN	٠.	:	1	1	EXTINC	TON IPER	XX XX	S LOAD11
0 A T	3 X X X X X X X X X X X X X X X X X X X	ø.	: : : : :	1 1 1 1 1 ~ 1 1		; ; ; ; ; ; ; ;		۰	~	6	1	3.8	o •	
	HAR 77	2 6 6	;						00,		. 1		2=0	ى ى
		000	12.01	200.4.	2017	10-61	10-01		20	000	12-01			.7.
	0:16:	9	3.0	=	:	0	=	, 20-01	00.	00.	0-0	0-9	13-0	3
	101:0	0 0	0 1 0	<u>;</u>	:	10-00.	00.	00.	00.	00.	?	2 - 0	-	
	0::::	0 0	9 6 1	:	•	C	00.	00.	0:	00:	0 : 0	0 - 2 0		
	2	5.	÷ :	<u>-</u> :		-0-62.	000	000	000	200			? ?	
	0		70.0	:	: :	ۇ :	200	20-01	200	000	2 - 0	100	9-0	-
	0	90	000	: 3	0	: :	00.	0	00.	00		0 : 1	5 -0	20.
	3:10:	0 0	0 + 1	=	:	-	000.	00	00.	00.	÷	0.0	0 = 9	•
	3:11:	0 4 0	•	15.	0 • 6	10-91.	10-01	00.	00.	00.		65.0	0.00	
	2:12:	9	ė		•	•	00:	000	9	0.5		2 5		0 0
	٠ ١	0	• •		0 1		0 0	00.		00.	A .	7 1 2		•
	5	00		: ;	0 0	1 1	000	000	000				25.0	
		9 4	=						000	000		0 - 5	0-19	7
		9 9	:	Ė	0	ص	10-01	10-40	00.	00	ŧ		7-0	•
	0:12:0	0	3		0 • 0	10-44.	၁	00.	00.	00.	,		0.89	~
	6:31:0	04 0	<u>:</u>	ċ	0	Ė	10-01	00.	00.	00.		ö	0	• •
	0:14:	0 4 0	13.	77.	•		ë	00.	00.	00.	:		•	s s
~	AH 7/				:	:		- 4	Š	ć	6		•	5
	2	- -	9	٠ •	9 6	C	• •					9 9) ÷	5
		. ~	9 0	30.00				· -	00		•		•	*
	33	;	15.0	· · ·	0 • 7	•		0 • 0	00.	00.	<u>-</u>	•	0 • 0	38
	. 5	<u>.</u>	7.0	33.0	12.0	•	÷	٥	00.	00.	•	98+0	77+0	963
	3	0	0.07	33.0	0.0	÷	:	÷.	00.	00.	•) • •	0 + 2 4	200
	# ·	7 287	. 20.03	~ C · O * ·	~0·4.	10.92.	10.64	1001	0.0	0 0	0 • • • • • • • • • • • • • • • • • • •	0.0	• •	
	2 4	• ^ o e	200	200		; ;	5 -		00		•	ې	•	•
	000	. 4	20	0.0	0	. 之	. =	+	00.	000	÷	ŝ	*	385
	10	~	24.0	47.0	0 .		0 • 9	*	00.	00.	*	<u>:</u>	•	010
	07:	_	0.0	0.01	0	÷	•	<u>•</u>	00.	00.	*	ŝ	÷	328
	: 0 :	_	0.0	0.0	•	<u>•</u>	•	÷	00.	00.	÷	÷.	.	5 7 2
	: []	_	24.0	67.0	0:	:	5	÷	00.	00.	•	* 3 :	*	224
	<u>=</u>	۔ چ	2.0	•	0 0	10.46.	•	<u>.</u>	00.	00.	ò	0.		9 :
	<u>-</u>	-	0.50	: :-:	•	÷	•	• •	0.0	00.	• :	•	* 7 7	
	~	=) ;	۰ :	0	.	0	<u>.</u> پ پ	200	00:	,	•	, ,	2 6
		- ·		0 • 0 •	9 '	٠.	0 .	•	2 5	000		,	•	4 0 0
	12:	٠ .	0.10	0 • ٢ •	•	•	0	•	2 6	0.5		9 4		9 0
		- · = ·			•		• •		9	9	•	•	. 4	19262
		-	2	- -	•	_	•		•	> •	_	,	•	

TABLE DI (cont)
PARTICULATE SIZE DISTRIBUTION, CALCULATED EKTINCTIDA, AND MASS LOADING
ARKY SITE, WSMP

The substitute of the control of the

1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	:		:	:	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CHANN			1		EXTING	110M		
10 10 10 10 10 10 10 10	ATE TTM	E SAMPL TO TIME	1 1 1	: : : : : : : :		! ! ! ! ! !				: :	3	: : : : : : : : : : : : : : : : : : : :	10.6	•
11 11 11 11 11 11 11 1	7 8 8 8 7	7						: :	: :	: : : : : : : :			: :	
10.00 1.00	5:3	111 11		19+0	:			0.0	7 3		•			r
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	5:4)	:27 13		1217		31.	1203	31.00	0					
10.00 1.00	9:43	:48 20	301	17.6	7	38.6	53+0	1000	۔ ۱			. =		9
196 196	4:47	100:	32+)	12+7		24.)	39.5	1:0		60.	•	12	ċ	
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	9:44	: 44 16	370	55+0	=	42+0	53.00	100		5	27+0	15	2	
19.00 19.0	4:4	:13 13	391)	76.7	6 + 3	16.3	75+5	33 +5	ີ	60.		2		
1,000 1,00	3:3	:27 13	120	1110	3.5	# H &	1100	100		2	:		Š	17.0
1307 1307	3:33	: 34 12	? • • • • • • • • • • • • • • • • • • •	13.5	۲.	72.1	12+5	37 +3	0	00.	13.	50	27.	7.07
19.00 19.0	3.5		000	91+0	-	97+C	74+0	37+0	·	03.	37	2	-	103
10	~ 0 : 9	: \$0 53	2:	3300	÷	24+)	44.0		a	00.		=		7 4 4
10	600	0	=	3 - 4) -	200	Ç.	1 7 · C	J	ပ္သံ	24.0	. 3	12	28.4
10	70:0		•			24.0	?		C	•00	33+0	÷	ų.	312
12.00			300	0 + 6 =	•	11+0	13+0	310	J	90.	58.0	÷	33	999
		21 61:	3 + 3		٠. د	3.5	0440	21 • 5	0	00.	100	3	2	077
		32 66:	2	3	7	3 · C	32+0	U + 3 .	·	90.	200	ċ	į	3
19		67 67:		C 4 0 2		3	15+3	\$1 +3	0	• 23	0 • • =	÷	2.5	5
13 13 13 13 13 13 13 13	2:4	20 20	-	25+0			0 ÷ 0	5 7 ¢ C	c	ပ္	17+0	36	9	8
13.00							7 6 1	C+ C C	O 4	60.	0 - 2 1		9	2
727700 600						100		,	> (
71770 650	6:57	00	3300	7967				2000	ی د	55	1040	9	- 6	- t
727700	7:37	30 63	321)	67+3		48+2	A 2 + 3	13.63						
739720 655	7:17	00:	34.0	90.0	3	346	38.0	7 2 .	ď	200	27+0	9		
737700 660 -23.62 -44.61 -26.61 -47.60 -17.00 -20.60 -12.00 -11.00 -17.0	7:27	30 53	33:3	59+7	:	-	C+ 6 H	11.0	00	00.	25+0	-		
7597500 650 -25962 -44501 -3451 -34503 -12500 -500 -25960 -12500	7:37	39 00:	300	3 + E	÷	36.06	5:	16.0	20.	00.	0.0	12.	:	-
729770	7:47	20 63	~ .	2.0	3	:	43+0	12:0	C	.00	000	12	=	-
11.7:00	7:57	900	2 2 6		220	300	38.0	2 2 ¢ C	0	00.	23.0	15	:	50
112710 630 .18-01 .18-01 .18-01 .00 .00 .18-			7		C + 12	-	7	C+ 1	. 55	.00	0 • 6 1	12.	:	5
### ### ### ### ### ### ### ### ### ##		300	3) ·) + K +	010	C (9.	18.0	•	Ç.	•
					•				5	0	0 + 2 ×	<u>.</u>	•	5
7.7.00 600 .17.02 .48-61 .48-61 .60 .00 .10 .10 .10 .00 .11-00 .80-01 .70-01 .10 .10 .10 .10 .10 .10 .10 .10 .10 .							9 6) · · · · · · · · · · · · · · · · · · ·	50	9	0 • 6 1	å,	22	2
927773					` .					0.5	200	1 10 10	-	
9:27:70 6CG		20 000					200) (() ()	٠ •	2.5	0 - / 1	2	= 1	ο.
127730 553 .12772 .27731 .13773 .13773 .13773 .13773 .03 .13700 .04101 .97101 .		000			•	3 4 6 6			•			• • •		•
9:37:00 600 .12-02 .23-01 .38-00 .59-01 .00 .00 .12-00 .72-01 .72-01 .59-01 .72-01 .72-01 .73	200									36		1 10 4 6 4		•
\$1,575	() . 0	000	200									1 • •	7 6	
9:97:00 600 .12:02 .23:01 .13:01 .27:00 .27:01 .10 .00 .10:00 .13:01 .37:01 49 9:97:00 600 .12:02 .23:01 .23:01 .27:01 .00 .00 .00 .00 .18:00				3 4 4 6) (֓֞֜֜֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	•	9	•	<u>.</u>	2:	•
20-101				0 4 8 0	1			, (9				_
### 00+01. 00+01. 00+22. 00. 00. 00. 00. 00. 00. 00. 00. 00.					3				•	2			7	n.,
									•			_	Ė	•

construction of the substitution of the substi

as a month of the contraction of

1	1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	!			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	•	1	1	1		· · · · · · · · · · · · · · · · · · ·	1	1	i	EXTINC	22 1	KE) RAS	S LOADING
ATE TTHE (MST)	SAMPLE TIME + SEC)			n	: : - :		•	~	i ec		e . n		
7.		, , ,						1 3					. 4
0:27	000	.36.63	13.61.		33.46.	000	0		99	.0-04.	. 49-01	.45-02	266.
3:37:3	3	33.	1343	76+3	(+)	21.0	î	റ	00.	-6	2-3	40-5	2
0:41:0	Ş	0 + 9 9	100	3.0	3-42	J-9 +	5	C	ပ ၁	2-0	0	26-0	7
0:47:0	Ç	95.3	1110	51.5	12:0	. 0 + 3	?	C	.03	0-6	?	6-3	5
0.00.0	Ç,	÷:		36	¥ ,	36	10-10-	ن د •	5	* 0	0	, .	25
7:/1:1	2 4) (יי ניני ניני	٦.	9 4) (1010	
	32						֚֚֚֚֡֝֝֝֡֝֝֝֝֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	,	26		1	27-5	6
1:47:C	3	3200		330	4	1000	3 - 6	۔ د	000	90	37-0	- 4	7
1:57:3	3	13:	48.5	37:53	11:	5.5		9	.00	0-2	21-0	17-7	F
2: 67: 0	9	386	97.6	9) :: c	7-40	20-C	=	20.	•	20-	7-0	7.6
2:17:5	Ş	22.	13+7	33+0	76-3	3+5	-	. 7	00.	_	01	0-0	=
2:27:0	90	43.6	14 + C	ろってい	1210	96-(7 0-0	J	99.	•	45-0	518	E
\$:37:3	\$;	40+7	4.5	:	_	. 23 - 31	C	.63	~	25-0	9-)	Ē
2: 4 7: 0	9	37.0	92+0	44.0	7 Y Y	1000	5 0-C	·	00.	F	36-0	36-0	76
22:47:3	ç	47.	4343	9	10 · CK	4-1-2	_	0	co.	~	-	(-y	2
3:07:0	9 .) • F. T	3 · · ·	346	91-6	2	ر د د	. ن	0,	5	19-0	0-47	C
23:17:2	? :	3:0	4247	334.)	•	C + 1	32-7	Ω.		•	24-0		•
7:27:0		3 3 6 6) - C	U - C - C	2.5	، نـ	000	F,	֚֡֝֜֝֜֜֜֝֜֜֜֝֓֜֜֜֜֜֜֜֜֓֓֓֓֓֜֜֜֜֜֜֓֓֓֓֜֜֜֡֓֜֜֜֡	19-0	2
	· •	֝֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓					2	n.	500	~,		0-9-	- (
	3 ()	7) (c	-	20.70	ے د د ا		, c	~ -			0 >
AR 77	•	:			•	•	:	•) }	•			:
(: 2 : 0	623	:	56.3		61-3		.33	.00	00.	10-92.	y-5	1-0	77.
17:0	v.	3316	9.49	3	# Q - C	ပ	. 3 9-01	03.	00.	.30-01	9	9-0	~
:27:3	n'	•	C + 1	21.5	-9	16-64.	.00	. 55	00.	~	0-66	91-5	-
7 7 . 0	u,		• •	0	30-05	٠, د د	و د د د	6.	0.0	0-1	2 -0	- e	Ç
	٠.						, ,	٥,		• •			٤;
		7367	15071	13433		1 2 4 3 3	27-72	0.0	96	10-14			
1:17:0	·	3400	3900	36.01	34-0) - 9		ب ،	3		10-0	9 3 - 0	. 5
1:27:3		24.)	1:		30.)	0 - 1	60.		00.	•	-	5-2	4
1:77:0	U	3600	11+C	33+0	2-46	9-0	00.	ن	000.	77	19-0	15-0	2
: 17:3	\sim	?	0+0	:	14-1		٤.	.03	00.	•	2-0		
1:47:0	Ü	9.29	3.5	3966	5-0	<u>မ</u>	J	٠ ٥ ٠	00•	•	Ļ	11-0	Ē
2:24:3	~	7 2 · .	11.3	24.5	45-		-	•	60.	•	[- Z]	1 5-0	Z
2:17:0	ပ	J	36+0	٥	13-0	0-40	. 2 n-c 1	J	ə 0	_	16-	15-0	8
5:57:3	\sim	:	78.0	64.0	\$	<u>;</u>	?	.00	00.	•	5-0	25-0	3
2:37:0	، ن	25.	•	33+1	٠ د .	٠ د	0.	<u>ں</u>	2	. 37-01	6,	Į,	-
6 2 4 8 2 2	٠,				c (_ 1	no.	De:	10-66.	6 - 7		-
7:77:0	٠	3 .	•	٠ د	Ε.	٠.	13-66.	0	00.	10-10.	. 42-03	-	

PARTICULATE SIZE DISTRIBUTION: CALCULATED EXISUCTION: AND MASS LOADING ARTICULATED EXISUCTION: AND MASS LOADING

1		1												
						2 - 0	,			3		Ja) NOI	AA CAX	LOLOTNO
11 11	٠. 	A	-	~	-					! ! c !	4.78			P) B
7 7 7 7	• • •		: 4		1 4	1 1			:	: : : : : : : : : : : : : : : : : : : :	1	1	!	: :
::	32	£ 55	10.56.	10.61.	19+22		11110		20.		10:69.		#C-68.	
-	-	U	0.0	10.0	3.		140	30-05	C J	33.	.0		٠.,	. ~
-	_	^	A 2 4 5	11:3	3+5	÷	95.3	. 23 31	.03	00.	0-4	2	<u>ځ</u>	=
-		u	970	• ·	3	•	٠ ۲	3-18	٠,	80.	9-9	30-	23	ç
		^ '				25	C+ + 1	10-6.	CC.	00.	CI	<u>.</u>	į	2
				2.0) • :		، د د	13-05	0	ء د د	г.	-	17	2
	•	•						. 27 - 31	ο,	66.	_		-	2
		,	֓֞֝֝֝֓֜֜֝֝֓֓֓֓֓֓֓֓֓֜֝֡֓֓֓֡֓֜֝֡֓֡֓֡֓֜֝֡֡֓֓֡֓֡֡֡֡֝֡֡֡֡֝֡֡֡֡֡֡֡		֓֞֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜֜֜֜֜֜֜֓֓֓֓֜֜֜֜				٠, د د	5.	~ .			•
	` `	v	0				200		٦ ـ	3			1	- 0
		•		7913					, .	2				
::	=	·	3.09			•	4 6-0		ں د				2	
=	_		13:1	::	42+0	33.	4.4.5	33-31	• •	600	_		-	
=	=	u	990	190	386	17.6	3	, O.	·	3	-	38	30.	2
-	_	\sim	:	11:	9	61.)	95.3	16-68.	.03	00.	•	5	23:	-
:	=	·	:	=======================================	95+C	74-6	1 1 E E E .	.2 5-51	_	00.	•	P	÷	6
5	_	~ 1	Ξ	3:0	:	•	•	16-4%	3	.00	~		0-6	-
:	<u>.</u>	u,	=	2 • 0	47.6)- [¥	J	13-05.	00.	0).		0-4	22-0	~
	~ :	•	•	7.5	200	· - :	•	16-64.	3	0	_	-	32-0	3
		، ن		3 3 6 5		= :	0	۔ ن	5	3	-	20	-	•
	7	~ 4	2;			?;	C • 4 T	. 23 - 31	60.	.00	-	0	27-3	~
	-		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		٠ . 			c .	ن ن	00.		0,4	12-0	9
									0	0.0		0-51	C - C - C	٠ ا ا
=	•	•	=	:		-	.21433	17.00			7			
7:2	٠	ິ	:	994	3 . 4	~		, 		000	••	-	1010	ē
:	^	•	13:0	18.5	13.53	:	4:	:0:	G	.03	6	=	0-6	-
	9	u,	200	•	3 • 6	20	د	7-) 2	د	00•	5	0-6	5-0	
-	~ `	~ 4	~ ;			•	-	. 27 - 21		200	-	ر - را د	9-9	5
	"						٠.)	-	00	•	0	12-0	2
- :	•							0 1		٥٠	~	-	0-96	0
	, ~) -	?	 	3 6	ζ.	1	0 0 0	٠,
						, ,	,	- *		2 4	: :			- 1
		•			2	, 		; -		9 6	_			~ 5
	ç	. 43	3 4 4 5	100	300	•	1 4 4 0	٠.			3			
=			:	5		, (1	- 4	: 2						
2:5		C	3110	67+C	3700	30-	10					,	1	
:	•	-	320)	18.7	(,)?	-		. 23 - 31	0	e e		, 5		. 45
:	0	·			ن		•			0	;	, 6	. 6	
										1		;	:	

PARTICULATE SIZE GISTRIBUTION, CALCULATED EXTINCTION, AND MAS, LOADING ARTICULATE SIZE GISTRIBUTION AND MAS, LOADING

was apprehimentally and the complete of the contraction of the contrac

			1	2 1 2 1 2 1 2 1		!				I X	! -	V# 1.	ONI OVOTO
1821	14 V S C S C S C S C S C S C S C S C S C S	-	n.					: : : : :	1 1 1			9.6	•
: =	t 1 1 1 1	:	;	1 1	: : : : : : : : : : : : : : : : : : : :	: : : : : : : : : :		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
4:97:	ž	Ξ	3.0	J	0	٠ د د	٥.	0.		- 49-02	•	0-0	•
7:77:0	2	3:0	5	.12.23	.13.	^	?	0	00.	. 19-02	•	-	
0:17:0	ž		•	2	65.	. 46-01	<u>ں</u>	٥ ٠	99.	. 46-02	•	0-0	25.
7:27:3	3	2367	5	_	· .	ĉ.	ć.	.00	.00	. (7-32	_	-	•
C: 37:	Ž.	-	3-9E		ç.	ى ن	٥.	<u>د</u> د د	00.	. 10-02	_	-	:
	5			_	cc.	~·		. 5	00.	.13-0%		C = 1	~
7 7 7 7	.	2		: - -	، ب	، د	٥	0	00.	. 20-03	-	-	*
		2	7 4 7		6		.0.	. 33	20.		. 24:02	1	12.
	έ.			: :	٠.	٠,	، ت	0.0	00	. 10-02	_	C - 5	÷
	2 3				•	_ •	Ĉ.	cc.		€C • 8 - •	~	÷	:
	£ 3				10-05		L .	0	3 •	. 5.4 - 0.9	-	į	20.
	7 4			7:10	?	Ĉ.	n,	c.	Ø:	20 - 22·	-	<u>.</u>	.
	52				-		۽ د	- ب	ပ ၁ :	20-22	_ :	┶.	*
						_	5	CC •	0	~0-h~·			~
7:27:3	62			· -			Э,	٠,	0.0	r,	3	١,	2
	` `	0 4 6					٠,	Э,	6.9	20.4.		٠.	N:
	3		3 6			٠ •	> 0		2:	۰.	_	<u>.</u>	.
13:03:0	\ \							,		_ :		1 /	e :
3:11:5	3	:	353					ے د - د		2		! -	ŗ,
:21:0	4	28.0	24+6	ř	۲.	د ،						֡֡֡֞֜֞֡֜֞֜֞֡֜֜֜֞֜֞֜֜֜֡֡֡֡֡֡֡֡֡֡֡֡֡֡֡	• • •
*:3	633	. 44.33	.11.55	113-31	17-11-		6.		20	20-02		13-02	-
	÷	\$200		ے	00.		٥٠	000	90.	-	•		
9:91:3	3	3:	3.5	?	. 33		.3)	.00	000	-12.	_		
	÷ .	9	٠ •) - -	00.		٥.	05.	63.	.29-02	_		*
	2	370		-	2	_	_	e.	00.	- 4 6 - 02	•		
	ر ر د ع		2	֓֞֞֜֞֜֞֜֓֓֓֓֓֟֝֓֓֓֓֟֝֓֓֓֓֓֓֓֓֓֓֡֝֟֝֓֓֓֡֝֡֝֡֝֡֡֡֝֝֡֡֝֡֡֡֡֝֡֡֡֡֡֝֡֡֡֡֡֝֡֡֡֡֡֡	<u> </u>	# D = # .	.20-0	ပ သ	S.	15-01	-		104.
	2 4						- 1	CO.	000	.43-02	₽-		24.
	2 2		- C	2			1010 m	ے د	5	,	-	10-61	Č
7:01:0	4	200			, ,	٠.		٠,	•	• •			-
7:11:5	3		2	-				200	200				213.
7:21:0	9	3	-	21.0	30-			٠.					
7:31:3	3	7:3		:	13.	;							\ •
7:41:0	¥	3	7.0	3 . 3 .	-	30	.27.61		000	10-21	-		: 3
7:91:5	3	=	2:2	2 : 3			:	-	55,	.0.0	-		. 2
3:0:0	÷	0	5	2:0	c	į	2 - 6	J	00.	. •	-	5	3
\	3	=	3:0	?	11.66.	Ç.	. 27 - 21	. 53	•	-	=	=	161
	. ۍ	-		3	<u>ن</u>	2	٠ ن	C	00.		117-01	Ξ	~
	2 3					•	•	n	e.	.69.09		æ	343.
3	9) •		17-06		٥٠.	00.	000		*	. 10-01	=

PARTICULATE SIZE DISTRIBUTION, CALCLLATED EXTENCTION, AND MAS, LOADING ARTICULATED EXTENCTION, AND MAS, LOADING

		1 1 1											
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	SAMPLE 17ME 17ME 18EC)		~) 	1 1 1 1 1 1 2 2 3			! ! !		7.9	9.6	
	;						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	í : : : : : : : : : : : : : : : : : : :	1 1 1 1 1 1 1		!	į] 1 1 1 1 1
7 1 2 0	€ .		•		٠ :	Ç Ž	د ب	0	٠	C- E.	-	1	2
					- 1		•	c.	00.	٠ د :	C- 2:	-	Ş
	6 .) (() · O (·	30031.	ب د خ	0.	53.	10-66		Ş.,	200.
		֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֓֓֡֓֓֡֓֡			•			0	00.	• •	~	=	£
0 1 1 1	• .			200	د	0	ĭ	۰	63.	ç		į.	Ξ
	2 3	2	72.7	C	-	0 6 7	*	60.		13+0	~	100	5
7 1 5	e .		± 2)) • (ر ا کا ا	֓֞֞֞֝֓֞֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	0	9	Ç	-	-	S
(216	2:	^ · · · ·	70.0		•	•	• :	c:	0.	-0	ワーだる	. 3.	5
1110	e .				ت) <u>.</u>	_	0	99.	?	19-0		2
21:2	?	7 4 6 5		•	2	2	~ (C ;	0	-0	÷.	25.	294
2010	e .	3 • 4 6	200		ب -	9-6	3 -0 -2	ح	60.	ç	32-0	Ę	ç
	2 :	2		?	-		٠ د د	ć (00	.53-01	-	2-0	247
-	€ .	33.0	3		. ب د م	3 E (، ن	٥,٠	03.	0- 47	0- 4 - C	36-0	2
					€:		6	2			- 51	01#	=
	e .			د د		، خ . ع	֓֞֝֞֜֜֞֜֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֜֓֓֓֓֓֓֡֓֡֓֡֓֡	0;	8	9	٠	0	•
	•		7 4 4 7				> 4	э.	О,	2 .	0 - 2 Z	5.3-3	2
	9 4		;		•		1	- :	0.0	0-7		0-15	
	` ~			` *			? 	3	0.5			7 6 - 3	e :
51:3	3	3	::	25.5	10-92	2)	3.			4 7 4		1 1	200
0 : E ×	4	3000	11.	3.00	-	14.0	•		000	0-24	27-0	0-60	2
<u> </u>	Ç	2	59.0	-	ë		_	.03	00.	~	5	-	-
0	ξ.	26.0	-	3	-		0	C	ŋ 0 •	?	0-40	79.0	61.
	2 3	() ;		?		-	c ·	0	٥. •	0-6~	C		71.
	- -			3 .	•	، د د	، د د	=	9	10-61	2-2-	0-00	E.
	2 4						.27-71	a e	90	10-6-	e :	-	
	- 7) ()	2.6	0.0		0-11	= :	Ç.
7.10	• ⋖	=		200	000		_	70	5	10:00			,
	2	3:5	1017	1903	:			•	2 6				: 2
₹`)) V	2300	346	7-10	174-61	ن ت د	.20-01	٠ د د د	000	. 20-01	14-01	12-01	
	÷	7001	2000	1201	-			O		5	0 - X	24-0	•
=	3	2312	13.0	14.5	33.3	-					12-0	ç	•
=======================================	¥	. 12 6 6 1 .	.24+60	22100	. h] - (h	. 40-01	٥٠.	U	00.	ç	0-0	. 86-02	2
<u>"</u>	?	:	21:3	11:3	÷			C 0 •	00.	ï	-	6-0	
12:01	•	79. >	11.5	32.45	•	16.58.	11-11		00	-	£	7 4 5	_
170	9	1 3 + C	3448	7000	1-31	90	د و	•	•) (: 4
=	6		. 24+33	.13.33	12.51.	~	11-11			10-11-	20-01		
2	•	20°C	42.0	33.5	23.6	9:0	5-6		. A C - C 2	13.0	39-0	38.0	•
	2			2213	3	?	.9	2	00	0 - 7 W	C = 4 4	4110	
					•		•			•			=

FABLE DISTRYBUTION, CALCULATED EXTINCTION, AND MASS LOADING ARTICLES ALINCTION, AND MASS LOADING

	•				> > = C	ٔ و۔				1	LION CHE	Z X C	
NATE ITUE (MST)	SAMPLE	: : : : : :		: : : : : : :		6		_	! ! c !	٠,	F . F	9.0	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1	***************************************		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 2 2 2 3 4 4 6	2 2 1 8 8 8 8 8 8		: : : : : : : : : : : : : : : : : : : :	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
14:15:	000	5	Û	2-1	5	. 32-01	03.	00.	000	CO- Ko.	. 59-02	•	36.
1:33:		33	17:5	2:0	3:2	ç.	.53	0.	.03	.14-02	. 25 - 52	٠- ٠	
	÷ 0	12:	37.0	7-1	0	43		٥٥.	00.	. A 7 02	æ	. 30	•
1:00:		:	:	13.5	ċ	:	16-12.	co.	000	10-12-	•	.17	169.
9:19:	90	=	3.4.6	2-18	.	•	ï	٠ د د	00.	10-11.	•	• 12	•
4:33:	•	=======================================	3703	***	ċ	:	. 60.	0	.03		•	. 70	:
4:11:	0	= 1	200	い・こへ	ċ	ç	ı.	00.	٠, د	. 94 - 02	•	E.	76.
6:337	0 0	7,50	:	?	16.66.	~	.00	.00	60.	~	Ç	=	
h:1#2	0	į	3 · · C	7 * * "	ģ	•		ú	c o	. N 1-02	~	. X 7	.38
4:30:	5	=	:	<u>::</u>	;	-	17-11	<u>.</u>	00.	_	n.	=	- -
4:49:	0	÷	0.240	2 B . L	ċ	=		J	٥.		_	•	⋖-
7:33:		:	75.7	:	÷	16.26.	፣		.03	10-02-	_	=	*
7:19:	3	:	43.0	3	ċ	ż	ï	၁ ပ	00.	10-01.	•	. 16	•
7:30:		_	:	?	_	<u>e</u> .	16-66.	. 53	00.	10-22	•	-	240.
7: 8 %	3	ċ	3000		å	.		<u>ن</u>	00.	10-21	₹.	9.	u.
1:22	•	=	0:0	14.5	0	_	· .	3	Co.	10-11.	-		
#:15:	000	ċ	3:5	÷	ļ	. 61-02	ري. د	00.	00.	19-01	•	00.	~
14:50:	÷	:	:	41-7	÷	5:3	÷	0	00.	10-51.	~		~
A: 43:	9	2	3 • C	;	ċ	ت	ĭ	J	00.		_		_
3: 23:	9	13:	24.3	14.0	16.14.	?		.53	00.	10-61	.	. 1.	-11.
6179	0	-	•	ب ج	ċ.	: =	۲	0	٠ •		•	2	-
7:33:	C .	=	14+7	29+3	<u>.</u>	C • S	-2		9		_	-	
	ن د د	=	•	E	ė,	٥٠		٥ •	00.		-	2	~ ·
7:77:	C +		494	^+-	ċ	~	16-17		0		•		47.
	•		• • •	- i	έ.	٠		، د د د	0		•		25
16416					•	-	÷ :		0.0	•	•		367
			•	ر د د د د د	0.00	! ~ .		3.6	0.6		= :		
	7						4))	9				• •
)					}	7 7 7 7 7	2 4	2 6	٠.		-	
					, (. :		٠.	3 5	_ •	•		
		: =							2 6	٠.			 C .
	• •	:			٠ :			3 6	2 5		3 9		- 5
	•				: 	3		3 ¢	2 5				• • •
	•										•	•	•
	• •				• 4		١	3 4	3 (~ .	-	
1123	6.0	•	-			10-14-		01	0.				
3:15:) i	Ž.	3 4 6		- 4	?		5.	0:		C 4	0-6.	
5:33:	היי היי		-	•	•	•		ce.	0.	10.61	•	C = C = .	
	ن >	:			,								

SUPPLEMENTARY

INFORMATION

ERRATA SHEET

ASL DR-0001
ATMOSPHERIC CONDITIONS AT THE HIGH ENERGY
LASER SYSTEMS TEST FACILITY (HELSTF),
WHITE SANDS MISSILE RANGE (WSMR), NEW MEXICO
24 MARCH TO 8 APRIL 1977

Insert table 12 as page 19a of the report.

TABLE 12. NOAA TURBULENCE FLIGHTS

Date			Time	(MST)	
		0000	0500	1200	1800
March	24	N	H	ĸ	R
	25	ĸ	С	P	C
	26	С	ĸ	p	ĸ
	27	С	С	н	ĸ
	28	и	K	С	ε
	29	£	С	С	C
	30	C	Ć	ε	C
	31	С	С	С	С
April	1	ĸ	н	£	ε
	2	С	ĸ	С	C
	3	c	С	P	P
	4	n	С	C	C
	5	С	н	n	H
	6	H	ĸ	N	74
	7	н	n	R	ĸ
	8	u	n	н	Ħ

C = Complete data set

P = Partial data set

n = No data